



Digitized by the Internet Archive
in 2025

TEN-YEAR INDEX
TO
JOURNAL OF MAMMALOGY
1950-1959

TEN-YEAR INDEX
to
JOURNAL OF MAMMALOGY

VOLUMES 31-40 INCLUSIVE
1950-1959

VIOLA S. SCHANTZ
Chairman Special Index Committee

Edited by
VIOLA S. SCHANTZ, *Zoologist*
and


COMMITTEE:
CHARLES O. HANDLEY, JR.
DAVID H. JOHNSON
JOHN L. PARADISO
HENRY W. SETZER



Published by
THE AMERICAN SOCIETY OF MAMMALOGISTS
May 18, 1961

COPYRIGHT, 1961
BY
AMERICAN SOCIETY OF MAMMALOGISTS

Printed in United States of America by
ALLEN PRESS, LAWRENCE, KANSAS



INTRODUCTION

Publication of this third index to the Journal of Mammalogy, covering volumes 31 to 40 inclusive, for the years 1950 thru 1959, was recommended by the Board of Directors of the American Society of Mammalogists. The ten volumes covered by this index were issued in quarterly numbers and include 5,844 pages.

The plan used in preparing the first or "Twenty-Year Index" (August 1, 1945) has been followed with the same modifications used in the "Ten-Year Index" (October 27, 1952). For example: in cross-indexing specific names reference is made to the genera under which they appear, thus: *americanus*, *see* *Alces*, *Canis*, *Euarctos*, *Lepus*, *Lynx*, etc.

The Chairman, Viola S. Schantz, has served on the Index Committee continuously from 1940 to date. David H. Johnson and Henry W. Setzer were members of the committee throughout the time this index was in preparation. Charles O. Handley, Jr., served with the committee until January 27, 1960, when he was replaced by John L. Paradiso.

The manuscript was typed by Helen S. Gaylord.

ABBREVIATIONS

GENERAL

adap.	adaptation	misc.	miscellaneous
anat.	anatomy	morph.	morphology
behav.	behavior	mort.	mortality
coll.	collection	nomen.	nomenclature
comp.	comparison	obit.	obituary
conserv.	conservation	orig. desc.	original description
dent.	dentition	paleontol.	paleontology
desc.	description	par.	parasite
dis.	disease	pel.	pelage
distr.	distribution	per.	period
ecol.	ecology	photo.	photograph
econ.	economic	phyl.	phylogeny
evol.	evolution	phys.	physiology
fd.	food	pl.	plate
foss.	fossil	pop.	population
gen.	genetics	prot.	protection
gest.	gestation	ref.	reference
hab.	habits	reprod.	reproduction
hist.	history	rev.	revision
illus.	illustration	syn.	synonymy
introd.	introduced	tax.	taxonomy
loc.	locality	tech.	technique
longev.	longevity	var.	variation
meas.	measurements	wt.	weight
migr.	migration	yg.	young

GEOGRAPHIC

Ala.	Alabama	N.	North
Alas.	Alaska	Nebr.	Nebraska
Ariz.	Arizona	Nev.	Nevada
Ark.	Arkansas	N. A.	North America
Calif.	California	N. H.	New Hampshire
Colo.	Colorado	N. J.	New Jersey
Conn.	Connecticut	N. Mex.	New Mexico
Del.	Delaware	N. Y.	New York
D. C.	District of Columbia	N. C.	North Carolina
Fla.	Florida	N. Dak.	North Dakota
Ga.	Georgia	N. W. Terr.	Northwest Territories
I.	Island	Okla.	Oklahoma
Ida.	Idaho	Ore.	Oregon
Ids.	Islands	Pa.	Pennsylvania
Ill.	Illinois	R. I.	Rhode Island
Ind.	Indiana	S. Amer.	South America
Kan.	Kansas	S. C.	South Carolina
Ky.	Kentucky	S. Dak.	South Dakota
La.	Louisiana	Tenn.	Tennessee
L. Calif.	Lower California (Baja California)	Tex.	Texas
Me.	Maine	U. S.	United States of America
Md.	Maryland	U. S. S. R.	Union of Soviet Socialist Republics
Mass.	Massachusetts	Vt.	Vermont
Mich.	Michigan	Va.	Virginia
Minn.	Minnesota	Wash.	Washington
Miss.	Mississippi	W. Va.	West Virginia
Mo.	Missouri	Wis.	Wisconsin
Mont.	Montana	Wyo.	Wyoming

CONCORDANCE

<i>Year</i>	<i>Volume</i>	<i>Number</i>	<i>Pages</i>	<i>Actual Date of Publication</i>
1950	31	1	1-120	February 21, 1950
		2	121-246	May 25, 1950
		3	247-376	August 21, 1950
		4	377-506	November 21, 1950
1951	32	1	1-138	February 15, 1951
		2	139-250	May 21, 1951
		3	251-388	August 23, 1951
		4	389-506	November 19, 1951
1952	33	1	1-138	February 18, 1952
		2	139-272	May 16, 1952
		3	273-418	August 19, 1952
		4	419-532	November 19, 1952
1953	34	1	1-152	February 19, 1953
		2	153-288	May 14, 1953
		3	289-416	August 14, 1953
		4	417-552	November 13, 1953
1954	35	1	1-146	February 10, 1954
		2	147-316	May 26, 1954
		3	317-470	August 20, 1954
		4	471-652	November 29, 1954
1955	36	1	1-164	February 25, 1955
		2	165-322	May 26, 1955
		3	323-492	August 30, 1955
		4	493-617	December 14, 1955
1956	37	1	1-141	February 28, 1956
		2	142-310	June 9, 1956
		3	311-474	September 11, 1956
		4	475-594	January 9, 1957
1957	38	1	1-156	February 25, 1957
		2	157-296	May 27, 1957
		3	297-440	August 23, 1957
		4	441-574	November 20, 1957
1958	39	1	1-176	February 20, 1958
		2	177-324	May 20, 1958
		3	325-476	August 20, 1958
		4	477-635	November 20, 1958
1959	40	1	1-168	February 20, 1959
		2	169-315	May 20, 1959
		3	316-480	August 20, 1959
		4	481-676	November 20, 1959

VIOLA S. SCHANTZ,
Chairman of the Index Committee.

10-year Index to Journal of Mammalogy

(1950-1959)

A

Abbott, Herschel G. and Dana P. Snyder:
A laboratory cage for small mammals, 40:
618

Abdomen of:

Trichechus, 34:201

Abdominal viscera of:

Cynomys, 34:17

Abernathy, R. P., *see* Bassett, Charles F.

aberti, *see* Sciurus

abieticola, *see* Tamiasciurus

abietorum, *see* Vulpes

ablusus, *see* Citellus

Abnormalities of:

Callorhinus, 36:562

Clethrionomys, 37:298

Cynocephalus, 36:131

Dicrostonyx, 37:549

Odocoileus, 36:202, 308; 37:231

Pecari, 38:420

Tadarida, 39:587

Tamiasciurus, 36:136

abrasus, *see* Eumops

Abrocoma, 36:181

Abrocomidae, tax., 36:181

absonus, *see* Thomomys

Abundance of:

Apodemus, 39:479, 483

Blarina, 31:318

Canis, 31:171

Clethrionomys, 39:479

Cryptotis, 31:318

Oryzomys, 31:318

Peromyscus, 31:318

Rangifer, 32:329

Reithrodontomys, 31:318

Sigmodon, 31:318

Sorex, 39:149, 479

acanthion, *see* Tachyglossus

acapulcensis, *see* Odocoileus

Accidents to:

Felis, 38:123

Odocoileus, 34:515

Aceratherium lydekkeri, 32:467

Aceroden celebensis, Celebes,

baculum, 40:390

Acinonyx jubatus velox, Africa, 31:186

Acratocnus, Haiti, distr., 36:109

Acrobates, comp., 34:293

Activity cage, 31:417

Activity of:

Alces, 39:132, 135

Alouatta, 40:321

Apodemus, 37:1

Berardius, 34:103

Citellus, 34:66, 339; 35:545; 40:27

Dicrostonyx, 38:218

Dipodomys, 38:502

Dusicyon, 37:284

Globicephala, 36:424

Grampus, 35:123

Hippopotamus, 34:306

Inia, 39:17

Lasiurus, 34:256; 39:67

Lepus, 37:64

Mesocricetus, 35:545

Method for determining activity, 38:531

Microtus, 34:480; 35:259

Mus, 31:403

Nasua, 35:48

Ochotona, 34:132

Oryzomys, 34:480

Otaria, 37:287

Peromyscus, 37:74; 40:213, 449

Pizonyx, 35:81

Procyon, 34:134; 37:170

Rattus, 36:259

Rodents, 39:454

Sorex, 34:119, 120; 35:109; 36:214

Sotalia, 39:17

Spermophilus, 39:92

Tadarida, 37:282

Tamiasciurus, 37:64; 39:443

Activity wheels used by:

Sorex, 34:119

Actuo (= Aotus), 40:338

actuosa, *see* Martes

actuosus, *see* Thomomys

aculeatus, *see* Tachyglossus

acutorostrata, *see* Balaenoptera

acutus, *see* Lagenorhynchus

Adams, David A.:

Myotis subulatus leibii in North Carolina,
31:97

Adams, David A., *see* Barkalow, F. S., Jr.

Adams, Lowell, S. B. Salvin, and W. J. Had-
low:

Ringworm in a population of snowshoe
hares, 37:94

Adams, Paul, *see* Buckley, John L.

Adaptation:

Citellus, 40:359

Microtus, 38:530

Rattus, 38:531

Reithrodontomys, 38:530

Sciurus, 38:223

Sorex, 38:530

Adaptation syndrome, 31:250

Adenota kob leucotis, 31:188

- kob thomasi, 31:188
- leche megaceros, 31:188
- adocetus, *see* Citellus
- Adrenal weight of:
 - Rattus, 37:475
- Adrenocortical activity of:
 - Microtus, 39:109
- Adreno-pituitary system, 31:247
- adustus, *see* Antechinus
- aegagrus, *see* Capra
- aello, *see* Nyctimene
- Aepyceros melampus melampus, 31:188
- melampus suara, 31:188
- aequatorialis, *see* Felis
- Aestivation in:
 - Cynomys, 36:69
 - Perognathus, 38:60
 - Tamias, 38:196
- aethiopicus, *see* Paraechinus, Phacochoerus
- aethiops, *see* Cercocebus, Cercopithecus
- affinis, *see* Ratufa
- Afghanistan:
 - Hystrix, 37:299
- Africa:
 - Cercocebus, 39:584
 - Cercopithecus, 36:434
 - Choeropsis, 34:302
 - Cryptomys, 39:580
 - Hippopotamus, 34:299
 - Ictonyx, 34:144; 35:130
 - Kobus, 39:581
 - Local list, 31:185
 - Loxodonta, 38:243
 - Manis, 37:531
 - Mustela, 34:379
 - Myosorex, 39:325, 494, 577
 - Petromys, 38:351
 - Potamochoerus, 36:147
 - Pronolagus, 39:580
 - Steatomys, 39:578
 - Thryonomys, 38:351
 - Zorilla, 34:378
- africana, *see* Loxodonta
- africanus, *see* Phacochoerus
- Age changes in:
 - Mink bacula, 32:45
- Age characteristics:
 - Sorex, 36:214
- Age classes of:
 - Castor, 34:28; 39:97
 - Fur seals, 31:393
 - Herpestes, 34:437
 - Lepus, 40:63
 - Myotis, 36:379
 - Sorex, 36:323, 339
 - Sylvilagus, 40:84
 - Tadarida, 37:42
- Age composition:
 - Urocyon, 39:80
- Age criterion of:
 - Castor, 35:197
 - Lepus, 40:66
 - Mink, 32:47
- Age determination:
 - Antrozous, 36:379
 - Castor, 34:28
 - Corynorhinus, 33:287
 - Eptesicus, 36:379
 - Herpestes, 34:438
 - Microtus, 37:249
 - Mustela, 35:496; 38:319
 - Myotis, 36:379
 - Sorex, 35:35; 36:214, 323
 - Squirrels, 32:109
 - Urocyon, 39:74
- Age groups of:
 - Procyon, 31:444
- Age ratios:
 - Lepus, 40:69
 - Myotis, 38:26
 - Ondatra, 37:494
 - Raccoon, 40:249
- Age variation in:
 - Liomys, 34:59
 - Sorex, 32:90
- Aggression by:
 - Alouatta, 40:328
- Aggressiveness of:
 - Odocoileus, 37:143, 458
- agilis, *see* Dipodomys, Hylobates, Protemnodon
- Agouti, 34:267, 40:329
- agrarius, *see* Apodemus
- agrestis, *see* Microtus
- aguti, *see* Dasyprocta
- aitake, *see* Rattus
- akeleyi, *see* Nesotragus
- Akodon berlepschii, Chile, distr., 36:465
- Alabama, 32:223; 33:21, 388
 - Armadillo, 33:26
 - Odocoileus, 40:109
 - Pipistrellus, 40:18, 527
 - Sorex, 40:438
 - Urocyon, 37:346
 - Zapus, 35:592
- alascensis, *see* Lemmus, Vulpes
- Alaska, 32:10, 88, 358; 33:38, 180, 245, 247, 496, 502
 - Adak Island, Aleutian Islands, Map 33:39
 - Alces, 34:396
 - Alopex, 35:206
 - Bison, 36:305
 - Callorhinus, 31:384; 36:493; 37:327; 38:310
 - Canis, 37:337
 - Castor, 38:269
 - Citellus, 31:304; 32:358; 34:163, 334; 35:586; 36:362; 39:296, 576, 594; 40:46, 201, 608, 609
 - Clethrionomys, 35:376; 38:78; 39:157; 40:141, 608
 - Dicrostonyx, 35:376; 38:127, 218; 40:205
 - Erethizon, 36:362

- Gulo, 36:346
 Lemmus, 40:608
 Lepus, 36:362
 Local list, 31:464; 32:90; 33:476
 Lutra, 34:255; 39:576
 Marmota, 36:362; 37:291; 40:609
 Mesoplodon, 34:242, 249
 Microsorex, 40:607, 608
 Microtus, 35:259, 376; 36:362; 38:78, 127;
 39:157, 574; 40:607
 Mustela, 36:362; 39:576
 Myotis, 39:574, 585
 Ochotona, 39:448; 40:608
 Odobenus, 35:203
 Ondatra, 36:362
 Ovibos, 35:456
 Phocoena, 35:122
 Phocoenoides, 31:99
 Rangifer, 36:187; 37:337
 Rattus, 37:181
 Sciurus, 36:362
 Sorex, 34:120; 38:78, 121; 40:608
 Sperophilus, 31:304; 39:92
 Sylvilagus, 36:362
 Synaptomys, 40:608
 Tamiasciurus, 39:443
 Ursus, 35:438; 36:362; 39:576, 588
 Vulpes, 39:575
 alba, *see* Ondatra
 albanensis, *see* Hipposideros
 Alberta:
 Canis, 31:16; 34:389
 Eutamias, 35:105
 Gray fox, 33:253
 Lepus, 40:221
 Martes, 34:74
 Ondatra, 32:361
 albibarbis, *see* Sorex
 albicauda, *see* Ichneumia
 albifrons, *see* Cebus, Damaliscus
 albigena, *see* Cercocobus
 albigula, *see* Neotoma, Thyroptera
 Albinism in:
 Antrozous, 31:350
 Chaerephon, 31:350
 Eptesicus, 31:350
 Glossophaga, 31:350
 Lagenorhynchus, 37:311
 Lasiurus, 31:350
 Microtus, 37:298
 Molossus, 31:350
 Myotis, 31:350; 37:546
 Ondatra, 34:262
 Otomys, 39:448
 Peromyscus, 33:367
 Pipistrellus, 31:350
 Procyon, 37:120
 Reithrodontomys, 39:306
 Rhinolophus, 31:350
 Sigmodon, 32:217
 Sylvilagus, 35:429
 Synaptomys, 36:293
 Tamias, 35:585
 Zapus, 32:362
 albipes, *see* Phenacomys
 albiventer, *see* Nyctimene, Thyroptera
 albojubatus, *see* Connochaetes
 albus, *see* Fiber, Ondatra
 Alcelaphus buselaphus cokii, Africa, 31:187
 buselaphus jacksoni, Africa, 31:187
 Alces, 32:83; 33:154, 434, 480
 alces, hab., 36:145; Quebec, hab., 37:300,
 458; British Columbia, hab., 486
 alces gigas, Alas., distr., 34:396, 397
 alces shirasi, Wyo., hab., 40:380, 420
 americana, Mich., 31:359, Mont., 460,
 Wyo., speed, 32:116, Mich., 472; British
 Columbia, dis., 39:139
 americana americana, Arctic, hab., 35:105
 americana gigas, Alas., 31:466
 americanus, Ontario, 37:119
 Alcorn, Albert A., *see* Baker, Rollin H.
 Alcorn, Albert A., *see* Russell, Robert J.
 Aldous, C. M.:
 The feeding habits of pocket gophers (*Thomomys talpoides moorei*) in the high
 mountain ranges of central Utah, 32:84
 Fluctuations in pocket gopher populations,
 38:266
 Aldous, C. M., *see* Robinette, W. Leslie
 alecto, *see* Pteropus
 Alertness of:
 Procyon, 37:170
 alexandrinus, *see* Rattus
 alfaroi, *see* Oryzomys
 Algal growth, Halichoerus, 35:595
 *alipioi, *see* Mirandatherium
 Allactaga euphratica, Iraq, anat., 39:396
 *allapaticola, *see* Peromyscus
 allegheniensis, *see* Mustela
 Allen, Ross:
 Notes on the Florida panther, *Felis con-*
 color coryi Bangs, 31:279
 Allen, E. Ross, and Wilfred T. Neill:
 Cleaning mammal skeletons with meal
 worms, 31:464
 Notes on the abundance of the Everglades
 mink, 33:113
 Albinistic sibling raccoons from Florida,
 37:120
 alleni, *see* Bison, Lepus, Neofiber, Neotoma
 Alopex, 33:426
 lagopus, Alas., 33:38, 478; Arctic, hab., 35:
 105; N. W. Terr., hab., wt., pel., 36:254
 lagopus innuitus, Alas., 31:465
 Alouatta, infant development, 40:325
 guariba clamitans, Argentina, hab., 35:117
 interspecific relations, 40:329
 manipulation, 40:318
 palliat, Panama, hab., 40:317
 palliat mexicana, Mexico, par., 35:101
 seniculus, behavior, 33:114

- Veracruz, distr., 40:9
 alpicola, *see* Apodemus
 alpinus, *see* Apodemus, Mus
 alstoni, *see* Neotomodon
 alticola, *see* Glossophaga, Sigmodon
 Altitude-effect:
 Peromyscus, 35:553
 Altitude record of:
 Bison, 36:470
 Martes, 36:568
 Altmann, Margaret:
 Moose, *Alces alces*, battles horse in water, 36:145
 Group dynamics in Wyoming moose during the rutting season, 40:420
 Altmann, Stuart A.:
 Field observations on a howling monkey society, 40:317
 Amadon, D.:
 (Review) Hastings, Duke of Bedford, The Years of Transition, 32:234
 Amazonius, *see* Trichechus
 ambarvalis, *see* Spilogale
 amblyotis, *see* Tonatia
 Amendments to:
 "Checklist of Palaearctic and Indian Mammals," 34:516
 American Society of Mammalogists:
 Brazier Howell award, 40:641
 Chronological history, 40:276
 Membership lists, 31:220; 35:284; 40:278
 Reports of Annual Meetings:
 Thirtieth, 1950, Mammoth Hot Springs, Yellowstone Park, Wyo., 31:479
 Thirty-first, 1951, Chicago, Ill., 32:383
 Thirty-second, 1952, Charleston, S. C., 33:413
 Thirty-third, 1953, New York, N. Y., 34:409
 Thirty-fourth, 1954, Estes Park, Colo., 35:619
 Thirty-fifth, 1955, Los Angeles, Calif., 36:588
 Thirty-sixth, 1956, Higgins Lake, Mich., 37:569
 Thirty-seventh, 1957, Lawrence, Kansas, 38:547
 Thirty-eighth, 1958, Tucson, Ariz., 39:613
 Thirty-ninth, 1959, Washington, D. C., 40:639
 americana, *see* *Alces*, *Antilocapra*, *Euarctos*, *Martes*
 americanus, *see* *Alces*, *Canis*, *Euarctos*, *Lepus*, *Lynx*, *Manatus*, *Mondodelphis*, *Oreamnos*, *Ursus*, *Zapus*
 Ammospermophilus, hab., 31:158
 leucurus, Calif., comp., 34:326
 nelsoni, Calif., 32:54; Calif., distr., fd., hab., 34:324; Calif., hab., 39:207; Calif., dis., 40:446
 amoenus, *see* *Eutamias*
 amphialus, *see* *Spilogale*
 amphibius, *see* *Hippopotamus*
 amplexicaudatus, *see* *Rousettus*
 anastasiae, *see* *Scalopus*
 anatinus, *see* *Ornithorhynchus*
 Anatomy of:
 Artibeus, 33:102
 Berardius, 34:98, 105
 Castor, 34:205
 Citellus, 40:46
 Corynorhinus, 33:281
 Cynomys, 34:15
 Dasypterus, 33:77
 Dipodomys, 34:1
 Lagurus, 40:20
 Lasiurus, 33:77
 Lepus, 40:64, 66, 69
 Mesocricetus, 32:204
 Mesoplodon, 34:239
 Microtus, 32:216
 Neurotrichus, 32:36
 Notiosorex, 34:118
 Ochotona, 32:169; 33:104
 Odocoileus, 40:114
 Phocoena, 40:452
 Sorex, 32:90
 Taxidea, 38:453
 Trichechus, 34:192
 ancipidens, *see* *Mephitis*
 Anderson, Sydney:
 An additional record of *Mustela erminea* from Utah, 36:568
 Anderson, Sydney, *see* Findley, James S.
 Anderson, Sydney, *see* Jones, J. Knox, Jr.
 Anderson, Sydney, *see* Rodeck, Hugo G.
 angasii, *see* *Tragelaphus*
 angouya, *see* *Mus*
 angulatus, *see* *Cynopterus*, *Pecari*, *Tayassu*
 angustapalata, *see* *Neotoma*
 angustifrons, *see* *Spilogale*
 angustirostris, *see* *Mirounga*
 Anguya, *see* *Mus*
 Animal associates of:
 Ammospermophilus, 34:331
 Aplodontia, 34:396
 Apodemus, 37:1
 Mormoops, 36:290
 Myotis, 36:289
 Oryzomys, 36:298
 Peromyscus, 34:507
 Pitymys, 36:52
 Sorex, 36:214
 Tadarida, 36:236
 Tamias, 34:448
 annectans, *see* *Neotoma*
 annectens, *see* *Lutra*
 annulata, *see* *Nasua*
 Anoa depressicornis, long., 38:279
 Anomaluridae, tax., 36:165
 anomalus, *see* *Sciurus*

Anonymous:

- Sergey Ivanovich Ognev, obit., 34:414
 Society of mammalogical research for Belgium, The Netherlands, and Luxembourg, 34:531
 Ansell, W. F. H.:
 On the study of African Mammalia, 39:577
 antarcticus, *see* Canis
 Anteater, four-toed, 36:557
 Tasmanian spiny, 32:116
 Antechinus flavipes adustus, wt., 33:117
 flavipes godmani, wt., 33:117
 swainsonii, Tasmania, 39:46
 Antelope, 31:192; 35:533; 36:146
 Pronghorn, 32:207, 209
 Roan, 31:189
 Sable, 31:189
 Antelope ground squirrel, 40:354, 446
 antelopinum, *see* Hipparion
 Anthony, Adam:
 Behavior patterns in a laboratory colony of prairie dogs, Cynomys ludovicianus, 36:69
 Antidorcas marsupialis marsupialis, 31:188
 antillensis, *see* Dasyprocta
 Antilocapra, Mont., anat., 31:192
 americana, Wyo., 33:471; phys., 35:533; Colo., 36:146
 americana americana, Okla., fd., 40:368; Wyo., hab., 380
 americana sonoriensis, Ariz., distr., 38:423
 Antilocapridae, Kan., anat., foss., 34:377
 Anting in:
 Sciurus, 33:243
 antiquus, *see* Bassariscus, Bison
 Antler abnormalities of:
 Odocoileus, 40:96
 Antlered doe:
 Cervus, 40:252
 Odocoileus, 40:230, 252
 Antlers of:
 Capreolus, 35:486
 Cervus, 34:136
 Odocoileus, 32:273; 33:73; 35:486, 599; 36:202; 37:231; 38:277
 Rangifer, 38:275
 Antrozous bunkerii, Kan., Okla., hab., 36:379; comp., 40:6
 pacificus, 32:396
 pallidus, Calif., 31:456; 33:275; Okla., as food, 34:118; Colo., tax., distr., 35:111, Calif., hab., 539; N. Mex., distr., 38:493; dis., 39:262, 340; Tamaulipas, comp., 40:5
 pallidus bunkerii, N. A., anat., 36:96
 pallidus pacificus, Calif., 32:366; N. A., anat., 36:96; Calif., par., 457; 37:443
 pallidus pallidus, Nev., pel., 31:350; Calif., captivity, 33:395; N. A., anat., 36:96; Utah, distr., 126
 anubia, *see* Chaerophithecus

anubis, *see* Cynocephalus, Papio, Simia

Aotus, 40:338

trivirgatus azarae, 40:338

trivirgatus trivirgatus, 40:338

apache, *see* Perognathus

Ape, 38:188

Apes:

Siamang, 40:595

apella, *see* Cebus, Simiaapex, *see* Rattus

Aphaetreus, Haiti, distr., 36:109

Apheliscus, Colo., foss., distr., 35:581

aphorodemus, *see* Microtusaphylla, *see* Phyllonycteris, Reithronycterisapicalis, *see* [Meriones], Potorous

Aplodontia rufa, 32:348; British Columbia, Calif., Ore., hab., 34:396; Calif., phys., wt., 37:87; Calif., Ore., Wash., anat., 39:223

Aplodontidae, tax., 36:165

Apodemus agrarius, Korea, hab., 38:374

 agrarius coreae, Korea, dis., hab., 37:1; hab., 38:382

argenteus argenteus, Japan, distr., 37:272

flavicollis, 33:59

*flavicollis alpicola, new name, 33:260

flavicollis alpinus, syn., 33:260

geisha, 32:450, pop., 451, 456

peninsulae peninsulae, hab., 38:387

speciosus, 32:450, pop., 451, 456

speciosus sadoensis, Japan, distr., 37:272

sylvaticus, misc., 31:248; Great Britain, 32:

356; 33:59; Iraq, distr., 37:257; Britain,

hab., misc., 39:477; illumin., 40:591

 sylvaticus sylvaticus, 33:260; England, hab., wt., 35:161

aquaticus, *see* Scalopus, Sylvilagusaraneus, *see* Mus, Sorex

Arboreal behavior of:

Nasua, 38:263

Arctic:

Alces, 35:105

Alopex, 35:105

Canis, 35:105

Dicrostonyx, 35:105

Lemmus, 35:105

Ovibos, 35:105

Rangifer, 35:104

Arctic hare, 39:291

arctica, *see* Mustelaarcticus, *see* Lepus, Microtus, Rangifer, Sorex

Arctocephalus galapagoensis, Galapagos Is., distr., 37:549

 townsendi, Calif., hab., misc., illus., 31:175; Calif., 32:19; pop., 33:160, 161

Arctomys Viscauia [= Lagidium viscacia viscacia], 40:339

Arctoryctes galbreathi, Colo., Mont., comp., foss., 39:87

terrenus, S. Dak., comp., foss., 39:87, 88

arctos, *see* Ursus

argenteus, *see* *Apodemus*

Argentina:

Alouatta, 35:117

Marmosa, 40:343

Micoureus, 40:343

Nasua, 40:352

Reithrodon, 40:348

argentiventer, *see* *Rattus*

aricana, *see* *Nasua*

Ariteus, 33:172, 256

Arizona, 33:251, 392, 375, 396, 464, 491, 498

Antilocapra, 38:423

Baiomys, 38:520

Bobcat, 34:225

Conepatus, 38:414

Coyote, 34:225

Dipodomys, 36:463; 38:521; 40:607

Erethizon, 38:418

Eudermis, 31:197; 38:260

Eumops, 37:111

Gray fox, 34:225

Idionycteris, 37:546

Leptonycteris, 38:454

Lepus, 40:250

Local list, 32:291, 362

Lynx, 37:458

Marmota, 37:289

Mormoops, 36:290

Mus, 40:607

Myotis, 37:48; 39:515

Nasua, 35:48; 38:123

Neotoma, 40:449, 607

Notiosorex, 40:607

Odocoileus, 36:145; 37:458; 39:155

Onychomys, 40:607

Ovis, 31:463; 37:105

Pecari, 38:420

Perognathus, 40:607

Peromyscus, 40:607

Pipistrellus, 40:533

Reithrodontomys, 40:607

Sigmodon, 40:607

Sylvilagus, 38:234

Tadarida, 37:48, 282; 38:463; 39:515

Tamiasciurus, 37:292

Tayassu, 36:146

Thomomys, 40:607

arizonensis, *see* *Bassariscus*

Arkansas, 33:22

Armadillo, 33:24

Felis, 32:364, 465

Lasiurus, 35:430, 584

Local list, 39:215

Lump-nosed bat, 32:465

Myotis, 36:288

Notiosorex, 33:105

Oryzomys, 36:298

Peromyscus, 39:390

Pipistrellus, 40:19

Reithrodontomys, 35:430

Scalopus, 40:181

Armadillo, 31:361; 33:21, 27, 29, 33; 40:89, 395

Central American, 34:268

Nine-banded, 34:268, 270; 35:78, 38:529

armatus, *see* *Citellus*

arnuxi, *see* *Berardius*

artemisiae, *see* *Peromyscus*

Artibeus, 33:173, 256

aztecus, 33:237; Mexico, 35:69

cinereus, Tamaulipas, distr., 40:5

cinereus aztecus, Mexico, distr., 38:10

cinereus toltecus, Mexico, 35:114; Mexico, distr., 38:10

hirsutus, meas., 33:237; Mexico, distr., anat., hab., 35:69; Mexico, distr., wt., hab., 38:6

jamaicensis, 33:79; anat., 102, 172; Mexico, distr., 35:584; 37:547; Bahamas, misc., 38:116; Virgin Ids., 39:150; Tamaulipas, distr., 40:9, 10; British Honduras, Honduras, Quintana Roo, 237; Nicaragua, 238

jamaicensis jamaicensis, 33:237; Mexico, 35:69, 114; Haiti, distr., 36:109; Mexico, distr., 38:7; San Luis Potosi, misc., 39:293

jamaicensis palmarium, 32:224

jamaicensis parvipis, Bahamas, misc., 38:166

jamaicensis trinitatus, fd., 38:409

jamaicensis yucatanicus, Mexico, wt., 35:101

leucomus, Brazil, distr., 39:584

litratus, Tamaulipas, distr., 40:10

litratus litratus, 40:340

litratus palmarum, Mexico, wt., hab., 35:101, Mexico, 114; Panama, hab., 36:232; Mexico, distr., 37:283; 38:8, fd., 409

nanus, Mexico, distr., 38:11

planirostris grenadensis, 32:224

planirostris planirostris, 33:237; Mexico, distr., anat., tax., hab., 35:68

planirostris trinitatus, misc., 31:277; 32:224

toltecus toltecus, Mexico, 35:69

watsoni, Panama, hab., 34:267

aruensis, *see* *Sminthopsis*

arundinum, *see* *Redunca*

Arvey, M. Dale, and Bryan P. Glass:

The black-footed ferret in Oklahoma, 31:460

Asellia tridens murraiana, Iraq, par., 36:123

Ass:

calculi in, 32:148

Assam:

Vulpes, 40:515

assimilis, *see* *Rattus*

Associates of:

Myotis, 37:441

Sorex, 37:435, 436

astutus, *see* *Bassariscus*

Ateles:

- San Luis Potosi, distr., 40:9
- geoffroyi, Quintana Roo, 40:237
- geoffroyi vellerosus, Mexico, distr., par., 35:101
- ater, *see* Baiomys
- Atherurus macrourus, Malaya, 31:344
- Atlantic coast, 39:441
- Attack by:
 - Odocoileus, 36:476
- Attrition of teeth:
 - Enhydra, 35:595
 - Liomys, 34:59
 - Mustela, 35:496
- attwateri, *see* Peromyscus
- Audiogetic seizures, mice, 33:487
- auduboni, *see* Ovis, Sylvilagus
- audubonii, *see* Sylvilagus
- auratus, *see* Cricetus, Mesocricetus
- Aurea, Nasua, 40:352
- aureogaster, *see* Sciurus
- aureolus, *see* Peromyscus
- aureus, *see* Canis
- auricularis, *see* Pitymys
- auripectus, *see* Peromyscus
- aurita, *see* Lonchorhina
- auritus, *see* Mus, Reithrodon, Tatus
- auropunctatus, *see* Herpestes
- austerus, *see* Peromyscus
- austerulus, *see* Sigmodon
- Australia:
 - Balaena, 37:456
 - Macroglossus, 40:391
- australis, *see* Balaena, Miniopterus, Scalopus, Synaptomys, Taphozous
- australius, *see* Melomys
- Austria:
 - Vulpes, 40:515
- austroriparius, *see* Myotis
- Axelrod, Joseph M., *see* Milton, Charles
- Axial skeleton of:
 - Trichechus, 34:196
- aygula, *see* Presbytis
- azarae, *see* Aotus
- aztecus, *see* Artibeus, Potos, Reithrodontomys

B

- Babero, Bert B., *see* Williams, Ralph B.
- Baboon, 31:150; 39:434
 - Anubis, 31:186; 40:143
 - Chacma, 31:186
 - Olive, 40:143
- bachmani, *see* Sylvilagus
- Backus, Richard H., *see* MacRiewicz, John
- Bacon, Marion, *see* Hudson, George E.
- Bacula, mounting, 32:125
- Baculum of:
 - Aceroden, 40:390
 - Antrozous, 36:96
 - Callorhinus, 31:384
 - Castor, 34:31, 34, 35; 35:197; 37:506
 - Clethrionomys, 39:541
 - Corynorhinus, 36:96
 - Cynopterus, 40:390
 - Dicrostonyx, 39:541
 - Dobsonia, 40:390
 - Enhydra, 32:13
 - Eonycteris, 40:391
 - Erethizon, 34:211
 - Funambulus, 35:471
 - Geomys, 39:445
 - Gulo, 36:346
 - Herpestes, 34:439
 - Lagurus, 39:541
 - Lemmus, 39:541
 - Macroglossus, 40:391
 - Martes, 34:76
 - Mesocricetus, 32:204
 - Microtus, 39:541
 - Mustela, 32:43; 35:496
 - Myotis, 36:96
 - Nyctimene, 40:391
 - Peromyscus, 34:189
 - Phenacomys, 39:541
 - Pipistrellus, 36:96
 - Pitymys, 39:550
 - Pteropus, 40:390
 - Ratufa, 35:471
 - Rousettus, 40:387
 - Saonycteris, 40:391
 - Synaptomys, 39:541
 - Tadarida, 36:96
 - Tamiasciurus, 33:457
 - Urocyon, 39:79
- Bader, Robert S.:
 - Dental patterns in Peromyscus of Florida, 40:600
- Badger, 31:90, 346, 354, 359; 32:54, 209; 34:155, 221, 332, 388; 38:500; 40:43, 147, 365, 375
- Bagg, Aaron M.:
 - Anting not exclusively an avian trait, 33:243
- Bahamas, 32:229
 - Local list, 38:164
 - Procyon, 35:126; 40:248
 - Tadarida, 36:106
- Bailey, Alfred M.:
 - Tasmanian spiny anteater withstands low temperature, 32:116
- baileyi, *see* Lynx, Neotoma, Perognathus
- Baiomys musculus, distr., 33:90; Mexico, anat., 36:298
 - musculus brunneus, 33:96
 - *musculus infernalis, orig. desc., 33:96
 - musculus nigrescens, 33:92
 - musculus pallidus, Mexico, hab., gen., 35:75
 - taylori, Mexico, 32:120, distr., 33:90; Ariz., distr., hab., 38:520; 40:6, Tamaulipas, distr., Tex. distr., 447

- taylori ater, N. Mex., distr., comp., 40:146
 taylori paulus, 40:146
 bairdi, *see* Berardius, Delphinus, Lepus, Peromyscus, Tapirella
 bairdii, *see* Peromyscus
 Baird's beaked whale, 34:98
 Bait acceptance:
 Peromyscus, 37:358
 Bait for:
 Blarina, 35:40
 Citellus, 35:40
 Cryptotis, 35:40
 Didelphis, 35:40
 Dipodomys, 35:42
 Microtus, 35:45
 Neotoma, 35:46
 Sylvilagus, 35:46
 Bait, protection of, 31:199
 Bait shyness:
 Peromyscus, 37:358
 Baja California, 33:160
 Mirounga, 31:98
 Natalus, 31:436
 Ziphius, 32:365
 Baker, Rollin H.:
 The taxonomic status of *Geomys breviceps texensis* Merriam and *Geomys bursarius llanensis* Bailey, 31:348
 Ord kangaroo rat in North Dakota, 33:493
 Eumops underwoodi sonoriensis in Arizona, 37:111
 Substitute name for *Lepus americanus seclusus* Baker and Hankins, 40:145
 Baker, Rollin H., and Albert A. Alcorn:
 Shrews from Michoacán, Mexico, found in barn owl pellets, 34:116
 Baker, Rollin H., and Robert W. Dickerman:
 Daytime roost of the yellow bat in Veracruz, 37:443
 Baker, Rollin H., and James S. Findley:
 Sorex vagrans first reported from South Dakota, 34:382
 Baker, Rollin H., *see* Findley, James S.
 Baker, Rollin H., *see* Stains, Howard J.
 Baker, Rollin H., *see* Twente, John W.
 Balaena, Mich., foss., 34:253
 australis, Australia, distr., hab., phys., 37:456
 Balaenoptera, Mich., foss., 34:253
 acutorostrata, Fla., distr., 36:429; comp., 38:186; Tasmania, hab., distr., meas., 39:593
 physalus, Calif., distr., 37:455
 Balantiopteryx ochoteranae, syn., 33:234; comp., 35:66; syn., 67
 plicata, Mexico, distr., 37:547; San Luis Potosi, distr., 40:9, 10
 plicata plicata, 33:234; Mexico, tax., wt., distr., 35:66; Mexico, hab., distr., 38:1
- Baldwin, Paul H.:
 Occurrence and behavior of the Hawaiian bat, 31:455
 Baldwin, Paul H., *see* Pearson, Oliver P.
 Baldwin, Paul H., C. W. Schwartz, and E. R. Schwartz:
 Life history and economic status of the mongoose in Hawaii, 33:335
 Bali:
 Eonycteris, 40:391
 Balser, Donald S., *see* Doll, Arthur D.
 bancanus, *see* Nycticebus
 Bandicoot, 32:211
 Barred, 39:47
 Short-nosed, 39:46
 Bandicota bengalensis, Malaya, hab., 31:345
 Banding of:
 Antrozous, 36:379
 Bats, 38:402
 Corynorhinus, 33:275; 36:379; 37:48
 Eptesicus, 36:242, 379; 37:48
 Myotis, 31:350; 36:120, 379; 37:48
 Pipistrellus, 37:48; 40:16
 Tadarida, 36:120
 Urocyon, 34:125
 Vulpes, 34:125
 Banfield, A. W. F.:
 A further note on the longevity of the big brown bat, 31:455
 The range of individual timber wolves (*Canis lupus*), 34:389
 The role of ice in the distribution of mammals, 35:104
 Dermoid cysts a basis of Indian legends, 39:451
 Banfield, A. W. F., and J. S. Tener:
 A preliminary study of the Ungava caribou, 39:560
 bangsi, *see* Glaucomys
 Barbados:
 Noctilio leporinus, 32:224
 barbara, *see* Eira, Mustela
 barbatus, *see* Erignathus
 Barbehenn, Kile R.:
 Handling small mammals, 35:429
 A field study of growth in *Microtus pennsylvanicus*, 36:533
 Barbehenn, Kile R., and John G. New:
 Possible natural intergradation between prairie and forest deer mice, 38:210
 Barber, Albert A., *see* Jones, J. Knox, Jr.
 Barbour, Roger W.:
 Notes on banded bats, 31:350
 The roof rat, *Rattus rattus alexandrinus* (Geoffroy), in West Virginia, 31:461
 The mammals of Big Black Mountain, Harlan County, Kentucky, 32:100
 Notes on mammals from West Virginia, 32:368
 Prairie vole, *Microtus ochrogaster*, in eastern Kentucky, 33:398

- Two new mammal records from Kentucky, 37:110
- Synaptomys cooperi* in Kentucky, with description of a new subspecies, 37:413
- A record of *Microsorex hoyi* from Kentucky, 37:438
- Some additional mammal records from Kentucky, 38:140
- Barbour, Roger W., and B. L. Barbour:
Some mammals from Hart County, Kentucky, 31:359
- Barbour, Roger W., and William L. Gault:
Peromyscus maniculatus bairdi in Kentucky, 34:130
- Barbour, Rober W., and Charles E. Smith, Jr.:
Pitymys pinetorum carbonarius in Harlan County, Kentucky, 37:121
- Barkalow, F. S., Jr.:
A handicapped flying squirrel, *Glaucomys volans*, 37:122
- Extension of the known range of *Marmota monax* in Alaska, 37:291
- Barkalow, F. S., Jr., and David A. Adams:
The Seminole bat, *Lasiurus seminolus*, in North Carolina, 36:453
- Barrington, B. A., *see* Pournell, George H.
- barrowensis*, *see* *Citellus*, *Spermophilus*
- Bartholomew, George A., and Tom J. Cade:
Temperature regulation, hibernation, and aestivation in the little pocket mouse, *Perognathus longimembris*, 38:60
- Bartholomew, George A., and Jack W. Hudson:
Effects of sodium chloride on weight and drinking in the antelope ground squirrel, 40:354
- Bartholomew, George A., and Ford Wilke:
Body temperature in the northern fur seal, *Callorhinus ursinus*, 37:327
- Bartholomew, George A., Jr.:
A male Guadalupe fur seal on San Nicolas Island, California, 31:175
- Spring, summer, and fall censuses of the pinnipeds on San Nicolas Island, California, 32:15
- Body temperature and respiratory and heart rates in the northern elephant seal, 35:211
- Bartholomew, George A., Jr., and Grant Reynolds Cary:
Locomotion in pocket mice, 35:386
- Bartholomew, George A., Jr., and Herbert H. Caswell, Jr.:
Locomotion in kangaroo rats and its adaptive significance, 32:155
- Bartholomew, George A., Jr., and Paul G. Hoel:
Reproductive behavior of the Alaska fur seal, *Callorhinus ursinus*, 34:417
- Bartholomew, George A., Jr., and Carl L. Hubbs:
Winter populations of pinnipeds about Guadalupe, San Benito, and Cedros Islands, Baja California, 33:160
- Bartsch, Paul:
An interesting catch, 37:111
- Bassaricyon gabbii medius*, syn., 40:152
- gabbii orinomus*, syn., 40:152
- Bassariscus antiquus*, comp., 33:380
- astutus*, Tex., distr., hab., anat., 35:55, Tex., hab., 406, Colo., hab., distr., 442, Nev., distr., 577, 578; Tex., hab., 36:292; fd., 38:516
- astutus arizonensis*, comp., 33:379
- astutus astutus*, Mexico, 35:70
- astutus bolei*, Guerrero, desc., 39:354
- astutus flavus*, N. Mex., distr., hab., 38:500
- astutus raptor*, Ore., 32:347
- **casei*, Kans., foss., orig. desc., 33:379
- ogallalae*, comp., 33:380
- parvus*, comp., 33:380; Nev., foss., 39:87
- rexroadensis*, 33:380
- sonoitensis*, comp., 33:381
- sumichrasti*, comp., 33:379
- sumichrasti notinus*, Costa Rica., 33:381
- Bassarisk*, 35:442
- Bassett, Charles F., Hugh F. Travis, R. P. Abernathy, and R. G. Warner:
Relationship between age at separation and subsequent breeding performance of growing male mink, 40:247
- bassi*, *see* *Scalopus*
- Bat, 31:277, 349, 350; 32:219, 282; 34:122; 35:147; 36:96, 101, 123, 126, 130, 232, 379, 457; 40:241
- Big brown, 31:84, 96, 455; 32:103, 369; 33:111; 34:384; 35:69, 434; 36:101, 242, 399; 37:31, 48, 279, 407, 441, 443, 543; 39:253, 292; 40:150
- Big-eared, 31:84; 32:346, 369; 33:274; 37:48
- Big free-tailed, 33:492; 39:293
- Brown, 40:403
- California, 38:493
- Caves, 33:275; 35:69; 37:48
- Cinnamon, 35:67
- Colony, 31:400
- Common vampire, 37:547; 38:11
- Cuban free-tailed, 34:383
- Dwarf fruit, 38:11
- Eastern big-eared, 33:365; 35:430
- Eastern Pipistrelle, 35:433, 434
- European, 31:395, 438
- Evening, 31:84; 32:233; 34:123; 37:282, 543; 40:246
- False vampire, 40:439
- Fish-eating, 35:81; 36:390
- Florida yellow, 37:440
- Fossil, 33:171
- Free-tailed, 31:84; 34:516; 35:70, 435; 36:120, 236, 458; 39:587; 40:241, 538
- Fringe-tailed, 32:346; 37:545

- Fringed, 38:492
 Fruit, 31:274; 35:69; 38:409
 Funnel-eared, 38:11
 Gray, 36:289
 Hairy fruit, 35:69
 Hairy-legged vampire, 35:584; 37:547
 Hairy-winged, 40:373
 Hawaiian, 31:455
 Hoary, 31:84, 456; 32:222; 33:110, 113;
 34:121, 256; 35:116, 253, 429, 430, 431;
 36:130, 455; 37:111, 281, 407; 38:140;
 39:147, 438; 40:15, 374, 442
 Hognose, 35:436, 437; 38:513
 Horse-shoe, 31:274
 Indian false vampire, 40:545
 Indiana, 31:84; 33:111; 38:259
 Jamaica fruit, 35:101; 38:7
 Japanese Myotis, 37:272
 Keen's, 31:84; 35:434
 Lappet-chinned, 37:440
 Leafchin, 36:290
 Leaf-lipped, 35:67
 Leaf-nosed, 31:350; 35:67, 68, 584; 40:439
 Least brown, 32:103; 37:441
 Le Conte's lump-nosed, 34:382
 Little big-eared, 35:67
 Little black, 35:101
 Little brown, 31:84, 97, 359; 32:103, 471;
 35:111, 432, 434; 36:390; 37:48, 58, 395,
 407, 440, 441, 543; 38:32, 121, 122, 406,
 514, 39:293, 574; 40:16, 246, 373
 Little California, 32:366
 Little fruit, 38:10
 Long-eared, 32:346; 34:237; 40:374
 Long-legged Myotis, 35:434
 Long-nosed, 38:454
 Long-tongued, 35:67, 68
 Long-winged, 37:272
 Lump-nosed, 32:366, 395, 465; 33:273;
 38:493
 Mahogany, 35:584
 Mastiff, 35:70; 36:407; 37:111; 38:514
 Mexican big-eared, 37:546
 Mexican free-tailed, 31:400, 456; 33:395;
 35:70; 37:42, 48; 38:493; 39:262, 434,
 435, 437
 Naked-backed, 35:67, 100
 North Arabian long-fingered, 37:257
 Pale, 38:493
 Pallid, 31:456; 32:366; 35:111; 37:443
 Pink, 31:84
 Pipistrelle, 31:313; 33:491; 36:101; 37:543
 Pocketed freetail, 37:282; 39:437
 Red, 31:84, 457; 32:103, 369; 33:111, 365;
 35:578; 36:101, 399, 454; 37:279, 280,
 395, 407, 442, 543
 Sac-winged, 35:66, 100
 Seminole, 31:84, 313; 34:134; 35:584; 36:
 399, 453; 39:587
 Sheath-tailed, 34:384
 Short-tailed, 35:101
 Silver-haired, 31:84; 32:221, 346; 34:499;
 36:399; 37:111, 282, 442; 38:493; 40:374
 Social, 31:84
 Spotted, 31:197; 33:480; 35:117; 38:260,
 406
 Trinidad fruit, 35:101; 38:9
 Trouessart's, 37:543
 Turkestan serotine, 37:257
 Vampire, 35:69, 101; 40:439, 534
 Watson's, 34:267
 Western big-eared, 37:443
 Western pipistrelle, 31:456
 Western red, 40:13
 White-lined, 34:266; 35:100
 Yellow, 31:84; 36:456; 37:443
 Yuma, 32:346; 37:443
 Bat banding returns:
 Tadarida, 40:542
 Bat caves:
 Mormoops, 39:513
 Myotis, 38:259; 39:513
 Tadarida, 39:513
 Bat respiratory rate, 32:392
 temperatures, 32:390, 391
 thermoregulation, 32:389
 Bathyergidae, tax., 36:165
 Bats, Morelos, Mexico, 33:234
 hibernating, 40:547
 battyi, *see* Didelphis
 Beach, Frank A., and Julian Jaynes:
 Studies of maternal retrieving in rats. I.
 Recognition of young, 37:177
 Beal, M. Allan, *see* Gunter, Gordon
 Bear, 32:227, 267
 Alaskan brown, 35:438
 Barren-ground grizzly, 35:345; 36:254
 Black, 31:84, 135, 359, 360; Manitoba, 32:
 222, 346, 471; 33:246; 34:135, 321; 35:
 28, 345, 577, 578; 36:134, 362, 459, 460;
 37:119, 538; 38:261; 39:140, 588; 40:
 364, 374, 401, 403
 Brown, 32:90; 39:588
 Florida black, 32:209
 Grizzly, 31:362, 465; 32:207; 33:480; 39:
 140; 40:43, 374
 Japanese black, 35:128
 Kadiak, 31:449
 Kodiak brown, 39:576
 Polar, 31:162; 32:91
 Beatty, Harold:
 A note on the behavior of the chimpanzee,
 32:118
 Beatty, Lee D.:
 The leafchin bat in Arizona, 36:290
 Beatty, Myrtle Dee, and Howard H. Hille-
 mann:
 Osteogenesis in the golden hamster, 31:121
 Beauchamp, Don E., and Fred L. Jones:
 A cryptorchid Rocky Mountain mule deer,
 38:423

- Beaver, 31:359, 361; 32:44, 209, 227, 348, 363, 471; 33:98, 367, 437, 479, 482; 34:27, 204, 238, 260, 261, 459; 35:197, 452, 578; 36:141; 37:375, 407, 506; 38:268, 269; 39:97, 140, 153, 292; 40:57, 377, 381, 397, 403, 593
- Giant, 33:101
- Mountain, 32:348; 34:396; 37:87
- Rio Grande, 38:497
- beccari, *see* Hydromys
- Becker, Kurt:
- Pregnancy rates in two different samples of brown rats, 35:119
- bedfordiae, *see* Clethrionomys
- Bee, James W., *see* Hall, E. Raymond
- beecheyi, *see* Citellus
- Beer, James R.:
- The least weasel in Wisconsin, 31:146
 - The screech owl as a predator on the big brown bat, 34:384
 - Two new locality records for mammals in Minnesota, 34:384
 - A record of the hoary bat from a cave, 35:116
 - Survival and movements of banded big brown bats, 36:242
 - A record of a silver-haired bat in a cave, 37:282
 - A method of trapping ground squirrels, 40:445
- Beer, James R., *see* Davis, Wayne H.
- Beer, James R., Charles F. MacLeod, and Louis D. Frenzel:
- Prenatal survival and loss in some cricetid rodents, 38:392
- Beer, James R., and Roland K. Meyer:
- Seasonal changes in the endocrine organs and behavior patterns of the muskrat, 32:173
- Beer, James R., and A. Glenn Richards:
- Hibernation of the big brown bat, 37:31
- Behavior:
- Center of activity, 31:29
- Behavior of:
- Alces, 39:128
 - Alouatta, 33:114; 40:317
 - Arctocephalus, 31:175
 - Blarina, 31:281
 - Bradypus, 34:268
 - Cabassos, 34:268
 - Callorhinus, 37:327
 - Canis, 31:66
 - Castor, 31:40
 - Cebus, 34:267
 - Choeronycteris, 35:436
 - Chimpanzee, 32:118
 - Citellus, 34:266; 40:35
 - Clethrionomys, 32:348; 36:566; 40:142
 - Corynorhinus, 33:273
 - Cryptotis, 33:241
 - Cynocephalus, 31:269
 - Delphinus, 37:311
 - Desmodus, 40:439
 - Dipodomys, 32:156
 - Eptesicus, 31:96
 - Erethizon, 31:94, 411
 - Globicephala, 33:321; 37:311
 - Grampus, 37:311
 - Halichoerus, 38:297
 - House mouse, 32:60
 - Inia, 39:15, 19
 - Lagenorhynchus, 34:490, 498; 37:128, 311
 - Lasionycteris, 32:221
 - Lasiurus, 31:455, 456; 33:111; 36:130
 - Lepus, 31:193
 - Lissodelphis, 34:490
 - Lutra, 32:1
 - Macaca, 31:93
 - Manatee, 32:32
 - Marmota, 33:495
 - Martes, 33:66
 - Microtus, 31:96
 - Mus, 34:502
 - Mustela, 32:282; 33:492
 - Neotoma, 31:421
 - Odocoileus, 32:269, 276; 34:267, 397; 38:420
 - Ondatra, 31:97; 32:173, 186
 - Oryzomys, 31:421
 - Ovis, 31:193
 - Peromyscus, 32:300; 35:23; 37:358; 39:177; 40:496, 498
 - Phoca, 34:254
 - Phocoenoides, 34:490
 - Pipistrellus, 33:491
 - Puma, 40:616
 - Rattus, 31:301, 421; 32:117; 33:140
 - Scalopus, 31:281
 - Sciurus, 39:376
 - Sotalia, 39:15, 19
 - Spermophilus, 39:154
 - Sylvilagus, 39:119
 - Tapirella, 34:267
 - Tarsius, 31:260
 - Tursiops, 32:251; 37:311, 454
 - Ursus, 35:128
 - Vulpes, 32:177, 296
- Behavioral development of:
- Peromyscus, 39:177
- Behle, William H., and Richard M. Hansen:
- Notes on the short-tailed weasel in Utah, 32:226
- Beidleman, Richard G.:
- The cinereous shrew below 6000 feet in north central Colorado, 31:459
 - October breeding of Peromyscus in North Central Colorado, 35:118
 - An altitudinal record for bison in northern Colorado, 36:470
 - An early record of the wolverine in western Nebraska, 37:445

- Early fur returns from the Pacific Northwest, 39:146
- Beidleman, Richard G., *see* Esch, Gerald W.
- Beidleman, Richard G., and Jack D. Remington:
- Another record of the least shrew from northeastern Colorado, 36:123
- Beidleman, Richard G., and William A. Weber:
- Analysis of a pika hay pile, 39:599
- beisa, *see* Oryx
- beldingi, *see* Citellus
- Bell, William Bonar, obit., 31:375
- Bellairs, A. d'A., *see* Shute, C. C. D.
- Beltz, Alex, and Ernest S. Booth:
- Notes on the burrowing and food habits of the Olympic marmot, 33:495
- Beluga, 33:328; 38:186; 39:7
- bengalensis, *see* Bandicota, Vulpes
- bennettianus, *see* Dendrolagus
- bennettis, *see* Lepus
- Bennitt, Rudolf, obit., 31:376
- Benson, D. A.:
- Abnormal dentition in white-tailed deer, 38:140
- The fisher in Nova Scotia, 40:451
- Benson, Seth B.:
- A record of the porcupine (*Erethizon dorsatum*) from Sonora, Mexico, 34:511
- Records of the spotted bat (*Euderma maculata*) from California and Utah, 35:117
- Bentley, Wallace W.:
- Sea otter along the California coast, 40:147
- Benton, Allen H.:
- An unusual concentration of albino muskrats, 34:262
- Observations on the life history of the northern pine mouse, 36:52
- Notes on the behavioral development of captive red-backed mice, 36:566
- Melanistic red squirrels from Cayuga County, New York, 39:445
- Benton, Allen H., and Jack Scharoun:
- Notes on a breeding colony of *Myotis*, 39:293
- Benton, Allen H., *see* Layne, James N.
- Benton, Allen H., *see* Schwager, Harold
- Berard, Edward V.:
- Evidence of a late birth for the raccoon, 33:247
- Berardius, comp., 34:244
- arnuxi, comp., 34:100, 102, 105
- bairdi, British Columbia, anat., desc., distr., meas., par., 34:98; Wash., Japan, anat., desc., distr., meas., 105; comp., 38:186
- berdmoresi, *see* Rattus
- Berg, Elihu D., *see* Peterson, Liven A.
- Berg, Jacob, *see* Ross, Sherman
- Bering Sea:
- Callorhinus, 34:86
- beringiana, *see* Vulpes
- beringei, *see* Gorilla
- berlandieri, *see* Cryptotis, Taxidea
- berlepschii, *see* Akodon
- Bermuda:
- Lasiurus, 40:246
- Bern, Howard A., *see* Voge, Marietta
- bernardinus, *see* Citellus, Eptesicus
- Bettong, 39:52
- Bettongia cuniculus, 39:52
- Bezoars, 32:152
- Bibos frontalis, longev., 38:279
- bicolor, *see* Hipposideros, Ratufa
- bicornis, *see* Dicerus
- bidens, *see* Mesoplodon, Tonatia
- bifax, *see* Nyctophilus
- Big brown bat, 40:403
- Bighorn, 31:463; 32:207
- Rocky Mountain, 32:209
- Bighorn sheep, 40:380
- bilabiatum, *see* Pygoderma
- bilineata, *see* Saccopteryx
- bilineatus, *see* Saccopteryx
- bilobatum, *see* Uroderma
- bimaculatus, *see* Mus
- biologiae, *see* Tayra
- Biological characteristics of:
- Peromyscus, 38:211
- Biometrics, techniques, 32:318
- Thomomys, 32:313
- Birdseye, Clarence:
- Observations on a domesticated Peruvian desert fox, *Dusicyon*, 37:284
- birmanicus, *see* Herpestes
- Bison, 32:208; 33:390; Alaska, 480; 34:150; serology, relationships, 39:556; 40:368, 380; horn cores, Tex., sub-fossil, Tex., 567; illus., 570
- alleni, Ida., 32:192, 230; 40:567, pl., 569
- American, 36:305; 38:139
- antiquus, 32:230; 40:567, pl. 569
- antiquus antiquus, 32:196
- bison, Wyo., hab., 31:463; 32:231; early distr., type loc., 33:392; Canada, anat., phys., 35:454, Wyo., 455; Alas., phys., 36:305, Colo., distr., 470; 40:567, pl. 569, 571
- bison bison, 40:368, Okla., hab., Wyo., hab., 380
- cheneyi, 40:567
- crassicornis, Mass., 32:230
- latifrons, Idaho, 32:192, 230; 40:567
- occidentalis, pl., 40:469, 567, 571
- bison, *see* Bison
- bisulcatus, *see* Pipestoneomys
- Blackfish, 36:424, short-finned, 467; Common, 39:440
- Bladder emptying:
- Rodents, 39:454
- blainvilli, *see* Mormoops
- Blair, W. Frank:
- A melanistic race of the white-throated

- packrat (*Neotoma albigula*) in Texas, 39:239
- Blanchard, Willard E., *see* Halloran, Arthur F.
- blandus, *see* *Peromyscus*
- Blarina, Pa., hab., 31:281; 32:36, 368; 33:497; phys., 35:425; Wis., phys., 36:564
- brevicauda, 32:354; Ontario, N. Y., dis., 31:138, as food, 267, captivity, 351; N. Y., pred., 33:185, Md., 250; Ontario, par., 34:137; La., Labrador, phys., fd., 35:40; Ontario, 36:36; N. A., anat., 37:236, N. C., hab., 427, Ontario, hab., 274; Manitoba, ecol., 38:95, Ill., 522; Ark., misc., 39:219, Okla., hab., 242, Prince Edward Is., misc., 292, N. Y., hab., 416, Mich., hab., 499; N. Y., hab., 40:243, N. Y., pop., 254, anat., 394, Wis., hab., 428, Ontario, hab., 437, 457
- brevicauda angusta, Quebec, hab., 36:21
- brevicauda brevicauda, N.J., distr., fd., hab., meas., wt., 35:231; S. Dak., distr., 36:452; N. Y., distr., hab., 37:395, Ohio, hab., 543
- brevicauda carolinensis, S. C., 31:84, Fla., hab., wt., 313; 33:4, Tenn., habitat, 365; Tex., distr., 34:516; Colo., distr., 35:110; Fla., 40:586
- brevicauda churchi, Ky., meas., habitat, 32:103
- brevicauda kirtlandi, Mich., 31:359; Ohio, nest, yg., 32:115, W. Va., 368; Mich., 471; Ohio, hab., 36:101; Ind., distr., hab., 37:407
- brevicauda pallida, New Brunswick, hab., 36:21
- brevicauda talpoides, N. Y., hab., 35:103
- gidleyi, foss., 39:246
- telmalestes, as fd., 38:281
- blastocyst, Gulo, 36:346
- blepotis, *see* *Miniapterus*
- Blesbok, 31:188
- Bloedel, Prentice:
Observations on the life histories of Panama bats, 36:232
Hunting methods of fish-eating bats, particularly *Noctilio leporinus*, 36:390
- Blood chemistry:
Citellus, 33:356
- Blood of:
Black bear, 39:588
Citellus, 36:362
Erethizon, 36:362
Euarcotus, 38:261
Lepus, 36:362
Marmota, 36:362
Mesocricetus, 36:135
Microtus, 36:362
Mustela, 36:362
Odocoileus, 36:474; 39:269, 309
Ondatra, 36:362
- Peromyscus*, 37:427
- Procyon, 38:261
- Reithrodontomys, 37:427
- Sciurus, 36:362
- Sigmodon, 37:427
- Sylvilagus, 36:362; 38:136
- Ursus, 36:134, 362
- Bobcat, 31:85, 327, 359; 32:227, 347, 356; 33:254; 34:129, 222, 35:429, 458; 36:290; 37:375, 458, 548; 39:140, 148, 439; 40:43, 148, 366, 375, 403, 451, 594
- bocagei, *see* *Steatomys*
- Body temperature of:
Citellus, 39:296
- böhmi, *see* *Hippotigris*
- Bolivia:
Sciurus, 40:346
- Bolt, Benjamin F., obit., 31:119
- Bonaire Island:
Local list, 40:238
- Bond, Charles F.:
Correlations between reproductive condition and skull characteristics of beaver, 37:506
- Bond, R. M., and G. A. Seaman:
Notes on a colony of *Brachyphylla cavernarum*, 39:150
- bondae, *see* *Molossus*
- Bookhout, Theodore A.:
Reingestion by the snowshoe hare, 40:250
- Boolootian, Richard A.:
An analysis of subspecific variations in *Dipodomys nitratoides*, 35:570
Notes on a specimen of the harbor porpoise, 38:265
- Booth, A. H.:
Speciation in the mona monkeys, 36:434
Breeding of an immature wild baboon, 39:434
- Booth, Ernest S., *see* Beltz, Alexander
- borealis, *see* *Lasiurus*, *Lissodelphis*, *Odocoileus*, *Synaptomys*, *Urocyon*
- boreoraris, *see* *Thomomys*
- borneanus, *see* *Nycticebus*
- borucae, *see* *Sigmodon*
- Bos, serology, relationships, 39:556
taurus, Wales, longev., 38:280; Okla., hab., 40:368, anat., 396
- bottae, *see* *Thomomys*
- Boundary strip method, for calculating home range, 31:33
- Bouto, 39:1
- bowdoini, *see* *Mesoplodon*
- Bowers, Glenn L.:
Unusual breeding of cottontails in Pennsylvania, 36:303
- bowersi, *see* *Rattus*
- Bowman, Howard, *see* Svihla, Arthur
- boylei, *see* *Peromyscus*
- Boyles, James M., *see* Neill, Wilfred T.
- boylli, *see* *Peromyscus*

brachycephalus, *see* Nycticebus
 brachycium, *see* Phocoena
 brachyodontus, *see* Odocoileus
 brachyotis, *see* Cynopterus, Rousettus
 Brachyphylla, 33:172
 cavernarum, Virgin Is., hab., 39:150
 brachyptera, *see* Globicephala
 brachyura, *see* Hystrix, Loncheris
 Bradshaw, W. N., *see* McCarley, W. H.
 Bradypus griseus, Panama, hab., 34:268
 griseus griseus, syn., 40:152
 griseus ignavus, syn., 40:152
 infuscatus ephippiger, syn., 40:152
 infuscatus griseus, syn., 40:152

Brain of:

Pan, 36:78
 Trichechus, 34:200

Brand, Raymond H.:

A protective device for reducing trap disturbance, 37:428

brasiliensis, *see* Nyctinomus, Pteronura, Sorex, Tadarida

Brazil, 33:390, 503

Didelphis, 40:342

Hystrix, 40:349

Inia, 39:1

Macroxus, 40:345

Metachirus, 40:343

Nasua, 40:351

Philander, 40:343

Plectrochoerus, 40:349

Pygoderma, 39:584

Sciurillus, 40:346

Sciurus, 40:346

Sotalia, 39:1

Urosciurus, 40:346

Breathing, manatee, 32:29

Breckenridge, W. J., *see* Gunderson, H. L.

Breeding cycle in:

Herpestes, 34:440

Odocoileus, 38:116

Oryzomys, 35:263

Peromyscus, 35:118

Thomomys, 40:581, 584

Breeding habits of:

Alces, 39:412

Apodemus, 39:481

Artibeus, 38:8, 10

Bassariscus, 35:56

Bison, 31:463

Blarina, 40:244

Cervus, 34:136

Chaeropithecus, 39:434

Citellus, 40:37

Cricetus, 31:121

Cryptotis, 39:508

Dasybus, 33:27

Desmodus, 38:11

Dicrostonyx, 38:113

Didelphis, 31:94, 333

Erethizon, 33:239

Halichoerus, 38:297

Lasiurus, 31:191; 33:112

Lutra, 39:438

Lynx, 31:327

Mink, 40:247

Monachus, 40:228

Myotis, 38:18; 40:441

Napaeozapus, 37:196

Neotoma, 31:421; 34:181; 38:472

Odocoileus, 38:251; 40:110

Ondatra, 31:97

Ornithorhynchus, 39:582

Oryzomys, 31:421

Peromyscus, 31:74, 320, 321; 33:15, 389; 35:526

Potorous, 39:54

Procyon, 31:446

Rangifer, 39:567

Rattus, 31:300

Setonix, 39:55

Sigmodon, 31:317; 36:368

Tayassu, 36:146

Tursiops, 32:251

Urocyon, 39:83

Vulpes, 31:194; 37:351

Breeding of:

Cryptotis, 32:115

Ocelot, 32:116

Otter, 32:4

Breeding record of:

Bobcat, 40:148

Breeding season in:

North Borneo, 39:429

Breeding season of:

Alces, 37:300

Apodemus, 37:1

Callorhinus, 34:92, 417

Castor, 37:506

Condylura, 37:223

Didelphis, 35:66

Eumops, 36:407

Glaucornis, 37:294, 295

Halichoerus, 38:297

Herpestes, 34:443; 36:62

Lepus, 35:122

Liornis, 35:73

Microtus, 34:485; 38:107

Myotis, 36:289; 38:17, 260

Neotoma, 34:181

Odocoileus, 40:110

Ondatra, 37:494

Oryzomys, 34:485

Perognathus, 38:207

Peromyscus, 34:50; 35:75; 36:462

Phenacomys, 35:450; 38:106

Pitymys, 36:52

Potorous, 39:55

Rattus, 34:175

Scalopus, 40:181

Sigmodon, 36:368

Sorex, 36:323, 339; 38:159

- Sylvilagus*, 35:392; 36:303; 38:235; 40:85
Tadarida, 36:236
Urocyon, 37:346
brevicauda, *see* *Blarina*
brevicaudus, *see* *Didelphys*, *Monodelphis*
breviceps, *see* *Geomys*, *Kogia*, *Petaurus*
brevidentatus, *see* *Merychippus*
brevimanus, *see* *Chilonatalus*, *Natalus*
brevinasus, *see* *Dipodomys*
brevirostris, *see* *Mus*
broweri, *see* *Parascalops*
 Brickner, Joe:
 Red fox preying on muskrats, 34:389
 Bristle pad of:
 Cynomys, 34:15
 Britain:
 Apodemus, 39:477
 Clethrionomys, 39:479
 Rhinolophus, 39:260
 Sorex, 39:479
 Britenbaker, Alice L., *see* *Soderwall*, A. L.
 British Columbia, 33:498
 Alces, 37:486; 39:139
 Aplodontia, 34:396
 Berardius, 34:98
 Callorhinus, 37:83
 Fur returns, 39:146
 Local list, 39:140
 Lynx, 34:258
 Martes, 34:74, 257
 Mustela, 34:258, 37:114
 Porcupine, 34:256
 Rangifer, 39:408
 Red fox, 40:515
 Vulpes, 34:258
 British Guiana:
 Nasua, 40:352
 Sciurillus, 40:345
 British Honduras:
 Artibeus, 40:237
 British Isles:
 Vulpes, 40:513
 Brittan, Martin R.:
 A note concerning wolves in Glacier National Park, Montana, 34:127
 Broadbooks, Harold E.:
 Nest and behavior of a short-tailed shrew, *Cryptotis parva*, 33:241
 A new subspecies of the pocket mouse (*Perognathus parvus*) from Washington, 35:95
 Northward extension of the kangaroo rat in Washington, 39:299
brochus, *see* *Syntheosciurus*
 Bronchial diverticula:
 Blarina, 37:236
 Brooks, A. C., *see* *Peterson*, R. L.
 Brooks, James W.:
 A record of North America's most westerly moose, 34:396
Bratomys, Haiti, distr., 36:109
broweri, *see* *Marmota*
 Browman, Ludvig G., and Paul Hudson:
 Observations on the behavior of penned mule deer, 38:247
 Browman, Ludvig G., and Howard S. Sears:
 Mule deer milk, 36:473
 Erythrocyte values, and alimentary canal pH values in the mule deer, 36:474
 Brown, David H., and Kenneth S. Norris:
 Observations of captive and wild cetaceans, 37:311
 Brown, L. E.:
 Small mammal populations of Silwood Park Field Centre, Berkshire, England, 35:161
browni, *see* *Geocapromys*, *Rattus*
bruneo-niger, *see* *Macroxus*
brunneus, *see* *Baiomys*
buccinatus, *see* *Mus*, *Oryzomys*
 Buchanan, G. D.:
 Variation in litter size of nine-banded armadillos, 38:529
 Buchanan, O. Marcus:
 Tadarida and *Myotis* occupying cliff swallow nests, 39:434
 Buchholz, R. H., P. H. Wells, and C. H. Conaway:
 Digestive enzymes of mole, bat and rat, 39:452
 Buck, 39:116
 Cactus, 40:105
 Buck, Paul David, *see* *Tryon*, Clarence A., Jr.
 Buckley, John L., and Robert F. Scott:
 (Review) James W. Bee and E. Raymond Hall, *Mammals of northern Alaska: on the Arctic slope*, 38:426
 Buckley, John L., David L. Spencer, and Paul Adams:
 Muskox (*Ovibos moschatus*) longevity, 35:456
 Buckner, C. H.:
 A simple permanent livetrapp plot for shrews, 36:286
 Population studies on small mammals of southeastern Manitoba, 38:87
 Home range of *Synaptomys cooperi*, 38:132
 Bue, Gerald T., *see* *Erickson*, Arnold B.
 Bue, Gerald T., and Milton H. Stenlund:
 Recent records of the mountain lion, *Felis concolor*, in Minnesota, 34:390
 Buechner, Helmut K.:
 Three additional records of antlered female deer, 38:277
 Buffalo, 35:453
 Cape, 31:189
 East African, 31:189
 Pigmy, 38:279
bullatus, *see* *Thomomys*
 Bullen, Ripley P., *see* *Neill*, Wilfred T.
bulleri, *see* *Eutamias*

- Bullerman, Robert:
 Note on kidnapping by Bonnet Monkey, 31:93
bunker, *see* Antrozous
burchelli, *see* Equus
 Burma, 32:467
 Burnett, Frances L., and Robert W. Dickerman:
 Type locality of the Mogollon red squirrel, *Tamiasciurus hudsonicus mogollonensis*, 37:292
 Burns, Robert D.:
 Food storage by a kangaroo rat, 40:249
 Burrowing activity of:
Citellus, 32:446
 Burrows of:
Citellus, 32:92; 34:67, 341
Cratogeomys, 35:121
Cynomys, 36:69
 Lemmings, 33:181
Ochotona, 34:133
Perognathus, 35:453
Pitymys, 36:52
 Pocket gopher, 40:577
Tamias, 37:23
bursarius, *see* *Geomys*
 Burt, William H.:
 (Review) Methuen's Monographs on biological subjects, 32:128
 (Review) J. R. Ellerman and T. C. S. Morrison-Scott, Checklist of Palaearctic and Indian mammals, 33:401
 (Review) Jean M. Linsdale and L. P. Tevis, The dusky-footed wood rat: a record of observations made on the Hastings natural history reservation, 33:402
 (Review) Bryan P. Glass, A key to the skulls of North American mammals, 33:404
 (Review) E. C. Foenander, Big game of Malaya: their types, distribution and habits, 33:405
 (Review) Stanley P. Young and Hartley H. T. Jackson, The clever coyote, 33:405
 (Review) Harry W. Higman and E. J. Larrison, Union Bay: The life of a city marsh, 33:406
 (Review) E. Raymond Hall, American weasels, 33:503
 (Review) Durward L. Allen, Our wildlife legacy, 35:462
 (Review) Eugene P. Odum, Fundamentals of ecology, 35:462
 (Review) E. L. Cockrum, Laboratory manual of mammalogy, 37:132
 Some distribution records of mammals from Hudson Bay, 39:291
burti, *see* *Reithrodontomys*, *Zapus*
buselaphus, *see* *Alcelaphus*
 Bushbuck:
 Limpopo, 31:189
 Lord Delamere's, 31:189
 Buss, Irvén O.:
 Another antlered female deer, 40:252
 Buss, Irvén O., and Frank H. Harbert:
 Relation of moon phases to the occurrence of mule deer at a Washington salt lick, 31:426
 Buss, Irvén O., and J. David Solf:
 Record of an antlered female elk, 40:252
 Butterfield, Robert T.:
 Traps, live trapping, and marking of raccoons, 35:440
 Butterworth, Bernard B.:
Phocaenoides dalli washed ashore in California, 38:126
 Molt patterns in the Barrow ground squirrel, 39:92
 Butterworth, Bernard B., *see* Chew, Robert M.
- C
- caballus*, *see* Equus
Cabassos centralis, Panama, fd., hab., 34:268
Cabassous unicinctus, 40:340
 Cabot, William B., obit., 31:119
caboti, *see* *Rangifer*
 Cachalot, 33:332
 Cache of:
Tamiasciurus, 35:252
Vulpes, 32:299
 Cade, Tom:
 Carnivorous ground squirrels on St. Lawrence Island, Alaska, 32:358
 Notes on the activity of shrews along the Yukon River, 34:120
 Cade, Tom, *see* Bartholomew, George A.
caeca, *see* *Talpa*
cafer, *see* *Myosorex*, *Pedetes*
caffer, *see* *Syncerus*
 Cages for:
Citellus, 34:65; 35:445, 545
 Martens, young, 33:66
Mesocricetus, 35:545
Neotoma, 34:180
 Small mammals, 40:618
 Sorex, 34:119
 Vampires, 40:546
 Cagle, Fred R.:
 A Texas colony of bats, *Tadarida mexicana*, 31:400
 Cahalane, Victor H.:
 Badger-coyote "partnerships," 31:354
 A program for restoring extirpated mammals in the National Park System, 32:207
 Status of the black-footed ferret, 35:418
 Calcaneum in:
Blarina, 40:394
Bos, 40:396
Canis, 40:396

- Castor, 40:397
 Cryptotis, 40:394
 Dasypus, 40:395
 Dicrostonyx, 40:399
 Didelphis, 40:394
 Dipodomys, 40:397
 Eptesicus, 40:394
 Equus, 40:396
 Felis, 40:396
 Geomys, 40:397
 Glaucornis, 40:397
 Homo, 40:395
 Lagurus, 40:399
 Lasiurus, 40:394
 Lemmus, 40:399
 Lepus, 40:396
 Marmota, 40:397
 Mus, 40:397
 Mustela, 40:396
 Myotis, 40:394
 Neotoma, 40:398
 Odocoileus, 40:396
 Ondatra, 40:399
 Onychomys, 40:398
 Oryctolagus, 40:396
 Oryzomys, 40:398
 Perognathus, 40:397
 Peromyscus, 40:398
 Phenacomys, 40:399
 Procyon, 40:396
 Reithrodontomys, 40:398
 Scalopus, 40:394
 Sciurus, 40:397
 Sigmodon, 40:398
 Sylvilagus, 40:396
 Tamias, 40:397
 Tarsius, 40:395
 Thomomys, 40:397
 Urocyon, 40:396
 Vulpes, 40:396
 Zapus, 40:397
 Calculi, 32:139
 Calculus:
 Odocoileus, 36:308
 Caldwell, David K.:
 Evidence of home range of an Atlantic
 bottlenose dolphin, 36:304
 Notes on the spotted dolphin, *Stenella pla-*
 gion, and the first record of the com-
 mon dolphin, *Delphinus delphis*, in the
 Gulf of Mexico, 36:467
 Intentional removal of a disturbing object
 by an Atlantic bottlenose dolphin, 37:454
 Caldwell, David K., *see* Seibenaler, J. B.
 Caldwell, David K., and Hugh M. Fields:
 Surf-riding by Atlantic bottle-nosed dol-
 phins, 40:454
 Calhoun, John B.:
 The social aspects of population dynamics,
 33:139
 A technique for investigating the distance
 parameter of home range, 36:45
 California, 32:15, 50, 155, 197, 364, 365, 403;
 33:50, 160, 198, 273, 385, 387, 395, 442,
 453, 480, 493, 494
 Ammospermophilus, 34:324; 39:207, 223;
 40:446
 Antrozous, 31:456; 35:539; 36:457
 Apodonta, 34:396; 37:87
 Arctocephalus, 31:175
 Balaenoptera, 37:455
 Callorhinus, 35:258
 Canis, 31:452; 34:332
 Cebus, *captiv.*, 34:385
 Cervus, 31:362
 Chinchilla, 36:302
 Choeronycteris, 35:436; 36:457
 Citellus, 34:65, 266, 316, 329; 36:543;
 37:189, 291; 40:445
 Clethrionomys, 37:189
 Corynorhinus, 35:539; 36:457
 Delphinus, 37:311
 Dipodomys, 34:329, 515; 35:42, 515, 570;
 36:543; 37:124; 38:503; 40:613
 Effects of fire, 40:253
 Enhydra, 40:147, 617
 Eptesicus, 34:256; 35:539; 36:457
 Erethizon, 37:452
 Eschrichtius, 35:596
 Euderma, 31:197; 35:117; 38:260
 Eumops, 36:407, 457
 Eutamias, 34:316; 37:189
 Glaucornis, 34:320; 37:189
 Globicephala, 37:311
 Grampus, 37:311
 Gulo, 35:594; 36:569
 Hamster, 40:613
 Lagenorhynchus, 37:311
 Lasiurus, 31:456, 457; 34:256; 35:431; 40:
 13
 Lepus, 31:4; 40:63, 443
 Local list, 32:54, 366; 38:441, 529; 40:174
 Lynx, 31:327; 34:332
 Macrotus, 35:539
 Martes, 36:568
 Mesoplodon, 34:239
 Microtus, 31:96; 36:206; 37:213, 249; 38:
 157
 Mirounga, 33:109
 Mustela, 34:332
 Myocastor, 34:512
 Myotis, 34:256; 35:539; 36:457
 Neotoma, 34:320; 37:189, 371
 Neurotrichus, 37:189
 Nimravides, 39:368
 Notiosorex, 36:561; 37:108
 Ochotona, 31:4, 356
 Odocoileus, 37:143; 38:423
 Perognathus, 35:592; 38:60; 40:412, 613
 Peromyscus, 31:434; 34:44, 320, 515; 35:
 42, 55, 515; 36:206, 569, 571; 37:74,
 189, 358; 38:417; 40:613

- Phocoena*, 38:265; 40:452
Phocoenoides, 37:311; 38:126
Pipistrellus, 31:456; 34:256; 35:539; 36:457; 40:534
Rattus, 34:365
Reithrodontomys, 31:96
Scapanus, 39:265
Sciurus, 34:320
Sorex, 34:118; 36:323, 339, 561; 37:189
Sylvilagus, 31:1; 35:46, 392; 38:237, 238, 274; 40:85
Tadarida, 31:456; 35:435; 36:236, 457; 38:463
Tamiasciurus, 34:320; 37:189
Taxidea, 34:332; 40:147
Thomomys, 31:362; 33:442; 37:201
Tursiops, 34:498
Ursus, 34:321; 39:151
Vulpes, 34:332
Ziphius, 39:308
 California coast:
Carcharodon, 40:617
californianus, *see* *Zalophus*
californicus, *see* *Clethrionomys*, *Evotomys*, *Lepus*, *Lynx*, *Macrotus*, *Merychippus*, *Microdipodops*, *Microtus*, *Myotis*, *Odocoileus*, *Perognathus*, *Peromyscus*, *Ursus*
caligata, *see* *Marmota*
 Callery, Roberdeau:
 Congenial relationships between raccoon and white rat, 31:354
 Development of the os genitale in the golden hamster, *Mesocricetus* (*Cricetus*) *auratus*, 32:204
Callicebus moloch, 40:338
calligoni, *see* *Hemiechinus*
Callithrix infulatus, 40:338
Callorhinus, 31:178
 ursinus, *Alas.*, anat., 31:384; *Calif.*, fd., 32:364; 33:245, 483; *N. Pacific*, Bering Sea, distr., hab., migr., 34:86, Pribilof Is., hab., phys., 417; *Calif.*, dis., distr., 35:258, *Yukon*, wt., distr., hab., 444; *Alas.*, anat., wt., phys., hab., dis., 36:493, anat., gen., 562; *British Columbia*, distr., wt., 37:83, *Alas.*, hab., phys., 327; *Alas.*, den-tition, 38:310
Callosciurus caniceps, *Malaya*, habitat, hab., 31:342
 erythraeus, *Malaya*, habitat, hab., 31:342
 hippurus, *Malaya*, habitat, 31:342
 lowi, *Malaya*, habitat, hab., 31:342
 nigrovittatus, *Malaya*, habitat, hab., 31:342
 notatus, *Malaya*, habitat, hab., 31:342, 343
 prevosti, *Malaya*, habitat, hab., 31:342
 (*Tamiops*) *maclellandi*, *Malaya*, habitat, hab., 31:342
 tenuis, *Malaya*, habitat, hab., 31:342
callotis, *see* *Lepus*
Calomys laucha laucha, 40:339
 rex, syn., *Brazil*, 40:347
Caluromys, *Veracruz*, distr., 40:9
 derbianus aztecus, *Mexico*, hab., 35:100
 lanatus lanatus, tax., *Paraguay*, 40:338
calurus, *see* *Dipodillus*, *Gerbillus*, *Meriones*
Camburn, F. Lawrence, *see* *Hamerstrom*, F. N.
Camel, 36:278
camelopardalis, *see* *Giraffa*
Camelops huerfanensis, *Ida.*, foss., anat., 36:278
 minidoka, 32:196
Camelus, comp., 36:278
Cameron, Austin W.:
 A new chipmunk (*Tamias*) from Ontario and Quebec, 31:347
 Long-tailed weasel near Quebec City, 33:253
 A new black bear from Newfoundland, 37:538
 New mammal records for Prince Edward Island, 39:291
 A record of *Sorex arcticus* for New Brunswick, 39:292
cameroni, *see* *Rattus*
campbelli, *see* *Cercopithecus*
campestris, *see* *Gerbillus*, *Mustela*, *Odocoileus*, *Raphicercus*, *Zapus*
Campsiusurus cancrivorus, syn., 40:353
 Canada:
 Bison, 35:454
 Halichoerus, 35:595
 Ovibos, 39:398
 Synaptomys, 36:1
 Ursus, 35:345
canadensis, *see* *Castor*, *Cervus*, *Lutra*, *Lynx*, *Ovis*
canaster, *see* *Galictis*, *Grison*
Cancrivora, *Viverra*, 40:352
cancrivorus, *see* *Campsiusurus*, *Procyon*, *Ursus*
candace, *see* *Nasua*
Canecutter, 39:116
canescens, *see* *Glaucomys*, *Gulo*, *Marmosa*, *Microtus*, *Neotoma*
canguru, *see* *Macropus*
canicaudus, *see* *Eutamias*
caniceps, *see* *Callosciurus*
Canidae, 33:419; mastology, 425; tax., 37:11
canina, *see* *Nasua*
Canis antarcticus, nomen., 32:126
 americanus sylvestris, 40:353
 aureus, 33:421
 dingo, nomen., 32:126; 33:118
 familiaris, 33:421, 426; *Ontario*, par., 34:138; 40:341, anat., 396
 gibbosus (= *Canis familiaris*), 40:341
 koupura, syn., *Surinam*, 40:353
 latrans, *Mich.*, 31:359; *Calif.*, 32:54; *Ariz.*, fd., hab., 291; *Ore.*, 347; *Mich.*, 471; 33:22, 421, 424, 426; *Wis.*, 431; *Wyo.*, hab., behav., 470; *Calif.*, 34:332, *Mich.*, dis., meas., wt., 390, *Texas*, par., 270; *Ky.*, anat., distr., tax., 35:256; *Wyo.*, phys.,

- 36:133; hab., 39:72, British Columbia, 140, Guerrero, distr., 350
latrans esto, Calif., hab., 31:452
latrans frustror, distr., wt., par., Okla., 40:362
latrans lestes, Colo., distr., 34:237, Alberta, 389; Wyo., hab., 40:375
lupus, Mich., 31:359; Mich., 32:472; 33:153, 426; Wis., fd., hab., 429; Arctic, hab., 35:105; N. W. Terr., distr., 36:254; Alas., hab., 37:337, Alas., phys., 375; hab., 39:72, British Columbia, 140, Labrador, Quebec, hab., 570
lupus fuscus, Ore., 32:347
lupus irremotus, Mont., distr., 34:129; Wyo., hab., 40:375
lupus lycaon, Ontario, hab., 31:171
lupus nubilus, Okla., 40:363
lupus occidentalis, Mont., distr., 34:129, Alberta, hab., 389
lupus tundrarum, Alas., 31:465; Alas., 32:91
niger, 33:22
niger rufus, Okla., distr., 40:363
nudus (= *Canis familiaris*), 40:341
tetradactylus, 40:353
vulpes, 40:513
Vulpes (*see* *Vulpes*)
 Cannibalism among:
Citellus, 34:340; 35:445
Herpestes, 33:347
Lynx, 35:129
Microtus, 31:96
Oryzomys, 31:423
Peromyscus, 34:262
Sorex, 35:109
 Cape Stinkmuishond, 34:114
capensis, *see* *Giraffa*, *Hippopotamus*, *Mellivora*, *Melomys*
capito, *see* *Mus*, *Oryzomys*
Capivara, 33:390
Capra, serology, relationships, 39:556
aegagrus, 32:152
hircus, Me., hab., 37:129
Capreolus capreolus, anat., 35:486; N. Y., distr., 38:422; phys., 40:101
capreolus, *see* *Capreolus*
capricornis, *see* *Raphicerus*
Capromyidae, tax., 36:165
Capromys ingrahami abaconis, Bahama, misc., 38:165
ingrahami irrectus, Bahama, misc., 38:165
 (*Geocapromys*) *thoracatus*, Honduras, 40:238
 Captivity of:
Antrozous, 33:395; 39:339
Aplodontia, 34:396
Bassariscus, 35:57; 36:292
Bats, 39:339
Blarina, 31:286, 351; 37:274, 543; 39:499
Canis, 34:390
Cervus, 34:136
Citellus, 34:342; 35:445; 36:543
Clethrionomys, 36:566
Corynorhinus, 33:274; 39:339
Cryptotis, 31:352; 39:507
Cynocephalus, 31:271
Delphinus, 37:311
Dicrostonyx, 37:447
Dipodomys, 36:543; 39:597
Dusicyon, 37:284
Eptesicus, 39:339
Erethizon, 31:411
Felis, 38:515
Giraffa, 36:574
Hemiechinus, 36:123
Lagenorhynchus, 37:311
Lasiurus, 39:339
Microtus, 37:298
Mus, 34:502
Myotis, 39:339
Neofiber, 37:448
Neotoma, 31:421; 36:572; 38:472
Noctilio, 36:390
Notiosorex, 37:108
Ochotona, 31:356; 34:133; 35:450
Ornithorhynchus, 39:582
Parascalops, 33:392
Peromyscus, 35:23, 260; 37:74
Pizonyx, 39:339
Rattus, 39:301
Scalopus, 31:281; 33:392
Sciurus, 34:509
Sigmodon, 31:421
Sorex, 31:352; 34:118; 35:109
Tadarida, 33:395; 39:262, 339
Tarsius, 31:260
Tursiops, 37:311
Urogale, 31:352
Vampires, 40:546
 Capture of:
Lagenorhynchus, 37:311
Tamias, 38:192
Capuchin, 31:150; 40:329
 Hooded, 34:385
 Large-headed, 34:385
capuchinus, *see* *Cebus*
capucina, *see* *Simia*
capucinus, *see* *Cebus*
Caracal, 31:186
see *Felis*
carbonarius, *see* *Tarsius*
carcharias, *see* *Carcharodon*
Carcharodon carcharias, 40:617
 Care of:
Lasiurus, 36:130
Porcupines, 31:411
Tursiops, 34:498; 36:466
Caribou, 31:359, 361, 466; 32:84, 329; 33:105, 434, 480; 36:187; 38:275; 39:140, 408, 451, 560; 40-115

- Barren ground, 35:104; 36:254; 37:377, 375
 Peary's, 35:104
 Woodland, 32:208
caribou, *see* *Rangifer*
carissima, *see* *Myotis*
 Carnivorous behavior of:
 Eptesicus, 31:96
 Spermophilus, 39:154
carolinensis, *see* *Blarina*, *Sciurus*, *Vesperugo*
 Carroll, Mitchel, obit., 31:119
Carollia perspicillata, San Luis Potosi, distr., 40:9, 10
 perspicillata azteca, Mexico, wt., hab., 35:101; Panama, hab., 36:232
 perspicillata perspicillata, 32:224; Trinidad, fd., 38:409
 subrufa, Mexico, distr., wt., 38:5
Carpal vibrissae, *Canidae*, 33:423
 Carrying young of:
 Peromyscus, 35:25
 Carter, T. Donald:
 On the migration of the red bat, *Lasiurus borealis borealis*, 31:349
 Remarkable age attained by a bobcat, 36:290
 Cary, Grant Reynolds, *see* Bartholomew, George A., Jr.
caryi, *see* *Citellus*, *Perognathus*
cascadensis, *see* *Clethrionomys*
cascensis, *see* *Odocoileus*
 Case, Leslie D., Sr.:
 Preparing mummified specimens for cleaning by dermestid beetles, 40:620
 **casei*, *see* *Bassariscus*
 Caslick, James W.:
 Color phases of the roof rat, *Rattus rattus*, 37:255
castanops, *see* *Cratogeomys*
castanurus, *see* *Citellus*
Castor, Colo., pop., 34:261; 40:595
 canadensis, Mich., hab., 31:40; Mich., Yukon Terr., 361; Ore., 32:348; Mich., 471; Tenn., 33:367; Wis., 437, 482; Alas., 479; anat., par., phys., 34:204, Wis., meas., wt., 260, Mont., hab., meas., wt., 459; Nev., distr., 35:578, N. Y., anat., 197, N. Y., wt., anat., 452, Vt., wt., 452; anat., 36:141; Alas., phys., 37:375, Ind., distr., wt., 407, Mont., anat., 39:97, British Columbia, 140, Prince Edward Id., misc., 292; Wyo., hab., 40:377, 381, Colo., colony, anat., 397, 403, 593
 canadensis canadensis, Vt., anat., phys., wt., 37:506
 canadensis concisor, Wyo., anat., meas., phys., pop., wt., 34:27, Colo., distr., 238
 canadensis frondator, N. Mex., 33:251
 canadensis mexicanus, N. Mex., distr., hab., 38:497
 canadensis michiganensis, 32:44; comp., 33:99
 canadensis missouriensis, Wis., wt., meas., 32:363
 canadensis taylori, Wyo., anat., meas., phys., pop., wt., 34:28
 fiber, anat., 39:97
Castoridae, tax., 36:165
Castoroides ohioensis, 33:100
castus, *see* *Sciurus*
 Caswell, Edwin B.:
 Accidental death of a mule deer in Idaho, 34:515
 Caswell, Herbert H., Jr., *see* Bartholomew, George A., Jr.
 Cat:
 Civet, 38:141
 Domestic, 31:356; 32:458
 House, 33:38, 37:119, 38:517, 40:174
 Native, 39:46
 Ring-tailed, 32:347; 35:577, 578; 36:292
catadon, *see* *Physeter*
catalinae, *see* *Reithrodontomys*
Catamount, 32:227
Catarrhinae, 40:595
catclawensis, *see* *Ovis*
catodon, *see* *Physeter*
catus, *see* *Felis*
caudimaculatus, *see* *Uromys*
caurina, *see* *Martes*
caurinus, *see* *Evotomys*, *Myotis*, *Reithrodon*
cavernarum, *see* *Brachyphylla*
Cavia cobaya, 33:486
 porcellus, 40:340
Caviidae, tax., 36:165
cavirostris, *see* *Ziphius*
çay, *see* *Cebus*
cayennensis, *see* *Proechimys*
Cebus albifrons, tax., 36:449
 apella, Colombia, syn., hab., tax., 35:415; tax., anat., 36:449
 capuchinus, 40:329; Panama, fd., hab., 34:267; Colombia, syn., tax., 35:415
 capucinus capucinus, syn., 40:152
 capucinus imitator, syn., 40:152
 çay (= *Cebus apella çay*), 40:338
 fatuellus paraguayensis, Calif., captiv., phys., 34:385
 fatuellus variegatus, Calif., captiv., 34:385
 hypokantha (= *Callicebus moloch*), 40:338
 infulata (= *Aotus trivirgatus trivirgatus*), 40:338
 villosa (= *Aotus trivirgatus trivirgatus*), 40:338
cedrophilus, *see* *Sylvilagus*
celeano, *see* *Nyctimene*
celebensis, *see* *Aceroden*
Celebes, 33:260
 Aceroden, 40:390
 Macroglossus, 40:391
 Census methods, 31:382, 383; 32:318

Census of:

Zalophus californianus, 32:15

Center of activity:

Relation to home range, 31:37

Relation to individual movements, 31:408

centralis, *see* Cabassos, *Cercopithecus*, Promops

Centronycteris, Veracruz, distr., 40:9

Centurio senex, 32:224; Mexico, 35:114; 40:5,

Tamaulipas, comp., Quintana Roo, 237

Cephalopus natalensis natalensis, Africa, 31:188

cephalotes, *see* Mus

Cercocebus aethiops, 31:150

albigena, Africa, hab., 39:584

fuliginosus, 31:150

mitas, 31:150

Cercoleptes lepidus (= *Potos flavus prehensilis*), 40:341

Cercopithecus aethiops aethiops, Africa, 31:186

aethiops centralis, Africa, 31:186

aethiops cynosuroides, Africa, 31:186

aethiops johnstoni, Africa, 31:186

aethiops pygerythrus, Africa, 31:186

campbelli lowei, Africa, tax., 36:434

denti, Africa, tax., 36:434

grayi, Africa, tax., 36:434

mitis kolbi, Africa, 31:186

mona, Africa, tax., 36:434; Africa, hab., 39:584

pogonias, Africa, tax., 36:434

wolfi, Africa, tax., 36:434

Cercopithecus, 31:150

Cerdocyon, 33:424

cervinipes, *see* Melomys

cervinus, *see* Hipposideros

Cervus, 32:84; 33:154

canadensis, Wash., anat., wt., 31:464; W. Va., 33:254, 434; Mont., anat., phys., 36:145; Colo., 37:129; phys., 40:104, Wash., anat., 252

canadensis canadensis, Colo., 32:112

canadensis nelsoni, Wyo., prey, 33:471;

Colo., distr., 34:239; Nev., distr., 35:

578; Okla., 40:366, Wyo., hab., 379

canadensis occidentalis, Calif., 31:362

canadensis roosevelti, Ore., 32:349; 37:165

dama, nomen., 32:126

dybowskii, syn., 37:99

elephas, comp., 39:310; phys., 40:101

elephas xanthopygus, syn., 37:99

nippon, phys., 40:101

nippon hortulorum, syn., 37:99

nippon kopschi, syn., 37:99

nippon mandarinus, syn., 37:99

nippon mantchuricus, syn., 37:99

nippon nippon, syn., 37:99

nippon pseudaxis, syn., 37:99

nippon swinhoei, syn., 37:99

nippon taiouanus, syn., 37:99

pseudaxis, syn., 37:99; comp., 39:310

unicolor, longev., 38:279

Ceylon:

Marsupial, 37:274

Chaerephon, pel., 31:350

Chaeropithecus anubis choras, Gold Coast, hab., 39:434

Chaetomys subspinosus, Brazil, tax., 40:339

Chaetophractus villosus, 40:340

Chamberlain, D. M., *see* Chute, H. L.

Chamberlain, J. L.:

The Block Island meadow mouse, *Microtus proectus*, 35:587

Chamberlain, Norman V.:

Thomomys bottae aureiventris Hall from Nevada, 38:267

Chamberlain, Norman V., *see* Rasmussen, D. I.

Chandler, Edwin H., *see* Fay, Francis H.

chanleri, *see* Redunca

Chapman, Floyd B.:

The river otter in Ohio, 37:284

chapmani, *see* *Hippotigris*, *Synaptomys*

Character changes:

Vulpes, 40:518, 519

chardini, *see* *Postschizotherium*

Cheek pouches of:

Cricetidae, 35:425

Geomyidae, 35:425

Heteromyidae, 35:425

Muridae, 35:425

Peromyscus, 35:21

Potamochoerus, 36:147

Sciuridae, 35:425

cheesmani, *see* *Gerbillus*

Cheetah, 31:186; 40:481

Galloping, 40:486

cheneyi, *see* *Bison*

Chew, Robert M.:

Reproduction by *Dipodomys merriami* in captivity, 39:597

Chew, Robert M., Bernard B. Butterworth, and Richard Grechman:

The effects of fire on the small mammal populations of chaparral, 40:253

Chew, Robert M., and Ralph T. Hinegardner:

Effects of chronic insufficiency of drinking water in white mice, 38:361

Chiasson, Robert B.:

Distribution of *Citellus tridecemlineatus* in Illinois, 34:510

The phylogenetic significance of rodent cheek pouches, 35:425

Occurrence of *Zalophus californianus* in the Gulf of California, 35:596

Dental abnormalities of the Alaskan fur seal, 36:562

The dentition of the Alaskan fur seal, 38:310

Chickaree, 32:348; 34:238; 35:87; 40:138

Childs, Henry E., Jr.:

The kangaroo rat preyed upon by the sparrow hawk, 33:493

Chile:

Akodon, 36:465

Felis, 35:126

Hesperomys, 36:465

Mus, 40:348

Notiomys, 36:465

Phyllotis, 36:465

Reithrodon, 40:348

chilensis, *see* Mephitis

Chilonatalus, 32:229

macer, syn., 31:443

micropus, Jamaica, 31:437

tumidifrons, syn., 31:443

Chilonycteridae, anat., 35:147

Chilonycteris, 32:229

parnelli, 33:172

parnellii, Tamaulipas, distr., comp., nomen., 40:4, Quintana Roo, 237

parnellii boothi, Haiti, syn., 36:112

*parnellii gonavensis, Haiti, orig. des., anat., tax., foss., 36:110

parnellii mexicana, Haiti, syn., 36:109

parnellii parnellii, Haiti, syn., 36:109

parnellii portoricensis, Haiti, syn., 36:109

parnellii pusillus, Haiti, anat., tax., 36:109

parnellii rubiginosa, Haiti, syn., 36:109

personata, 33:234; Mexico, hab., 35:67

psilotis, Mexico, distr., 38:2; San Luis Potosi, misc., 39:293

rubiginosa, Haiti, syn., 36:109; nomen., 40:4, Mexico, 442

rubiginosa fusca, Panama, hab., 36:232

rubiginosa mexicana, 33:235; Mexico, hab., 35:67, Mexico, distr., 584; Mexico, distr., wt., 38:2; San Luis Potosi, misc., 39:293

Chimpanzee, 32:118; 36:78

China:

Vulpes, 40:515

Chinchilla sp., Calif., 36:302

Chinchillidae, tax., 36:165

chinga, *see* Conepatus, Viverra

Chipmunk, 31:347, 348, 350, 359; 32:293,

343; 33:68, 254, 358; 34:232, 316, 510;

35:105, 357, 585; 37:119; 40:43, 136

Cliff, 39:276

Colorado, 32:282; 38:495

Eastern, 31:85, 138; 32:104, 369; 33:366, 433; 34:448; 36:136; 37:23, 407; 38:129, 192, 519; 40:444, 554

Grey eastern, 35:429; 36:121

Least, 32:282; 34:238; 40:376

Long-eared, 33:198

Northeastern, 37:395

Ohio, 36:101

Say, 34:238

Sonoma, 37:189

Townsend, 32:347; 33:198; 37:189

Yellow pine, 32:347; 33:198; 40:376

Chiroderma, 39:585

Veracruz, distr., 40:9

villosa, 32:224

Chironectes minimus minimus, 40:339

minimus panamensis, syn., 40:152

variegatus [= Chironectes minimus minimus], 40:339

Chiropodomys gliroides, Malaya, habitat, hab., 31:343

Chiroptera (as food), 35:60

Chittleborough, R. G.:

Southern right whale in Australian waters, 37:456

Choeronycteris mexicana, 33:236; Mexico, hab., 35:68, Mexico, distr., hab., 436, Mexico, anat., phys., 437; Calif., par., 36:457; Mexico, distr., wt., 38:5, N. Mex., distr., hab., 513

mexicanus, Coahuila and Texas, 40:11

Choeropsis liberiensis, West Africa, distr., 34:302; longev., 38:279

Choloepus didactylus, reprod., 38:419

hoffmani hoffmanni, syn., 40:152

Christian, John J.:

A field method of determining the reproductive status of small male mammals, 31:95

A precocious male Microtus pennsylvanicus, 31:195

Polyovular follicles in the woodchuck (Marmota monax), 31:196

The adreno-pituitary system and population cycles in mammals, 31:247

Behavior of the mole (Scalopus) and the shrew (Blarina), 31:281

Christian, John J., and David E. Davis:

The relationship between adrenal weight and population status of urban Norway rats, 37:475

Chromosome counts, 40:572

Chrotopterus, Veracruz, distr., 40:9

chrotorrhinus, *see* Microtus

Chrysocyon, Brazil, 33:390, 425

chrysogastor, *see* Hydromys

chrysopsis, *see* Reithrodontomys

Chula, 35:48

Churcher, Charles S.:

The specific status of the New World red fox, 40:513

churchi, *see* Blarina

Chute, H. L., and D. M. Chamberlain:

Lymphangioma in the white-tailed deer, Odocoileus virginianus, 37:552

cicognani, *see* Mustela

cinerascens, *see* Nasua

cinerea, *see* Neotoma

cinereoargenteus, *see* Urocyon

cinereus, *see* Artibeus, Dermanura, Lasiurus, Sorex, Zapus

cinnamomeus, *see* Citellus

cinnamomina, *see* Ondatra

cinnamomum, *see* Ursus

Circulatory system of:

Trichechus, 34:202

citella, *see* Marmosa

Citellus, comp., 34:294; as fd., 35:59; 39:528

adocetus, N. A., anat., 35:357

armatus, Wyo., par., 34:155; N. A., anat., 35:357; Ida., Utah, gen., pel., tax., 37:550; Wyo., hab., 40:376

barrowensis, Alas., metabolism, 31:304; and 32:359

beecheyi, Calif., 32:54, 440; Calif., fd., 34:320, Calif., comp., 329, 338; phys., 35:40; anat., 36:356; Calif., hab., 37:189; Ida., Utah, gen., pel., tax., 37:550, as fd., 38:517; Wash., misc., 39:301, hibernation, 40:42, Calif., hab., 174

beecheyi beecheyi, Calif., gen., hab., meas., 34:266

beecheyi douglasi, Ore., 32:347

beecheyi fisheri, phys., 32:304; Calif., anat., 40:445

beldingi crebrus, Utah., distr., habitat, 31:198; Ida., distr., 35:587

columbianus, N. A., anat., 35:357

columbianus columbianus, Mont., 40:26; descr., wt., hab., 27, voice, habitat, 31, nests, 32, social behav., 35, as prey, 36, breeding, growth, 37, pop., 38, fd., 39, hibernation, 40, distr., 42, enemies, economics, 43

columbianus ruficaudus, distr., 40:27

franklini, Nebr., hab., 31:158; N. A., anat., 35:357

interpres, N. Mex., distr., hab., 38:495

lateralis, fd., 33:198; Utah, hab., 34:131, Calif., fd., 316, comp., 339; N. A., anat., 35:357; Colo., distr., 37:80, Calif., hab., 291; distr., 40:43, N. Mex., 336

lateralis bernardinus, Calif., phys., hab., 34:65

lateralis caryi, Wyo., hab., 40:376

lateralis castanurus, Wyo., hab., 40:376

lateralis lateralis, Colo., 32:282; Colo., distr., hab., 34:237; Colo., Utah, distr., tax., 36:136

lateralis trinitatis, Ore., 32:347

lateralis wortmani, Colo., Utah, distr., tax., 36:136

leucurus, comp., 34:339; N. A., anat., 35:357; Calif., wt., phys., 36:543; Calif., phys., 40:354

leucurus cinnamomeus, Utah, 32:113; Utah, tax., 36:273

*leucurus escalante, Utah, orig. desc., gen., tax., anat., hab., 36:274

leucurus leucurus, Utah, tax., 36:273

*leucurus notom, Utah, orig. desc., tax., hab., 36:274

leucurus pennipes, Utah, tax., 36:273; N. Mex., distr., hab., 38:495

lyratus, Alas., food hab., 32:358

mexicanus, Mexico, 32:120; N. A., anat., 35:357

nelsoni, hab., 40:359

osgoodi, Alas., phys., 36:362

parryi, Alas., par., 34:163; N. W. Terr., distr., hab., 36:254; comp., 40:27

parryi ablusus, Alas., 32:91

parryi barrowensis, Alas., 31:466; Alas., blood chem., 33:356; Alas., distr., fd., hab., meas., phys., wt., 34:334; Alas., 39:594

(Colobotis) parryi kennicotti, Alas., 31:304

parryi plesius, Alas., 33:478

parryii parryii, hab., 35:445; Alas., phys., 36:362; 40:610

richardsoni, Kan., 32:229; 34:162; N. A., anat., 35:357; Wyo., gen., pel., tax., 37:550; distr., 40:43

richardsoni elegans, Utah, distr., 34:131; Wyo., hab., reprod., 38:415

spilosoma major, syn., 33:503

spilosoma marginatus, nomen., 33:503; N. Mex., distr., hab., 38:494

tereticaudus, N. A., anat., 35:357; adaptation, 40:359

townsendi mollis, Utah, 32:114

townsendii, Utah, 37:123, hab., 124

tridecemlineatus, Nebr., hab., 31:158, anat., 256, 308; Mich., pop., 32:437, wt., 439; Mich., 472; hiber., 33:358; comp., 34:449, Ill., distr., 510; Mich., hab., 35:105, hab., 545; Wis., misc., 39:288, comp., 296; distr., 40:43, reprod., 45, Wis., hab., 428, misc., 445, wt., 555, 558

tridecemlineatus parvus, Utah, distr., hab., 36:296

tridecemlineatus tridecemlineatus, N. A., anat., 35:357; Ohio, melanis, 40:145

undulatus, Alas., hab., 35:586; reprod., Alas., anat., 40:45, Alas., hab., 201, Alas., 608, 609

undulatus barrowensis, Alas., pel., growth, 39:594

undulatus kodiacensis, Alas., 39:576

undulatus parryi, Alas., anat., 39:296

undulatus plesius, Alas., 40:609

variegatus, N. A., anat., 35:357

variegatus grammurus, N. Mex., 33:251; N. Mex., distr., hab., 38:494

variegatus variegatus, Mexico, wt., distr., hab., 35:71

Clark, Philip J.:

(Review) Oscar Kempthorne, An introduction to genetic statistics, 39:313

Clark, W. Kim:

The land mammals of the Kodiak Islands, 39:574

Clark, W. Kim, *see* Mossman, Archie S.

Clark, William K.:

Gray shrew, *Notiosorex*, from eastern Oklahoma, 34:117

The baculum in the taxonomy of *Peromyscus boylei* and *P. pectoralis*, 34:189

Clarke, John R.:

The hippopotamus in Gambia, West Africa, 34:299

clarus, *see* *Pipistrellus*

Claws of:

Dicrostonyx, 38:127

Clethrionomys, 32:217, 462; 33:184, 244;

Colo., 399, comp., 34:347; tax., 40:25

californicus, 32:201, Ore., 348

californicus obscurus, Ore., pop., movement, reprod., 40:135

dawsoni, 33:479, 500

gapperi, N. Y., 31:138; Mich., 31:359;

Mich., Ontario, pop., anat., home range, 32:325; Md., 33:250, 433; Wis., 434,

prey, 437; par., 495; British Columbia, 498; Minn., distr., 34:384; N. Y., hab.,

phys., 36:566; Colo., distr., 37:80; Ontario, hab., 119; N. Y., gen., 298; pre-

natal survival, 38:396; Mich., 39:149, Prince Edward I., 292, anat., 542; Minn.,

ecol., 40:405, Wis., hab., 428, Minn., 449

gapperi cascadenis, nomen., 40:574

gapperi galei, Colo., distr., hab., 34:238;

Colo., hab., 36:221; Wyo., hab., 40:378

gapperi gapperi, 32:206; Mich., 471; N. Y., hab., 35:103, N. Y., distr., 579; Ontario,

38:257

gapperi gaspianus, Quebec, hab., 36:21

gapperi hudsonius, Manitoba, distr., 38:104

gapperi loringi, Manitoba, hab., 31:22;

Iowa, distr., 36:121; Manitoba, ecol., pop., 38:87

gapperi maurus, Ky., meas., reprod., 32:108

gapperi ochraceus, New Brunswick, hab., 36:21

gapperi rhoadsi, N. J., anat., distr., fd., hab., meas., wt., 34:233

glareolus, anat., 31:435; Great Britain, 32:356; British, misc., 39:479

glareolus brittanicus, England, wt., hab., 35:161

occidentalis, Calif., hab., 37:189

rufocanus bedfordiae, 32:455

rufocanus regulus, hab., 38:390

rutilus, Alas., 39:157; Alas., trapping, behavior, 40:141, Alas., 608

rutilus dawsoni, Alas., 31:466; Alas., 32:93, reprod., fd., 94; Alas., 33:479, 500; Alas.,

phys., wt., 35:376; Alas., thermal conductivity, 38:78

rutilus smithi, 32:450, pop., 451, 456

**rutilus washburni*, N. W. Terr., orig. descr., 33:500; meas., 501

Climate, response to:

Ammospermophilus, 34:329

Climbing of:

Dipodomys, 32:164

Coendou, 34:267

Peromyscus, 31:314

Ursus, 39:588

Clothier, Ronald R.:

Contribution to the life history of *Sorex vagrans* in Montana, 36:214

A second dwarf shrew from New Mexico, 38:256

Clothier, Ronald R., *see* Koster, William J.

Clough, Gari C.:

Repeated hibernation in a captive meadow jumping mouse, 36:301

Clough, Garrett C.:

Extension of range of the woodland jumping mouse, 40:449

Cloutier, Roger J., *see* Hall, John S.

Clusii, *see* *Trichechus*

Coahuila:

Pipistrellus, 40:528

Coat color of:

Baiomys, 35:75

Citellus, 36:273

Dicrostonyx, 40:205

Dipodomys, 35:570

Felis, 35:126

Lagurus, 36:270

Neotoma, 36:113

Perognathus, 35:95

Peromyscus, 35:74

Sciurus, 35:72

Tamiasciurus, 35:90

Coati, 34:267; 35:48, 70, 102; 38:123, 263

mundi, 32:362

coati, *see* *Nasua*

Coatimundi, 33:108

cobaya, *see* *Cavia*

Cockrum, E. Lendell:

Longevity in the pipistrelle, *Pipistrellus subflavus subflavus*, 33:491

The big free-tailed bat in Oklahoma, 33:492

Non-geographic variation in cranial measurements of wild-taken *Peromyscus leucopus novaboracensis*, 35:367

Homing, movements, and longevity of bats, 37:48

The pocketed freetail bat, *Tadarida flemingii*, in Arizona, 37:282

Sperm whales stranded on the beaches of the Gulf of California, 37:288

New genus and species, *Idionycteris phyllotis*, recorded from the United States, 37:546

Coendou insidiosus, 40:339

mexicanum, San Luis Potosi, distr., 40:9, 10

prehensilis *prehensilis*, 40:339

rothschildi, Panama, hab., 34:267

coibensis, *see* *Molossus*

cokii, *see* *Alcelaphus*

Cole, James E.:
 Buffalo (*Bison bison*) killed by fire, 35:453
 Coleman, Robert H.:
 The status of *Lasiurus borealis seminolus* (Rhoads), 31:190
 DDT protects bait from ants, 31:199
collaris, *see* *Ochotona*
 Collecting methods, 34:137
 Bats, 36:120
 Blarina, 36:36
 Mammal ectoparasites, 32:123
 Ochotona, 35:450
 Peromyscus, 35:26
 Collections:
 Museum, 39:456
 **collinus*, *see* *Peromyscus*
Colobotis kennicotti, 31:304
colocolo, *see* *Felis*
 Colombia:
 Cebus, 35:415
colombiana, *see* *Lutra*
 Colonies of:
 Castor, 34:471
 Ochotona, 35:450
 Color aberrations in:
 Pitymys, 34:262
 Sigmodon, 32:217
 Colorado:
 Antilocapra, 36:146
 Antrozous, 35:111
 Apheliscus, paleo., 35:581
 Bassariscus, 35:442
 Beaver, 34:261; 38:268
 Bison, 36:470
 Blarina, 35:110
 Bushy-tailed wood rat, 40:594
 Castor, 40:381
 Cervus, 32:112; 37:129
 Citellus, 36:136; 37:80
 Clethrionomys, 33:399; 36:221; 37:80
 Coyote, 34:127
 Cryptotis, 35:110; 36:123
 Cynodontomys, 35:581
 Erethizon, 37:80; 38:526; 39:447
 Eutamias, 37:80
 Fur bearers, 34:221
 Hyopsodus, 35:581
 Lepus, 38:517; 40:442
 Local list, 32:281, 282; 34:235; 38:135
 Marmota, 37:80
 Martes, 37:80, 521; 38:517
 Microtus, 33:399; 36:221; 37:80
 Mus, 34:502
 Mustela, 35:418
 Notiosorex, 35:110
 Nyctitherium, paleo., 35:581
 Ochotona, 35:450; 37:80; 39:599
 Odocoileus, 31:193; 35:269; 40:251
 Ovis, 31:193
 Peradectes, paleo., 35:581
 Peratherium, paleo., 35:581

Peromyscus, 33:399; 35:118; 36:42, 462; 38:523; 40:415
Phenacolemur, paleo., 35:581
Phenacomys, 33:399; 35:450; 36:221
Pipistrellus, 40:533
Porcupine, 34:511; 40:594
Procyon, 34:500
Sciurus, 34:359; 35:447; 37:80; 38:129
Sorex, 31:459; 33:399; 36:221; 37:80, 276
Tamiasciurus, 37:80
Taxidea, 31:91
Tetomys, paleo., 35:581
Thomomys, 36:221; 39:381; 40:577
Wasatchia, paleo., 35:581
Zapus, 33:399; 34:265; 36:221; 37:80
 Color change of:
 Delphinapterus, 39:7
 Globicephala, 36:424
 Inia, 39:7
 Color of:
 Felis, 38:515
 Myotis, 38:463
 Tadarida, 38:461
 Color phase of:
 Cratogeomys, 35:72
 Didelphis, 35:66
 Neotoma, 35:239
 Rattus, 37:255
 Red fox, 40:515
 Color variation in:
 Condylura, 35:187
 Erethizon, 36:84
 Microtus, 37:395
 Mormoops, 39:344
 Mustela, 37:113
 Myosorex, 39:325
 Myotis, 35:111
 Parascalops, 35:186
 Perognathus, 37:451
 Phocoenoides, 37:311
 Pitymys, 36:52
 Procyon, 34:500
 Rattus, 34:178
 Scalopus, 35:186
 Scapanus, 35:195
 Sorex, 37:275
 Synaptomys, 36:1
 Taxidea, 34:388
 Thomomys, 38:523
 Ursus, 35:345; 36:460
 Coloration in:
 Mormoops, 39:513
 Myosorex, 39:325
 Myotis, 39:513
 Nasua, 35:52
 Rattus, 37:378
 Rhinolophus, 39:513
 Sciurus, 39:532
 Tadarida, 39:513
coloratus, *see* *Oryzomys*
colorola, *see* *Felis*

Colovos, N. F., *see* Teeri, A. E.

Colugo, 36:131

columbi, *see* Mammuthus

Columbia:

Inia, 39:1

Sotalia, 39:1

columbiana, *see* Martes

columbianus, *see* Citellus, *Odocoileus*

colusus, *see* Ursus

Colyer, Sir Frank, and A. E. W. Miles:

Injury to and rate of growth of an elephant tusk, 38:243

comanche, *see* Peromyscus

Commissaris, Larry R.:

Notes on the Yuma *Myotis* in New Mexico, 40:441

Communication:

Odocoileus, 40:126

Pitymys, 36:52

communis, *see* *Phocaena*

Comparison of:

Acrobates, 34:293

Antrozous, 40:5

Baiomys, 40:146

Bison, 32:192

Blarina, 32:103

Camelops, 36:278

Centurio, 40:5

Chilonycteris, 40:4

Citellus, 34:294, 329, 449; 36:273; 40:27

Clethrionomys, 34:347

Cryptotis, 40:4

Cynomys, 34:338

Dasypterus, 40:5

Dasypus, 34:268

Dipodomys, 34:329

Enchisthenes, 40:5

Eptesicus, 40:5

Erethizon, 34:267

Erignathus, 34:254

Eutamias, 34:293; 40:6

Glaucomyss, 40:6

Lagurus, 36:270; 40:20

Lasiurus, 40:5

Lepus, 34:294

Marmosa, 40:4

Martes, 34:294

Megalonyx, 34:376

Mephitis, 34:256, 294

Microtus, 34:449; 40:53

Mustela, 34:294

Odobenus, 34:254

Odocoileus, 34:377

Oryctolagus, 34:294

Petaurus, 34:293

Procoileus, 34:377

Procyon, 34:373

Promops, 40:6

Red foxes, 40:515

Sciurus, 34:294

Spilogale, 34:294

Sylvilagus, 34:270, 294

Tamandua, 34:268; 36:557

Tamias, 34:294

Taxidea, 34:294, 388

Tursiops, 34:498

Uroderma, 40:5

Vampyrops, 40:5

compressus, *see* *Macrotus*

conatus, *see* *Rattus*

Conaway, C. H.:

The uterus masculinus of *Castor canadensis*, 39:97

Maintenance, copulation and growth of the least shrew in captivity, 39:507

The reproductive cycle of the eastern mole, 40:180

Conaway, C. H., *see* Buchholz, R. H.

Conaway, Clinton, and Stuart O. Landry, Jr.:

Rudimentary mandibular teeth of *Scalopus aquaticus*, 39:58

Conaway, Clinton H.:

The reproductive cycle of rice rats (*Oryzomys palustris palustris*) in captivity, 35:263

Embryo resorption and placental scar formation in the rat, 36:516

Conaway, Clinton H., and Donald W. Pfitzer:

Sorex palustris and *Sorex dispar* from the Great Smoky Mountains National Park, 33:106

concolor, *see* *Castor*

concolor, *see* *Felis*, *Procyon*, *Rattus*

Condylura, 32:36; N. Y., 343; anat., pel., 35:186; 40:190, 191

cristata, S. C., 31:83, Mich., 359; W. Va., 32:368; S. C., distr., 36:288; Ontario, hab., 37:119, N. Y., distr., hab., 37:395

cristata cristata, N. Y., hab., wt., 37:223

Conepatus chinga chinga, 40:342

chinga suffocans, 40:341

mesoleucus, Ariz., distr., 38:414

mesoleucus mesoleucus, Mexico, hab., 35:71

mesoleucus nelsoni, Guerrero, desc., 39:358

congru, *see* *Macropus*

Conifer plantations as habitat, 40:253

conisbee, *see* *Paradoxurus*

Conkey, James V. A.:

An unreported specimen of the whale, *Balaenoptera physalus*, 37:455

Conklin, Alice, *see* Eads, R. B.

connectens, *see* *Thomomys*

Connecticut:

Erethizon, 38:133

Lepus, 35:458

Lynx, 35:458

Myotis, 38:122

Pipistrellus, 40:524

Procyon, 35:459

Sorex, 33:398

Sylvilagus, 34:393

- Zapus, 36:140
- Connell, Joseph H.:
Home range and mobility of brush rabbits in California chaparral, 35:392
- Connochaetes taurinus albojubatus, Africa, 31:187
- taurinus hecki, Africa, 31:187
- taurinus taurinus, Africa, 31:187
- Connor, Paul F.:
Notes on the mammals of a New Jersey Pine Barrens area, 34:227
- Conservation, 32:207
- Brazil, 33:389
- consobrinus, *see* Eutamias
- conspicillatus, *see* Pteropus
- Constantine, Denny G.:
A program for maintaining the freetail bat in captivity, 33:395
- Color variation and molt in Tadarida brasiliensis and Myotis velifer, 38:461
- Ecological observations on Lasiurine bats in Georgia, 39:64
- Chilonycteris pilotis in San Luis Potosi, Mexico, 39:293
- Tadarida femorosacca and Tadarida molossa at Carlsbad Caverns, New Mexico, 39:293
- Color variation and molt in Mormoops megalophylla, 39:344
- Remarks on external features of Tadarida femorosacca, 39:437
- Bleaching of hair pigment in bats by the atmosphere in caves, 39:513
- Ecological observations on Lasiurine bats in the North Bay area of California, 40:13
- Pteronotus davyi in northwestern Mexico, 40:442
- Constantine, Denny G., Jens A. Jensen, and Ernest S. Tierkel:
The use of radiolabeling in determining prey-predator relationships, 40:240
- continentis, *see* Natalus
- Control methods for:
Vulpes, 36:101
- Control of:
Coyote, 34:220
- Deer mice, 33:59
- Hippopotamus, 34:308
- Microtus, 40:457
- Myocastor, 34:512
- Peromyscus, 40:457
- Sorex, 40:457
- Thomomys, 40:457
- conversidens, *see* Equus
- convolutor, *see* Pseudochirus
- Cook, Arthur H.:
The least weasel in New York, 32:225
- Some measurements from a three and one-half year old beaver (*Castor canadensis*), 35:452
- Cook, Edwin F.:
A technique for preventing post-mortem ectoparasite contamination, 35:266
- Cook, S. F., and J. P. Hannon:
Metabolic differences between three strains of *Peromyscus maniculatus*, 35:553
- Cooley, R.:
Second record of the hoary bat in Florida, 35:116
- Cooperation among:
Tursiops, 37:126
- cooperi, *see* Eutamias, *Synaptomys*
- Cope, James B., *see* Mumford, Russell E.
- Coprophagy in:
Lepus, 40:250
- Sylvilagus, 36:303, 37:300; 38:136; 40:250
- Copulation by:
Bears, 31:449
- Callorhinus, 34:431
- Corynorhinus, 33:291
- Cricetus, 31:121
- Eptesicus, 39:260
- Erethizon, 32:219; 33:239
- Lagenorhynchus, 34:490
- Marmota, 31:454
- Neotoma, 34:181
- Ochotona, 31:356
- Odocoileus, 40:110
- Ondatra, 31:97
- Sigmodon, 31:422
- Urogale, 31:353
- coracius, *see* Rattus
- Corpora lutea of:
Castor, 37:506
- Corynorhinus, 33:305
- Gulo, 36:346
- Herpestes, 34:442
- Microtus, 37:213
- Odocoileus, 36:145
- Oryzomys, 35:263
- Correction to:
"The mammals of South Africa," 34:518
- coryi, *see* Felis
- Corynorhinus, 40:193, Quintana Roo, 237
- macrotis, S. C., 31:84; Tenn., meas., hab., 33:365; Fla., distr., pel., 34:382, 383; Ohio, distr., hab., 35:430
- rafinesquei, Ore., 32:346; distr., 33:365; Calif., hab., 35:539; Calif., par., 37:443; Ky., distr., 38:141; sex ratio, 40:16
- rafinesquei intermedius, Calif., 32:366; Calif., life hist., growth, reprod., phys., hibernation, banding, 33:273
- rafinesquei pallescens, Colo., hab., 34:237; N. A., anat., 36:96; Utah, distr., 126; Okla., distr., 128, Kan., Okla., hab., 379; Calif., par., 457; N. Mex., distr., 38:493; Texas, 40:442
- rafinesquei pallidus, 32:395
- rafinesquei rafinesquei, W. Va., 32:369; Ark., 465

- rafinesquei townsendi*, Calif., 33:273
townsendii, hab., 37:48
townsendii pallescens, S. Dak., distr., 39:150
townsendii virginianus, Ky., distr., 38:141
cottoni, see *Redunca*
Cottontail, 32:109, 112, 292, 343
 Audubon, 32:54
 Eastern, 32:371
 Mountain, 32:283
 New England, 32:109
couang, see *Nycticebus*
Couch, Leo K., see *Johnson*, Murray L.
couesi, see *Erethizon*, *Odocoileus*, *Oryzomys*
Cougar, 32:207, 227; 35:255; 36:476; 38:123; 39:140; 40:43, 366
Courtship of:
 Ornithorhynchus, 39:582
Cover for:
 Cryptotis, 35:179
 Microtus, 34:262
 Peromyscus, 35:179
 Reithrodontomys, 35:179
 Sciurus, 34:361
 Sigmodon, 35:179
Cow: 34:270; 38:280; 40:396
 calculi in, 32:148
Cowan, Ian McTaggart:
 A new *Microtus* from the western Arctic of Canada, 32:353
Cowan, Ian McTaggart, see *Manzer*, J. I.
Cowles, Raymond B., see *Reeder*, Wm. G.
Coyote, 31:66, 354, 359, 452; 32:54, 114, 291, 374, 471; 33:423, 470, 493; 34:127, 220, 237, 270, 332, 390; 35:256; 36:133; 40:43, 147, 362, 375, Ontario, 514
Coypu, 34:512
coypus, see *Myocastor*
cozumelae, see *Mimon*, *Oryzomys*
Crabb, Wilfred D., and Gordon W. Watson:
 Black-footed ferret in Montana, 31:99
Craft, Thomas J., and Ralph W. Dexter:
 Swimming ability of the little brown bat, 36:452
Cramblet, Howard M., and Richard L. Ridenhour:
 Parturition in Aplodontia, 37:87
Cranial characters of:
 Camelops, 36:278
 Castor, 35:197
 Cebus, 36:449
 Citellus, 36:273
 Dasypus, 35:78
 Gerbillus, 35:243
 Glossophaga, 35:68
 Gulo, 36:346
 Lagurus, 36:270
 Mustela, 35:496
 Oryzomys, 35:76
 Perognathus, 35:95
 Sigmodon, 35:76
 Synaptomys, 36:1
 Tamiasciurus, 35:90
Cranial measurements of:
 Callorhinus, 36:493
 Canis, 35:256
 Castor, 35:452
 Chilonycteris, 36:109
 Didelphis, 36:101
 Dipodomys, 35:570
 Felis, 35:126
 Gulo, 36:346
 Kogia, 36:263
 Lutra, 35:125
 Microtus, 35:587
 Miniopterus, 37:257
 Mirounga, 35:129
 Mustela, 35:496
 Neotoma, 36:113
 Notiosorex, 36:561; 37:278
 Odobenus, 35:203
 Onychomys, 35:118
 Peromyscus, 35:75, 367, 561
 Sigmodon, 35:260
 Sorex, 35:36; 36:560
 Synaptomys, 36:1
 Ursus, 35:438
Cranial vibrissae, *Canidae*, 33:422
Cranioceras, 33:73, 75
crassa, see *Saconycteris*
crassicaudatus, see *Galago*, *Lutreolina*, *Pro-nolagus*
crassicaudis, see *Didelphys*
crassicornis, see *Bison*
crassidens, see *Pseudorca*
crassus, see *Meriones*
Cratogeomys, as fd., 35:111
 castanops, capture, 40:577
 castanops subsimus, Mexico, hab., 35:121
 merriami merriami, Mexico, wt., distr., 35:72
crawfordi, see *Notiosorex*
crebrus, see *Citellus*
Creed, William A., and Ward M. Sharp:
 Melanistic gray squirrels in Cameron County, Pennsylvania, 39:532
cremoriventer, see *Rattus*
creper, see *Reithrodontomys*
Crespo, Jorge A.:
 Presence of the reddish howling monkey (Alouatta guariba clamitans Cabrera) in Argentina, 35:117
Cricetidae, anat., tax., 35:425; tax., 36:165
Cricetulus migratorius cinerascens, Iraq, distr., 37:257
Cricetus, 32:204
 auratus, anat., 31:121; Calif., 40:613
crinitus, see *Peromyscus*
Cripples, *Rangifer*, 37:337
Crisler, Lois:
 Observations of wolves hunting caribou, 37:337

- cristata, *see* Condylura, Cystophora
 Crocidura, Malaya, 31:345; 32:41
 lasiura thomasi, Korea, hab., 38:390
 leucodon, misc., 39:511
 olivieri, anat., 38:258
 suaveolens, Iraq, distr., 37:257
 suaveolens coreae, Korea, hab., 38:391
 Crocuta *crocata*, 40:615
 crocata crocuta, Africa, 31:186
 crocata germinans, Africa, 31:186
 crocuta, *see* Crocuta
 Cross, E. C., obit., 31:376
 Cross, William H.:
 Three *Neotoma* populations in Georgia and
 interpopulation mating in captivity, 36:
 572
 Crowcroft, Peter:
 Keeping British shrews in captivity, 32:354
 Live-trapping British shrews, 32:355
 Territoriality in wild house mice, *Mus mus-*
 culus, L., 36:299
 crucigera, *see* Vulpes
 Cruising range of:
 Mus, 31:404
 Cryptomys hottentotus, Africa, 39:580
 Cryptorchid:
 Elk, 31:464
 Seal, 31:389
 Cryptorchidism in:
 Odocoileus, 38:423
 Cryptoryctes *kayi*, comp., foss., 39:87
 Cryptotis, captiv., 31:352; 32:354
 floridana, Fla., habitat, wt., 31:313; Fla.,
 49:586
 mexicana, Tamaulipas, comp., 40:4
 mexicana goldmani, Guerrero, desc., distr.,
 39:350
 micrura, comp., 40:4
 nelsoni, comp., 40:4
 obscura, comp., 40:4
 parva, N. Y., hab., 31:138; Tex., reprod.,
 32:115; *behav.*, nest, yg., 33:241; wt.,
 242; La., 35:40; Tenn., hab., 177; Ga.,
 ecol., 38:72, comp., 161; hab., misc., 39:
 507; comp., 40:4; Tex., hab., 243, anat.,
 394
 parva berlandieri, comp., 40:4
 parva parva, S. C., 31:84; Ky., habitat,
 360; N. J., distr., fd., hab., meas., pel.,
 wt., 34:230; Colo., distr., 35:110, Md.,
 hab., 252; Colo., wt., distr., 36:123; Ind.,
 distr., 37:407
 pergracilis, Mexico, 32:120; Tamaulipas,
 distr., comp., 40:4
 pergracilis pergracilis, Mexico, distr., as fd.,
 34:116
 pergracilis pueblensis, comp., 40:4
 cryptus, *see* Scalopus
 Ctenodactylidae, tax., 36:165
 Ctenomyidae, tax., 36:165
- Cuba:
 Desmodus, 40:534
 Megalocnus, 37:423
 Mormopterus, 34:383
 Tadarida, 36:106
 cubanus, *see* Nycticeius
 cuja, *see* Galictis
 culpaeus, *see* Duscicyon
 cumingi, *see* Phloeomys
 cunicularius, *see* Sylvilagus
 Cuniculidae, tax., 36:165
 cuniculoides, *see* Reithrodon
 cuniculus, *see* Bettongia, *Oryctolagus*
 Cuniculus *paca*, San Luis Potosi, distr., 40:9,
 10
 paca nelsoni, Mexico, 35:102
 Cunningham, John D.:
 Ecology and occurrence of *Notiosorex* in
 southern California, 37:108
 The wolverine and fisher in the Yosemite
 region, 40:614
 Cuon, 33:425
 Curacao:
 Local list, 40:238
 currentium, *see* Reithrodon
 curtatus, *see* Lagurus
 Cutter, William L.:
 A young *jaguarundi* in captivity, 38:515
 Denning of the swift fox in northern Texas,
 39:70
 Food habits of the swift fox in northern
 Texas, 39:527
 The hoary bat in the panhandle of Texas,
 40:442
 The Warren wood rat in Texas, 40:448
 Cycles, 31:247
 Blarina, 36:21
 Clethrionomys, 36:21
 Microsorex, 36:21
 Microtus, 36:21
 Napaeozapus, 36:21
 Peromyscus, 36:21
 Sorex, 36:21
 Cyclopes *didactylus*, Panama, hab., 40:318
 Cylindrodontidae, tax., 36:165
 cynocephala, *see* Tadarida
 Cynocephalus *anubis*, syn., 30:143
 olivaceus, syn., 40:144
 volans, Philippines, hab., 31:269; gen., 36:
 131
 Cynodesmus cf. *Kelloggi*, Nev., foss., 39:87
 Cynodontomys, Colo., foss., distr., 35:581
 Cynomys, as fd., 35:111; N. Mex., distr., 38:
 494
 gunnisoni gunnisoni, Colo., 32:282
 leucurus, Utah, anat., 34:15, 339; N. A.,
 anat., 35:357
 ludovicianus, N. A., anat., 35:357; Okla.,
 hab., phys., 36:69
 Cynopithecus, 33:258
 niger, 31:150

- Cynopterus brachyotis angulatus*, Sumatra, baculum, 40:390
horsfieldi horsfieldi, Java, baculum, 40:390
sphinx, birth, illus., 31:274
cynosurus, *see* *Cercopithecus*
 Cyst, dermoid:
 Rangifer, 39:452
Cystophora cristata, Newfoundland, hab., 31:450; hab., 35:105, N. C., distr., 258

D

- Dacron filling:
 For study skins, 39:158
Dactylopsila trivirgata infumata, wt., 33:118
trivirgata picata, wt., 33:118
dalli, *see* *Lepus*, *Ovis*, *Phocoenoides*
Dalquest, Walter W.:
 The genera of the chiropteran family *Natalidae*, 31:436
 Two unusual subfossil bison specimens from Texas, 40:567
Dalquest, W. W., *see* *Werner*, H. J.
Dalquest, Walter W., and Henry J. Werner:
 Histological aspects of the faces of North American bats, 35:147
Dalquest, W. W., H. J. Werner, and J. H. Roberts:
 The facial glands of a fruit-eating bat, *Artibeus jamaicensis* Leach, 33:102
 Dam building by:
 Beaver, 34:467
Dama dama, Nebr., hab., 36:471
virginiana, nomen., 32:125
dama, *see* *Cervus*, *Dama*
 Damage by:
 Hippopotamus, 34:306
 Nasua, 35:48
 Sciurus, 34:363
Damaliscus korrigum tiang, Africa, 31:188
lunatus, 31:188
pygargus albifrons, Africa, 31:188
Darnell, Rezneat M., *see* *LoBue*, Joseph P.
Dasmann, Raymond F., and Richard D. Taber:
 Behavior of Columbian black-tailed deer with reference to population ecology, 37:143
Dasyprocta, Veracruz, distr., 40:9
 aguti fulvus, Martinique, tax., 40:340
 antillensis, Santa Lucia, syn., 40:349
 moschata, (= *Dasyprocta aguti fulvus*), 40:340; syn., 40:349
 Patagonum (= *Dolichotis patagonum patagonum*), 40:340
 punctata, Panama, fd., hab., 34:267; 40:329
 ruatanica, Honduras, 40:237
Dasyproctidae, tax., 36:165
Dasypterus ega xanthinus, Mexico, distr., meas., 38:13
 floridanus, S. C., 31:84; anat., 33:77; Va., distr., 36:456; Tex., distr., 37:440; Ga., distr., misc., 39:64, dis., 262; Fla., 40:586
 intermedius, Veracruz, hab., 37:443; comp., 40:5
Dasyus giganteus, Paraguay, syn., 40:350
 gigas, syn., 40:350
 maximus, syn., 40:350
 novemcinctum mexicanus, Fla., distr., habitat, 31:361
 novemcinctus, distr., 33:21; Panama, comp., 34:268, Tex., par., 270; Tex., litter size, 38:529; Eastern U. S., 40:11, Tex., gen., 89, anat., 395, Fla., 587
 novemcinctus davis, 35:78; Guerrero, distr., 39:362
 novemcinctus mexicanus, Mexico, tax., anat., hab., 35:78
 pilosus, 40:340
 septemcinctus, 40:340
Dasyurus quoll, Tasmania, 39:46
dasyurus, *see* *Gerbillus*
Davis, J. L.:
 The geography of the gray seal, 38:297
Davis, J. L., and E. R. Guiler:
 A newborn piked whale in Tasmania, 39:593
Davis, David E.:
 Analysis of home range from recapture data, 34:352
 (Review) John Tyler Bonner, *Cells and societies*, 37:302
 A comparison of natality rates in white-footed mice for four years, 37:513
 Observations on the abundance of Korean mice, 38:374
 The use of food as a buffer in a predator-prey system, 38:466
 Notes on a baby free-tailed bat, 40:609
Davis, David E., *see* *Christian*, John J.
 see *Spencer*, H. J.
 see *Storer*, Tracy I.
Davis, Joseph A., Jr.:
 A first record for *Sorex dispar* in New Jersey, 37:110
 A plea for an adequate color standard, 37:269
Davis, Malcolm:
 Hybrids of the polar and Kadiak bear, 31:449
Davis, Richard B., *see* *Petrides*, George A.
Davis, W. B.:
 Eastern moles eaten by cotton mouth and gray fox, 32:114
 Bat, *Molossus nigricans*, eaten by the rat snake, *Elaphe laeta*, 32:219
 Unusual record of the ocelot in Texas, 32:363
Davis, W. B., and R. J. Russell:
 Mammals of the Mexican state of Morelos, 35:63
Davis Wayne H.:
 Myotis subulatus leibii found in unusual situations, 36:130
 Northern extension of range of pocket gopher east of the Mississippi, 36:142

- Disproportionate sex ratios in hibernating bats, 40:16
- Taxonomy of the eastern pipistrel, 40:521
- Davis, Wayne H., *see* Hall, John S.
- Davis, Wayne H., and James R. Beer:
Winter activity of the eastern chipmunk in Minnesota, 40:444
- Davis, Wayne H., and William Z. Lidicker, Jr.:
Myotis subulatus leibii in Missouri, 36:288
The rice rat, Oryzomys palustris texensis, in northwestern Arkansas, 36:298
Myotis sodalis in Wisconsin, 35:567
Winter range of the red bat, Lasiurus borealis, 37:280
- Davis, Wayne H., William Z. Lidicker, Jr., and John A. Sealander, Jr.:
Myotis austroriparius in Arkansas, 36:288
- Davis, William B.:
A new four-toed anteater from Mexico, 36:557
- Davis, William B., *see* Lukens, Paul W., Jr.
- Davis, William B., and Paul W. Lukens, Jr.:
Mammals of the Mexican state of Guerrero, exclusive of Chiroptera and Rodentia, 39:347
- Davis, William B., and Robert J. Russell, Jr.:
Bats of the Mexican state of Morelos, 33:234
- davyi, *see* Pteronotus
- Dawson, Mary R.:
Extra teeth in a hare, 37:453
- Dawson, William R.:
The relation of oxygen consumption to temperature in desert rodents, 36:543
- dawsoni, *see* Clethrionomys
- DDT, protection of bait, 31:199
- Dean, Howard J.:
Porcupine swims for food, 31:94
- Dearden, Lyle C.:
The gross anatomy of the viscera of the prairie dog, 34:15
Extra premolars in the river otter, 35:125
The baculum in Lagurus and related microtines, 39:541
Meibomian glands in Lagurus, 40:20
- Dearden, Lyle C., and M. Raymond Lee:
New sagebrush vole, genus Lagurus, from Utah, 36:270
- DeCoursey, G. E., Jr.:
Identification, ecology and reproduction of Microtus in Ohio, 38:44
- decumanus, *see* Tatus
- Deer, 32:84, 227; 33:154, 254; 34:224, 397; 36:493, 553; 40:230, 253
Blacktail, 32:349; 35:486; 37:165
Brocket, 34:267
Coast, 32:277
Columbian black-tailed, 37:143; 38:118
Desert mule, 36:145, 202, 308, 476
Elds, 31:430
European red, 33:73
European roe, 35:486
Fallow, 32:125; 36:471
Florida, 32:277
Japanese sika, 34:136
Mule, 31:193, 426; 32:209; 33:73, 434; 34:239, 515; 35:457, 599; 37:231, 457, 458; 38:247, 423; 39:140, 155; 40:96, 148, 367, 380
Northern whitetail, 32:277
Pampas, 33:390
Plains white-tailed, 40:251
Red, 40:101
Rocky Mountain mule, 36:473, 474; 39:156; 32:140
Roe, 38:422
Sambar, 38:279
Sika, 40:101
Virginia, 32:125; 39:153; 40:114
Western whitetail, 32:207
White-tail, 31:87, 359; 32:139, 267, 371, 411, 471; 33:73, 371, 429, 433, 435; 34:234, 267, 270; 35:78, 129, 269, 456, 599; 36:101; 37:119, 231, 395, 407, 552; 38:140, 277, 420, 421; 39:269, 309; 40:108, 148, 252, 367, 380, 396
- Deer mice, 34:44
- Deermouse, 33:154; 40:377, 403, 593
see prairie
- defassa, *see* Kobus
- Defense of:
Mus, 36:299
Peromyscus, 35:24; 39:186
- Deformity of:
Erinaceus, 37:257
Ursus, 35:438
- delamerei, *see* Tragelaphus
- de la Puente, Javier Ortiz, obit., 34:285
- de la Torre, Luis:
A method for cleaning skulls of specimens preserved in alcohol, 32:231
- delicatulata, *see* Leggadina
- delicatus, *see* Paramys
- Delphinapterus, Ontario, foss., 34:253
leucas, 33:328; anat., 38:185; pel., 39:7
- Delphinus bairdi, Calif., dis., hab., wt., 37:311
delphis, 32:251; distr., 36:467
- delphis, *see* Delphinus
- De Meules, Donald H.:
Possible anti-adrenalin action of shrew venom, 35:425
- Den of:
Alopec, 36:254
Arctic ground squirrel, 40:610
Bassariscus, 35:57
Canis, 31:66; 34:127
Didelphis, 31:332
Otter, 34:4
Urocyon, 37:346
Ursus, 35:28; 36:459
Vulpes, 32:117; 37:351; 39:70
- Dendrolagus bennettianus, wt., 33:118

Denenburg, Victor H., *see* Ross, S.
 Denniston, Rollin H., II:
 Notes on breeding and size of young in
 the Richardson ground squirrel, 38:414
densirostris, *see* *Mesoplodon*
 Density of:
 Myotis, 38:22
 Dental patterns:
 Peromyscus, 40:600
denti, *see* *Cercopithecus*
 Dentition of:
 Artibeus, 35:68
 Baiomys, 36:298
 Berardius, 34:101
 Bison, 35:454
 Callorhinus, 36:562; 38:310
 Camelops, 36:278
 Castor, 35:197
 Choeronycteris, 35:437
 Crociodura, 38:258
 Dipodomys, 34:264
 Enhydra, 32:12
 Gerbillus, 35:243
 Globicephala, 33:330; 35:67; 36:424
 Gulo, 36:248
 Herpestes, 34:437
 Kogia, 36:263
 Lagenorhynchus, 37:128
 Leptonycteris, 35:68
 Loxodonta, 38:243
 Lutra, 35:125
 Martes, 33:116
 Megalonyx, 34:376
 Mephitis, 38:452
 Mesoplodon, 34:240, 249
 Microtus, 37:249
 Miromyza, 35:129
 Molossus, 35:70
 Muroidea, 37:295
 Natalidae, 35:159
 Neotoma, 34:186; 35:77; 36:113
 Notiosorex, 34:118; 36:561
 Odocoileus, 31:15; 34:376
 Oryzomys, 35:76
 Ovibos, 35:456
 Peromyscus, 38:522
 Phyllostomidae, 35:159
 Pipistrellus, 37:264
 Presbytis, 33:258
 Procyon, 34:375; 35:126
 Reithrodontomys, 35:74
 Rhinopithecus, 33:258
 Sorex, 35:35; 38:121
 Synaptomys, 35:249
 Tadarida, 35:70
 Tamiasciurus, 35:87
 Trichechus, 34:196
 Vespertilionidae, 35:159
 Zapus, 34:265
 Ziphius, 34:251

Denyes, H. Arliss:
 Habitat restriction and the digging ability
 of certain pocket mice, 35:453
deppei, *see* *Sciurus*
depressicornis, *see* *Anoa*
derbianus, *see* *Caluromys*
Dermanura cinereum (= *Artibeus cinereus*),
 39:584
 Description of:
 Bassariscus, 39:354
 Berardius, 34:98, 105
 Bison, 32:192
 Conepatus, 39:358
 Inia, 39:5
 Lutra, 39:358
 Mesoplodon, 34:239
 Microdipodops, 39:276
 Mustela, 39:358
 Nasua, 39:354
 Nycticeius, 32:233
 Odocoileus, 39:364
 Pecari, 39:363
 Potos, 39:355
 Sorex, 39:349
 Spilogale, 39:357
 Vulpes, 37:351
 Ziphius, 34:251
deserti, *see* *Dipodomys*
deserticola, *see* *Lepus*
Desmana, 32:41; 40:190, 191
desmerestianus, *see* *Heteromys*
Desmodontidae, anat., 35:147
Desmodus, Cuba, 40:534
 **magnus*, orig. desc., Fla., 40:534, pl. 535,
 meas., 536
 rotundus, Mexico, distr., 35:584; Mexico,
 distr., 37:547; Nuevo Leon, distr., 40:9,
 10, Mexico, hab., 439, 534, 536
 rotundus murinus, 33:237; Mexico, distr.,
 35:69, Mexico, wt., hab., 101, Mexico,
 114; Panama, hab., 36:232; Mexico,
 distr., hab., 38:11; San Luis Potosi, misc.,
 39:293; comp., 40:536
 rotundus rotundus, 33:237; comp., 40:536
Desmostylus, comp., 34:193
 Development of:
 Brain, Pan., 36:78
 Callorhinus, 36:493
 Clethrionomys, 36:566
 Halichoerus, 38:297
 Lepus, 37:64
 Neotoma, 34:182
 Peromyscus, 33:11; 35:24
 Pitymys, 36:52
 Sorex, 35:109; 38:160
 Tamiasciurus, 37:64
devius, *see* *Oryzomys*
de Vos, A.:
 Timber wolf movements on Sibley Penin-
 sula, Ontario, 31:169
 Peak populations of *Peromyscus manicu-*

- latus gracilis in northern Ontario, 32:462
Correction, 33:260
Bobcat preying on porcupine?, 34:129
(Review) U. Sierts-Roth, Geburts-und Auf-
zuchgewichte von Rassenunden, 35:272
(Review) W. Robert Eadie, Animal control
in field, farm and forest, 35:604
(Review) R. E. Trippensee, Wildlife man-
agement. Furbearers, waterfowl and fish,
vol. II., 36:148
Peak populations of the masked shrew in
northern Ontario, 38:256
(Review) F. H. Van den Brink, Zoogdie-
rengids, 38:284
Pregnancy and parasites of marten, 38:412
Summer observations on moose behavior in
Ontario, 39:128
- de Vos, A., and Randolph L. Peterson:
A review of the status of woodland caribou
(Rangifer caribou) in Ontario, 32:329
- de Vos, Antoon, and Edward M. Ray:
Home range and activity pattern of an
Arctic ground squirrel, 40:610
- Dexter, Ralph W.:
Food of a crippled red fox, 32:464
Earthworms in the winter diet of the opos-
sum and raccoon, 32:464
Notes on nests of the meadow jumping
mouse, *Zapus hudsonius*, 35:121
Distribution of the meadow jumping mouse,
Zapus hudsonius in Ohio, 35:233
Additional records of the Ohio shrew, 38:
513
The yellow-haired porcupine as a highway
casualty, 38:526
Another record of coprophagy by the cot-
ontail, 40:250
- Dexter, Ralph W., *see* Craft, Thomas J.
- diadema, *see* *Hipposideros*
- diardi, *see* *Rattus*
- diazii, *see* *Romerolagus*
- Dibelodon, Brazil, 33:390
- Dice, Lee R.:
Natural communities. Reviewed, 34:272
Breeding of *Peromyscus floridanus* in cap-
tivity, 35:260
- Diceros bicornis*, Africa, 31:189
- dichromatica*, *see* *Nasua*
- Dickerman, Robert W.:
Onychomys leucogaster in Kittson County,
Minnesota, 38:269
- Dickerman, Robert W., *see* Baker, Rollin H.
- see* Burnett, Frances L.
- Dicotyles labiatus*, Quintana Roo, 40:237
- Dicrostonyx*, Arctic, hab., 35:105; tax., 40:25,
Alas., color, 205, anat., 399
groenlandicus, N. W. Terr., distr., hab., 36:
254; anat., 39:542; 40:210
groenlandicus groenlandicus, Manitoba, dis.,
hab., 37:447
groenlandicus richardsoni, Manitoba, dis.,
hab., 37:447; Manitoba, distr., 38:112
groenlandicus rubricatus, Alas., 31:466;
Alas., 32:93; anat., 37:549; Alas., claws,
38:127, activity, 218
hudsonius, Hudson Bay, misc., 39:291
rubricatus rubricatus, Alas., 33:180; growth,
182; yg., 183, 479; Alas., phys., wt., 35:
376
- didactylus*, *see* *Choloepus*
- Didelphis*, misc., wt., 31:94; 33:154
grisea, syn., 40:343
lanigera, Paraguay, syn., 40:345
larvata, syn., 40:343
marsupialis, Kan., hab., phys., 35:39, Mex-
ico, distr., 100, Tex., hab., 406; phys.,
36:284; Ind., distr., 37:407; Tamaulipas,
distr., 40:4, Calif., hab., 174, Quintana
Roo, 237, Calif., 253, Honduras, anat.,
394, 403, 448
marsupialis battyi, syn., 40:152
marsupialis californica, Mexico, hab., tax.,
breeding, 35:66; Guerrero, desc., 39:347
marsupialis etensis, syn., 40:152
marsupialis insularis, syn., 40:152
marsupialis marsupialis, syn., 40:152
marsupialis particeps, syn., 40:152
marsupialis pigra, Fla., 40:586
marsupialis tabascensis, comp., 35:66
marsupialis virginiana, Pa., hab., 35:581;
Ohio, hab., anat., 36:101, Fla., hab., 559;
N. Y., anat., 37:382, Ontario, distr., 431;
distr., 39:39
mesamericana, Sonora, 33:466
myosuros, Brazil, syn., 40:342
pusilla, syn., 40:343
quica, Brazil, syn., 40:342
virginiana, Ohio, food, 32:464; anat., 33:
105; Ontario, hab., 35:105
virginiana pigra, S. C., 31:83, Fla., habitat,
hab., 313; Fla., distr., 34:135
virginiana virginiana, S. C., 31:83, Iowa,
hab., ecol., 331; Ky., 32:101; W. Va.,
368; hab., N. Y., 465; Tenn., 33:363;
Ariz., distr., par., 464; Okla., 34:118,
N. J., distr., hab., 230; N. Y., hab., 35:
103
- Didelphys breviceaudis* (= *Monodelphis brevi-
caudis*), 40:338
crassicaudis (= *Lutreolina crassicaudatus*),
40:338
frenata (= *Philander opossum frenata*),
40:338
lanata (= *Caluromys lanatus lanatus*), Par-
aguay, 40:338
macrura (= *Marmosa pusilla*), Brazil, syn.,
40:338
nana (= *Marmosa pusilla*), syn., 40:338
superciliaris (= *Philander opossum frenata*),
40:338
tristriata (= *Monodelphis americanus*), 40:
338

difficilis, *see* *Peromyscus*

Digestive system of:

Castor, 34:204

Cynomys, 34:17

Mesopodion, 34:240

Trichechus, 34:202

Digging by:

Perognathus, 35:453

Dik-dik, long-snouted, Africa, 31:188

Dille, Frederick M., obit., 31:376

Dingo, 32:126

dingo, *see* *Canis*

Dinomyidae, tax., 36:165

dioptrica, *see* *Phocoena*

Diphylla ecaudata, Mexico, distr., 35:584;

Mexico, distr., 37:547; *Tamaulipas*, 40:10

ecaudata centralis, Mexico, 35:114

Dipodidae, tax., 36:165

Dipodillus calurus, syn., 35:243

Dipodomys, 32:50; anat., phys., 34:1; as fd.,

35:111; as fd., 37:351; as fd., 39:528; metabolism, 40:357, 602

agilis, anat., phys., 34:6; hab., 40:249

deserti, anat., phys., 34:9, anat., 265

heermanni, 32:166; Calif., prey, 33:493;

anat., phys., 34:6; Calif., 35:42; Calif., 40:613

heermanni jolonensis, 33:494

heermanni saxatilis, anat., 36:356

heermanni tularensis, Calif., 32:54, phys.,

306; 33:494; Calif., comp., 34:329; Calif., hab., 35:515; 39:211

ingens, Calif., habitat, ecol., 32:54; Calif., comp., 34:329; 39:211

merriami, anat., phys., 34:35, anat., 265;

Ariz., syn., 35:570; Calif., wt., phys., 36:543; Calif., phys., 37:124; N. Mex., distr.,

hab., 38:496; water hab., 38:502; Ariz., distr., 38:521; Utah, hab., misc., 39:597;

phys., 40:358

merriami brevinasus, syn., 35:570

merriami exilis, syn., 35:570

merriami merriami, 32:155; Calif., yg., wts., 33:494

merriami nitratoides, syn., 35:570

merriami nitratus, syn., 35:570

microps, hab., par., 38:489

monoensis, Calif., activity, water bal., hab., 38:503, Calif., fd., 506

nitratoides, Calif., comp., 34:329

nitratoides brevinasus, Calif., 32:54; Calif., anat., hab., tax., 35:570

nitratoides exilis, 32:54; Calif., anat., hab., tax., 35:570

nitratoides nitratoides, Calif., anat., hab., tax., 35:570

ordi, anat., phys., 34:9, anat., 265; Wash., misc., 39:299; anat., 40:397

ordi columbianus, syn., 39:299

ordi luteolus, S. D., distr., 34:264

ordi sanrafaeli, Utah, 32:113

ordi sennetti, Tex., distr., 40:146

ordi terrosus, N. D., 33:493

ordi uintensis, Utah, 32:114

ordii, Ida., Ore., phys., 37:449; Utah, par., 38:489, N. Mex., distr., hab., 496; Okla.,

hab., 39:241

panamintinus, Calif., wt., phys., 36:543; Calif., activity, water bal., hab., 38:503,

Calif., fd., 506

panamintinus mohavensis, 32:155

phillipsi, 33:97

phillipsi oaxacae, 33:97

spectabilis, Ariz., wt., hab., 36:463; Ariz., distr., 38:521

spectabilis baileyi, N. Mex., distr., hab., reprod., 38:330, N. Mex., distr., hab., 496

spectabilis spectabilis, Ariz., 33:494

Dipoides, 33:99

wilsoni, 33:100

Diprotodontia, 40:595

Disease:

Leptospiral organism, 36:62

Diseases of:

Alces, 39:139

Callorhinus, 36:493

Canis, 34:390

Corynorhinus, 33:317

Herpestes, 36:62

Hippopotamus, 34:311

Microtus, 31:194

Rangifer, 37:337

Rattus, 31:293; 37:181

Scalopus, 33:394

Sylvilagus, 34:270

Tadarida, 36:120

Zapus, 31:194

dispar, *see* *Sorex*

Distance perception of:

Mus, 34:393

Distances traveled by:

Oryzomys, 31:316

Peromyscus, 31:315

Sigmodon, 31:317

Distribution, historical, New York, 32:227

Distribution of:

Akodon, 36:465

Alces, 34:396

Alouatta, 35:117; 40:9

Ammospermophilus, 34:324

Antilocapra, 38:423

Antrozous, 35:111; 38:493

Apheliscus, 35:581

Apodemus, 37:257, 272

Arctic mammals, 31:464

Arctocephalus, 37:549

Armadillo, 33:21

Artibeus, 35:68, 584; 36:109; 38:6, 7, 8, 10, 11; 39:584; 40:5

Ateles, 40:9

Baiomys, 38:520; 40:6, 146

Balaenoptera, 36:429; 39:593
 Balantiopteryx, 35:66; 38:1; 40:9, 10
 Bassariscus, 35:442; 38:500
 Berardius, 34:98, 111
 Bison, 34:150
 Blarina, 34:231, 516; 35:110; 36:452; 39:242
 Brachyphylla, 39:150
 Callorhinus, 34:87; 35:258, 444
 Caluromys, 40:9
 Canis, 34:128, 237; 35:256; 36:254; 39:350
 Capreolus, 38:422
 Carollia, 38:5; 40:9, 10
 Castor, 34:238; 38:497
 Centronycteris, 40:9
 Cervus, 34:239
 Chilonycteris, 35:67, 584; 38:2; 40:4
 Chiroderma, 40:9
 Choeronycteris, 38:5, 513
 Choeropsis, 34:302
 Chrotopterus, 40:9
 Citellus, 34:131, 237, 334, 510; 35:71; 36:254; 38:495; 40:42
 Clethrionomys, 34:233, 238, 384; 38:104
 Coendou, 40:9, 10
 Corynorhinus, 34:382; 35:430; 38:141, 493; 39:150
 Cratogeomys, 35:72
 Cricetulus, 37:257
 Crocidura, 37:261
 Cryptotis, 34:116, 230; 35:110; 39:350; 40:4
 Cuniculus, 40:9, 10
 Cynodontomys, 35:581
 Cynomys, 38:494
 Cystophora, 35:258
 Dasyprocta, 40:9
 Dasypterus, 38:12; 39:64
 Dasypus, 39:362
 Delphinus, 36:467
 Dermanura, 39:584
 Desmodus, 35:69, 584; 38:11; 40:9, 10
 Dicrostonyx, 36:258; 38:112
 Didelphis, 34:135, 230; 35:66; 39:39; 40:4
 Diphylla, 35:584
 Dipodomys, 34:264; 38:496, 521; 39:241; 40:146
 Eira, 40:9, 10
 Emballonura, 34:384
 Enchisthenes, 40:5
 Eptesicus, 37:257; 38:12; 40:5
 Erethizon, 34:239, 259, 511; 38:499, 526
 Erinaceus, 37:257
 Eschrichtius, 35:444
 Euderma, 35:117
 Eumops, 38:514
 Eutamias, 34:238; 35:105; 38:495; 40:43
 Felis, 34:390; 39:359, 360
 Galictis, 40:9, 10
 Geomys, 38:261
 Glaucomys, 34:23; 35:429; 40:6, 7

Globicephala, 36:467; 39:440
 Glossophaga, 35:584; 38:4; 40:9, 10
 Grampus, 35:123
 Gulo, 35:254, 594; 36:248
 Halichoerus, 38:297
 Hesperomys, 36:465
 Heterogeomys, 40:9, 10
 Hippopotamus, 34:302
 Hylonycteris, 40:9
 Hyopsodus, 35:581
 Hystrix, 37:299
 Idionycteris, 40:8
 Isoodon, 39:46, 51
 Jentinkia, 40:9
 Lasionycteris, 34:499; 38:493
 Lasiurus, 34:121, 134; 35:116, 429, 430, 431; 36:130; 38:140; 39:64, 148, 587; 40:5
 Lemmus, 36:254; 38:112
 Leptonycteris, 35:68; 38:5
 Lepus, 34:239; 36:254; 38:493; 39:360
 Liomys, 40:6, 9, 10
 Lutra, 34:231; 35:443; 37:284
 Lynx, 35:429; 39:148
 Macrotus, 35:67; 38:4; 40:9, 10
 Manatee, 32:23
 Marmosa, 39:347; 40:4
 Marmota, 34:232, 237; 37:289
 Martes, 37:257; 39:153, 589
 Mazama, 40:9, 10
 Megasorex, 39:347
 Mephitis, 34:231; 38:501; 39:355
 Meriones, 37:257
 Micronycteris, 38:3; 40:9, 10
 Microsorex, 38:513
 Microtus, 34:233, 238; 35:259; 37:257; 38:107, 111, 499; 40:53
 Mimon, 40:9
 Miniopterus, 37:257, 272
 Molossus, 36:109; 38:13; 40:9, 10
 Moormoops, 38:3
 Mormoops, 40:9, 11
 Mus, 34:174; 38:113, 499
 Mustela, 32:282; 34:231, 237, 385; 35:418, 430, 443, 593, 594; 37:116, 271; 38:103, 500; 39:147
 Myocastor, 34:512
 Myosorex, 39:325
 Myotis, 34:122, 237; 36:288; 37:272, 545; 38:12, 259, 493, 515; 39:150, 585, 586
 Napaeozapus, 34:384
 Nasua, 35:48; 38:123; 40:9, 11
 Natalus, 35:584; 38:11; 40:9, 10
 Neotoma, 34:238; 35:77; 38:197, 472, 498; 39:238; 40:6
 Neotomodon, 35:76
 Noctilio, 38:2
 Notiomys, 36:465
 Notiosorex, 34:116, 117, 118; 35:110; 37:278
 Nycticeius, 34:121

- Nyctitherium, 35:581
 Ochotona, 34:132, 239; 39:448
 Odocoileus, 34:239; 35:269; 40:148
 Ondatra, 34:234, 238; 38:111, 499
 Onychomys, 38:498
 Oryzomys, 34:232; 35:258; 38:141; 40:6, 9
 Otaria, 37:549
 Ovibos, 36:254; 39:398
 Peradectes, 35:581
 Perameles, 39:51
 Peratherium, 35:581
 Perognathus, 35:95; 38:496; 39:238; 40:145
 Peromyscus, 32:200; 34:130, 135, 232, 238, 516; 38:54, 497; 39:238; 40:6
 Phenacolemur, 35:581
 Phenacomys, 34:391; 35:260; 38:105
 Philander, 40:9, 10
 Phoca, 34:254; 35:258
 Phocoena, 39:34
 Phocoenoides, 34:491; 38:126
 Phyllotis, 36:465
 Physeter, 37:288
 Pitymys, 34:233, 516; 39:242
 Pizonyx, 35:81
 Potorous, 39:45, 51
 Potos, 40:9, 10
 Procyon, 34:134, 231; 38:500; 39:354
 Pteronotus, 35:67; 38:3; 40:9, 10
 Pygoderma, 39:584
 Rangifer, 32:329; 36:254; 39:408, 561, 564
 Rattus, 34:171; 35:521; 37:272; 38:499
 Reithrodontomys, 34:516; 35:430; 38:497, 521; 39:446; 40:6
 Rhogeessa, 38:13; 40:9, 10
 Rhynchiscus, 40:9
 Saccopteryx, 38:1
 Scalopus, 34:134, 230
 Sciurus, 34:232, 359; 35:72; 37:260, 525; 38:495; 39:148; 40:8
 Sigmodon, 34:133; 35:260; 38:498, 521; 39:238; 40:6
 Sorex, 34:116, 121, 230, 382; 35:66, 430; 37:543; 38:103, 513; 39:349
 Spalax, 37:257
 Spilogale, 34:124; 38:141
 Stenoderma, 39:584
 Sturnira, 38:5, 6; 40:9, 10
 Sylvilagus, 34:133; 36:144, 415; 38:235, 274, 494; 39:116, 148, 361; 40:6
 Synaptomys, 34:233; 38:112
 Tadarida, 34:516; 35:435; 37:282; 38:13, 493
 Talpa, 35:583
 Tamandua, 39:362; 40:9, 10
 Tamias, 34:232; 35:429
 Tamiasciurus, 34:232, 238; 38:103, 495
 Tapirella, 40:9
 Taxidea, 34:388; 38:500
 Tayassu, 40:9
 Tetonius, 35:581
 Thomomys, 34:238; 38:495; 40:43
 Trichechus, 37:288; 39:154
 Tylomys, 40:9
 Urocyon, 34:126, 231; 38:500; 39:148, 351, 439
 Ursus, 34:133; 35:345; 36:254; 39:151
 Vampyrops, 36:130
 Vampyrum, 40:9
 Vulpes, 34:126, 231; 38:500
 Wasatchia, 35:581
 Zalophus, 35:596; 37:549
 Zapus, 34:234, 238; 35:233; 38:114
 Ziphys, 34:252; 39:440
 District of Columbia:
 Eptesicus, 37:279
 Pipistrellus, 40:529
 Diurnal cycles (Alouatta), 40:321
 Diurnal habits of:
 Citellus, 34:338
 Eumops, 36:407
 Mirounga, 35:211
 Tadarida, 36:236; 37:48
 Diving of:
 Berardius, 34:104
 Callorhinus, 33:245
 Castor, 31:42
 Eumetopias, 33:245
 Lutra, 34:255
 Dobie, J. Frank:
 Bison in Mexico, 34:150
 Dobsonia moluccensis magna, wt., 33:118;
 New Guinea, baculum, 40:390
 moluccensis pannietensis, New Guinea,
 baculum, 40:390
 Dodds, Donald G.:
 Food habits of the Newfoundland red fox,
 36:291
 Observations of pre-rutting behavior in
 Newfoundland moose, 39:412
 Dog:
 Basenji, 33:147
 Beagle, 33:147
 Cauli in, 32:146; 33:38, 243
 Cocker spaniel, 33:147
 Domestic, 39:153
 Hunting, 31:186
 Prairie, 32:210
 Shetland sheep, 33:147
 Wire-haired fox terrier, 33:147
 doguera, *see* Papio
 Dolichohippus grevyi, Africa, 31:189
 Dolichotis patagonum patagonum, 40:340
 Doll, Arthur D., Donald S. Balser and Robert
 F. Wendt:
 Recent records of Canada lynx in Wisconsin,
 38:414
 Dolphin, 33:385
 Amazon, 39:1
 Atlantic bottlenose, 34:498; 37:126, 311,
 454

- Bottlenose, 32:251, 465; 33:323; 36:304, 466
 Common, 32:251; 36:467; 37:311
 Long-snouted, 32:251
 Pacific bottlenose, 34:498
 Pacific white-sided, 37:311
 Right-whale, 34:488
 River, 39:1
 Spotted, 36:467
 Striped, 34:488, 498
 Domestic animals, 32:367
domestica, *see* *Felis*
domesticus, *see* *Felis*, *Mus*
 Dominance of:
 Alouatta, 40:328
 Dominance relationships in:
 Capra, 37:129
 Dominica I.,
 Noctilio leporinus, 32:224
dominicensis, *see* *Natalus*
 Donaldson, John C., *see* Douth, J. Kenneth
 Donohoe, John C.:
 New aplodontid rodent from Montana Oligocene, 37:264
 Doran, David J.:
 Observations on the young of the Merriam kangaroo rat, 33:494
dorcas, *see* *Gazella*
doreyana, *see* *Echymipera*
doriae, *see* *Rattus*
 Dormancy of:
 Ursus, 35:28
 Dorney, Robert S.:
 Some unusual juvenile raccoon weights, 34:122
dorsalis, *see* *Eutamias*
dorsatum, *see* *Erethizon*
douglasi, *see* *Citellus*, *Tamiasciurus*
 Douth, J. Kenneth:
 The swimming of the opossum, *Didelphis marsupialis virginiana*, 35:581
 Douth, J. Kenneth, and John C. Donaldson:
 An antlered doe with possible masculinizing tumor, 40:230
 Dow, Robert L.:
 Walrus skull (*Odobenus*) from Bluehill Bay, Maine, 35:444
 Downing, S. C., *see* Peterson, Randolph L.
 Downs, Theodore, *see* Reed, Charles A.
 Dozier, Herbert Lawrence, obit., 33:417
 Drake, Guy E., and C. C. Presnall:
 A badger preying upon carp, 31:355
 Draney, Vergil and W. Leslie Robinette:
 Two calculi from mule deer, 36:308
Dremomys rufigenis, Malaya, habitat, 31:342
 Drinking by:
 Lasiurus, 34:256
 Myotis, 35:539
 Odocoileus, 38:249
 Peromyscus, 37:74
 Drowning of:
 Globicephala, 33:322
 Drumming by:
 Neotoma, 34:185
drummondi, *see* *Microtus*
dugenneanus, *see* *Sika*
Dugong, 32:28; 34:192
Duiker, East African crowned, 31:188
 Gray, 31:188
 Red, 31:188
 Duke, Kenneth L.:
 The external genitalia of the pika, *Ochotona princeps*, 32:169
 Reproduction in *Perognathus*, 38:207
 (Review) I. Chester Jones, The adrenal cortex, 38:537
 (Review) J. Z. Young, The life of mammals, 39:458
 (Review) William Montagna, Comparative anatomy, 40:625
 (Review) William Montagna and Walter Kenworthy, A laboratory manual of comparative anatomy, 40:625
 Dumas, P. C., *see* Roest, A. I.
 see Freiburg, Richard E.
 Dunaway, Paul B.:
 Late fall home ranges of three golden mice, *Peromyscus nuttalli*, 36:297
 Dunmire, William W.:
 Sex dimorphism in the pelvis of rodents, 36:356
 Dupree, Louis:
 Note on the distribution of the Indian crested porcupine, *Hystrix indica*, 37:299
 Durham, Floyd E.:
 A new pocket gopher from the north rim of the Grand Canyon, Arizona, 33:498
 The gray shrew, *Notiosorex crawfordi*, in Los Angeles County, California, 36:561
 Durrant, Stephen D.:
 (Review) George Gaylord Simpson, The major features of evolution, 36:600
 (Review) E. Raymond Hall, Handbook of mammals of Kansas, 37:555
 Durrant, Stephen D., and Richard M. Hansen:
 Taxonomy of the chickarees (*Tamiasciurus*) of Utah, 35:87
 Taxonomic status of ground squirrels, *Citellus lateralis* (Say), from northeastern Utah and northwestern Colorado, 36:136
 Durrant, Stephen D., and M. Raymond Lee:
 Rare shrews from Utah and Wyoming, 36:560
 Durrant, Stephen D., and J. Paul Newey:
 Masked shrew, *Sorex cinereus*, in Utah, 34:116
 Dusi, Julian L.:
 The nest of a short-tailed shrew, 32:115
 A specimen of Bachman's shrew from Alabama, 32:223

- Sorex longirostris in eastern Alabama, 40: 438
- Dusicyon, Peru, hab., 37:284
- culpaeus, 33:421, 423
- thous, 40:353
- Dust bathing of:
- Citellus, 34:339
- dybowski, *see* Cervus
- dychei, *see* Reithrodontomys
- Dyes:
- For study of movement, 39:416, 450
- E
- Eadie, W. Robert:
- A comparative study of the male accessory genital glands of Neötrotrichus, 32:36
- Shrew predation and vole populations on a localized area, 33:185
- Response of Microtus to vegetative cover, 34:263
- (Review) Lee R. Dice, Natural communities, 34:272
- (Review) E. Lendell Cockrum, Mammals of Kansas, 34:400
- (Review) Stephen D. Durrant, Mammals of Utah, taxonomy and distribution, 34: 401
- (Review) Ernst Mayr, E. Gorton Linsley and Robert L. Usinger, Methods and principles of systematic zoology, 34:520
- (Review) Jean M. Linsdale and P. Quentin Tomich, A herd of mule deer: a record of observations made on the Hastings Natural History Reservation, 34:521
- Skin gland activity and pelage descriptions in moles, 35:186
- (Review), François Bourliere, The natural history of mammals, 35:603
- (Review) R. B. Robertson, Of whales and men, 35:604
- (Review) Ernest P. Walker, The monkey book, 35:603
- (Review) Marcel A. J. Couturier, L'ours Brun, Ursus arctos L., 36:149
- (Review) Paul Griswold Howes, The giant cactus forest and its world, 36:310
- (Review) Randolph L. Peterson, North American moose, 36:575
- (Review) Herbert S. Zim and Donald F. Hoffmeister, Mammals. A guide to familiar American species, 36:575
- (Review) Ivan T. Sanderson, Living mammals of the world, 37:132
- (Review) François Bourliere, Mammals of the world, 37:133
- (Review) Tracy I. Storer and Lloyd P. Tevis, California grizzly, 37:301
- (Review) Casey A. Wood and F. Marjorie Fyfe (translators and editors), The art of falconry by Emperor Frederick II, 37:301
- Eadie, W. Robert and W. J. Hamilton, Jr.: Notes on reproduction in the star-nosed mole, 37:223
- Eads, R. B., *see* Hightower, B. G.
- Eads, R. B., J. E. Grimes and Alice Conklin: Additional Texas bat records, 38:514
- Eads, R. B., G. C. Menzies, and J. S. Wiseman: New locality records for Texas bats, 37:440
- Eads, R. B., J. S. Wiseman, and G. C. Menzies: Banding Mexican free-tailed bats, 36:120
- Eads, Richard B., and George C. Menzies: Fox ectoparasites collected incident to a rabies control program, 31:78
- Eastern United States:
- Dasypus, 40:11
- Didelphis, 40:11
- eboreus, *see* Melomys
- eburacensis, *see* Trichosurus
- ecaudata, *see* Diphylla
- Echidna, 32:116; 39:46
- Echimyidae, tax., 36:165
- Echimys, 40:339
- paleacea, 40:339
- Echinosorex gymnurus, Malaya, habitat, hab., 31:344
- Echo location by:
- Lasionycteris, 32:222
- Echymipera, 32:211
- Ecke, Dean H.: An invasion of Norway rats in southwest Georgia, 35:521
- Ecke, Dean H., *see* Kinney, Alva R.
- Ecke, Dean H., and Alva R. Kinney: Aging meadow mice, Microtus californicus, by observation of molt progression, 37: 249
- Ecologic traits, 40:572
- Ecology of:
- Alces, 39:116
- Beaver, 34:459
- Blarina, 36:21; 38:95
- Citellus, 37:124
- Clethrionomys, 36:21; 38:87; 40:405
- Cryptotis, 38:72
- Dasypus, 39:64
- Didelphis, 31:331
- Eutamias, 38:95
- Glaucomys, 40:7
- Herpestes, 33:335
- Hippopotamus, 34:299
- Isoodon, 39:46
- Lasiurus, 39:64; 40:13
- Microsorex, 36:21
- Microtus, 36:21; 38:44, 87; 39:109
- Mus, 38:72
- Mustela, 32:281; 38:95
- Myotis, 38:15
- Napaeozapus, 36:21
- Neotoma, 33:459

- Notiosorex, 37:108
 Odocoileus, 37:143
 Oryctolagus, 39:48
 Perognathus, 38:60
 Peromyscus, 33:373; 36:21; 38:54, 72, 95
 Potorous, 39:45
 Rangifer, 39:568
 Rattus, 31:294; 36:259; 37:181
 Reithrodontomys, 38:72
 Sorex, 36:21; 38:87, 95
 Suncus, 37:278
 Sylvilagus, 39:116
 Synaptomys, 38:95
 Tamias, 38:95
 Tamiasciurus, 38:95
 Thomomys, 32:315
 Urocyon, 39:74
 Vulpes, 39:70
 Zapus, 38:95
 Economic effects of:
 Armadillo, 33:33
 Economic importance of:
 Bassariscus, 35:57
 Citellus, 37:291; 40:43
 Dolphins and porpoises, 34:489
 Herpestes, 36:62
 Myocastor, 34:512
 Rangifer, 39:570
 Economic status of:
 Herpestes, 33:335
 Hippopotamus, 34:299
 Peromyscus, 34:571
 Vulpes, 36:101
 Economic value of:
 Procyon, 36:101
 economis, *see* Microtus
 Ectoparasites:
 Collecting technique, 32:123
 Ectoparasites of:
 Lasionycteris, 31:358
 Marmota, 31:358
 Microtus, 31:357
 Ondatra, 31:358
 Pitymys, 31:358
 Pizonyx, 35:86
 Rattus, 31:295
 Tamias, 31:358
 Zapus, 31:357
 edensis, *see* Procoileus
 edulis, *see* Rousettus
 Edwards, R. Y.:
 (Review) Randolph L. Peterson, North
 American moose, 36:575
 Land form and caribou distribution in
 British Columbia, 39:408
 Edwards, R. Y., *see* Fowle, C. David
 see Ritcey, R. W.
 Edwards, R. York:
 How efficient are snap traps in taking small
 mammals?, 33:497
 Edwards, R. York, and Ralph W. Ritcey:
 The migrations of a moose herd, 37:486
 Edwards, Robert L.:
 Observations on the ring-tailed cat, 36:292
 Edwards, Robert L., and Walter H. Pitts:
 Dog locates winter nests of mammals, 33:
 243
 edwardsi, *see* Herpestes, Rattus
 Effects of age:
 Peromyscus, 40:502
 Effects of sex:
 Peromyscus, 40:502
 ega, *see* Dasypterus
 egerkingensis, *see* Pseudorhinolophus
 Egoscue, Harold J.:
 Preliminary studies of the kit fox in Utah,
 37:351
 Notes on Utah weasels, 38:411
 The desert woodrat, a laboratory colony,
 38:472
 Albinism in the western harvest mouse, 39:
 306
 Egoscue, Harold J., *see* Shippee, E. A.
 Egypt:
 Crociodura, 38:258
 Pseudorca, 37:456
 ehrenbergi, *see* Spalax
 Eibl-Eibesfeldt, Irenäus:
 The Otariidae of the Galapagos Islands,
 37:549
 Eira, 40:341
 barbara, Tamaulipas, distr., 40:9, 10
 barbara barbara, 40:341
 barbara senex, Mexico, hab., par., 35:102
 barbara sinuensis, syn., 40:152
 Eland, Patterson's, 31:189
 elaphus, *see* Cervus
 Elder, William H.:
 The baculum as an age criterion in mink,
 32:43
 Electrical shock reaction:
 Peromyscus, 40:505
 Electrocardiogram of:
 Didelphis, 36:284
 Lynx, 37:549
 Procyon, 36:283
 elegans, *see* Citellus
 Elephant, 31:431; 38:243
 Bush, 31:187
 calculi in, 32:148
 Sudan, 31:187
 Elephant seal, 33:109
 Elk, 31:464; 32:84, 112, 207, 227; 33:73,
 144, 154, 254, 434, 471; 35:578; 36:145;
 37:129; 39:153; 40:104, 252, 366, 379
 Roosevelt, 31:362; 32:349; 37:165
 Ellarson, Robert S., and Joseph J. Hickey:
 Beaver trapped by tree, 33:482
 Ellerman, J. R., and T. C. S. Morrison-Scott:
 Checklist of Palaearctic and Indian mam-
 mals—new name, 33:399

- The technical name of the African mui-shond (genus *Ictonyx*), 34:114
- Checklist of Palaearctic and Indian mammals—amendments, 34:151, 516
- Ictonyx*, Kaup, 1835, the correct generic name, and *Ictonyx striatus* (Perry), 1810, the correct specific name for the African stinkmuishond, 35:130
- ellipsiprymnus*, *see* *Kobus*
- elongata*, *see* *Glossophaga*, *Mephitis*
- Elsey, C. A.:
A case of cannibalism in Canada lynx (*Lynx canadensis*), 35:129
- Elton, C. S.:
Further evidence about the barren-ground grizzly bear in northeast Labrador and Quebec, 35:345
- elucus*, *see* *Procyon*
- Emballonura*, Marshall Is., distr., 34:384
- Emballonuridae*, anat., 35:147
- Embryos of:
Antilocapra, 31:192
Beaver, 38:268
Clethrionomys, 34:233
Corynorhinus, 33:302
Cryptotis, 31:313
Didelphis, 31:94
Enhydra, 33:387
Erethizon, 34:260
Eumops, 36:407
Lasiurus, 31:191, 456
Microtus, 34:485, 503
Mustela, 31:148
Myotis, 31:96
Neotomodon, 35:76
Ondatra, 31:182
Oryzomys, 34:485
Peromyscus, 34:232
Pizonyx, 35:86
Rattus, 34:367
Reithrodontomys, 31:363
Sigmodon, 35:76
Synaptomys, 34:233
Vulpes, 31:195
Zapus, 34:234
- Emlen, John T., Jr., *see* Young, Howard
- Enamel patterns of:
Liomys, 34:59
- Enchisthenes*, Mexico, 39:585
harti, Tamaulipas, distr., comp., 40:5
- Enders, Robert K.:
Is *Sigmodon austerulus* a valid species?, 34:508
The type locality of *Syntheosciurus brochus*, 34:509
False heat in the yearling coyote, *Canis latrans*, 36:133
- Enders, Robert K., *see* Llewellyn, Leonard M.
- Endocrine organs of:
Muskra, 32:173
- Endurance records of:
Man, 40:484
Mongolian wild ass, 40:484
Pronghorn, 40:484
Race horse, 40:484, 494
- Enemies of:
Ammospermophilus, 34:331
Cotton mouse, 33:1
Eptesicus, 37:279
Herpestes, 33:350; 36:62
Rattus, 36:259
Vulpes, 37:351
- energumenos*, *see* *Mustela*
- Engeling, Gus A., obit., 33:417
- England:
Golden hamster, 31:121
Local list, 35:161
Microtus, 34:503; 36:209, 493
Oryctolagus, 40:86
Talpa, 37:438
Vulpes, 40:515
- English, P. F.:
A method of attaching skin and skull specimens, 39:456
- Enhydra lutris*, Alas., hab., meas., 32:10; Wash., 11; 33:43; hab., phys., 35:595; Alas., phys., 37:375; Calif., gen., 40:147, 342, Calif., meas., 617
lutris nereis, Calif., descr., reprod. tract, fetus, 33:387
- Environment of:
Peromyscus, 33:51
Sorex, 38:157
- Enzymes of:
Bat, 39:452
Castor, 34:204
Mole, 39:452
Rat, 39:452
- Eocardiidae*, tax., 36:165
- Eolagurus*, 39:545, 551, 553
- Eomyidae*, tax., 36:165
- Eonycteris spelaea glandifera*, Bali, baculum, 40:391
- Eotheroides*, comp., 34:193
- ephippiger*, *see* *Bradypus*
- epixanthum*, *see* *Erethizon*
- Epling, Glenwood P.:
Morphology of the scent gland of the javelina, 37:246
- Eptesicus*, pel., 31:350; 32:229; 33:172; Ind., 34:122
fuscus, hab., 31:96; Ky., 457; 32:396; 33:111, Calif., 275; Ontario, par., 34:138; Minn., hab., 384; Calif., hab., 35:539; Minn., Wis., hab., 36:242; Mass., wt., hab., 399; Minn., hab., phys., wt., 37:31, hab., 48; Bahamas, misc., 38:167, hypothermia, 423; Ind., misc., 39:253, dis., 262, Ill., hab., 292, Ind., hab., 438; Tamaulipas, distr., comp., 40:5, Md., feed-

- ing efficiency, 150, Okla., 196, anat., 394, 403
- fuscus bahamensis*, Bahamas, misc., 38:167
- fuscus bernardinus*, Calif., 34:256; Calif., par., 37:443
- fuscus cubensis*, Bahamas, misc., 38:167
- fuscus dutertreus*, Bahamas, misc., 38:167
- fuscus fuscus*, S. C., 31:84, Quebec, hab., 455; Ky., 32:103, W. Va., 369; N. Y., hab., 35:103, Minn., hab., 434; Ohio, hab., 36:101, Okla., distr., 128; D.C., hab., 37:279, Ind., distr., hab., 407, Ind., distr., hab., meas., wt., 543, Ohio, hab., 441; distr., 40:5
- fuscus miradorensis*, 33:237; Mexico, hab., 35:69; Mexico, wt., distr., 38:12; distr., 40:5
- fuscus pallidus*, Utah, distr., 36:126, Okla., distr., 128, Kan., Okla., hab., 379, Calif., par., 457
- propinquus*, meas., 33:238
- pumilus*, wt., 33:118
- serotinus turcomanus*, Iraq, distr., 37:257
- epularius*, see *Pteropus*
- equinus*, see *Hippotragus*
- Equus*, 33:101
- burchellii*, hab., longev., 38:279
- caballus*, anat., 40:396
- conversidens*, syn., misc., 38:278
- hemionus*, speed, 40:483
- occidentalis*, misc., 38:278
- tau*, misc., 38:278
- erectus*, see *Pithecanthropus*
- eremicoides*, see *Peromyscus*
- eremicus*, see *Lepus*, *Peromyscus*
- Erethizon*, Mich., 31:359, misc., 411
- dorsatum*, 32:219, Ore., 348, Mich., 471; Wis., 33:436, prey, 437, Alas., 479, 486; comp., 34:267; hab., 36:463; Colo., distr., 37:80; Ariz., hab., 38:418, N. Mex., distr., hab., 499, distr., Mich., hab., mort., 526; Mich., 39:149, anat., 447; 40:593
- dorsatum couesi*, Mexico, distr., wt., 34:511
- dorsatum dorsatum*, N. Y., hab., 31:94; 32:232; breeding, 33:239; N. Y., anat., 34:210; N. A., pel., phys., 36:84; N. Y., distr., 37:395
- dorsatum epixanthum*, Colo., distr., hab., 34:239; Calif., hab., 37:452; Colo., mort., 38:526; Wyo., hab., 40:379
- dorsatum myops*, Alas., 31:466
- epixanthum couesi*, Nev., distr., hab., 34:259
- epixanthum myops*, Alas., phys., 36:362
- Erethizontidae*, tax., 36:165
- Erickson, A. W., see Youatt, W. G.
- Erickson, Albert W.:
- A recent record of lynx in Michigan, 36:132
- Erickson, Arnold B., and Gerald T. Bue:
- Additional mule deer records for Minnesota, 35:457
- Erignathus barbatus*, comp., 34:254; Japan, hab., wt., phys., 35:218
- Erikson, G. E.:
- (Review) W. C. Osman Hill, *Primates: Comparative anatomy and taxonomy*, 35:601
- Erinaceus europaeus*, Iraq, distr., anat., 37:257; anat., 38:254, hab., long., 279
- inauris*, 40:341
- Erling, Homer G., see Illige, D. J.
- Ermine*, 31:465; 34:258; 36:568; 38:103; 40:375
- erminia*, see *Mustela*
- Erophylla*, 32:229; 33:172, 255, 256
- sezekorni*, Bahamas, misc., 38:166
- sezekorni mariguanensis*, Bahamas, misc., 38:166
- sezekorni planifrons*, Bahamas, misc., 38:166
- Errington, Paul L.:
- (Review) Ted O'Neil, The muskrat in the Louisiana coastal marshes; a study of the ecological, geological, biological, tidal, and climatic factors governing the production and management of the muskrat industry in Louisiana, 32:127
- On the conservation of the lynx in Scandinavia, 35:254
- (Review) Max Hoffman, *Die Bisamratte, ihre Lebensgewohnheiten, Verbreitung Bekämpfung und wirtschaftliche Bedeutung*, 40:624
- erubescens*, see *Macropus*
- erythraeus*, see *Callosciurus*
- Erythrocyte counts:
- Myotis*, 40:551
- Tadarida*, 40:550
- erythrodactylus*, see *Vespertilio*
- erythrourus*, see *Meriones*
- Escape behavior of:
- Citellus*, 34:131, 339
- Didelphis*, 36:559
- Lepus*, 38:517
- Lynx*, 37:458
- Esch, Gerald W., Richard G. Beidleman, and Larry E. Long:
- Early breeding of the black-tailed jack rabbit in southeastern Colorado, 40:442
- Eschrichtius glaucus*, Pacific, distr., 35:444, Calif., hab., 596
- Eskridge, Paul S. and Robert H. Udall:
- The effect of cold starvation upon carbohydrate reserves in *Peromyscus maniculatus*, 36:139
- esox*, see *Hydromys*
- estor*, see *Canis*
- Estrus cycle in:
- Callorhinus*, 34:420

- Canis*, 36:133
Herpestes, 34:442
Odocoileus, 32:270
Peromyscus, 33:5
Vulpes, 35:504
etensis, *see* *Didelphis*
Euarctos americana, British Columbia, 39:140
 americanus, 33:22; *misc.*, 38:261
 americanus americanus, Okla., 40:364
 americanus floridanus, Fla., 40:589
Eubalaena glacialis, 32:259
Euderma maculata, Mont., 31:197; Calif., 33:480; Calif., Utah, 35:117; Calif., and Ariz., desc., 38:260; Ida., distr., 406
Eumetopias jubata, Calif., 32:19; 33:245
Eumops abrasus, syn., 40:152
 abrasus milleri, Panama, hab., 36:232; syn., 40:152
 glaucinus, 33:238; Mexico, 35:70
 perotis, Tex., distr., 38:514
 perotis californicus, Calif., hab., anat., par., gen., 36:407; Calif., par., 457
 underwoodi sonoriensis, Ariz., distr., 37:111
euphratica, *see* *Allactaga*
Euphractus sexcinctus flavimanus, 40:340
europaea, *see* *Talpa*
europaeus, *see* *Erinaceus*, *Lepus*, *Mesoplodon*
Euryzgomatomys spinosus, 40:340
Eutamias, 32:125; comp., 34:293; distr., 40:43
 amoenus, fd., 33:198, British Columbia, 498; Calif., fd., 34:316; Colo., distr., 37:80; Calif., hab., 38:446
 amoenus canicaudus, nomen., 40:573, 576
 amoenus luteiventris, Alberta, distr., 35:105; Wyo., hab., 40:376; Wash., nomen., 573
 amoenus ochraceus, Ore., 32:347
 bulleri, comp., 40:6
 dorsalis, comp., 40:6
 dorsalis utahensis, Utah, *misc.*, 39:276
 merriami, Calif., hab., 38:444
 minimus, Mich., 31:359; Mich., 32:472; N. A., anat., 35:357; Manitoba, ecol., 38:95; Mich., 39:149; N. Mex., 40:336
 minimus borealis, Alberta, hab., 35:105; tax., 38:518
 minimus consobrinus, Colo., 32:282; Colo., distr., hab., 34:238; Wyo., hab., 40:376
 minimus jacksoni, tax., 38:518
 minimus neglectus, tax., 38:518
 quadrinaculatus, fd., 33:198; Calif., fd., 34:316
 quadrivittatus, N. Mex., distr., hab., 38:495
 quadrivittatus hopiensis, Utah, 32:113, Colo., 282
 quadrivittatus quadrivittatus, Colo., 32:282; Colo., hab., 34:238
 ruficaudus, N. A., anat., 35:357
 ruficaudus simulans, Wash., nomen., 40:573, 576
 sibiricus barberi, Korea, hab., 38:390
 sonomae, Calif., hab., 37:189
 speciosus, Calif., fd., 34:316
 townsendi, fd., 33:198; Calif., fd., 34:316
 townsendi cooperi, Ore., pop., movement, reprod., 40:136
 townsendi siskiyou, Ore., 32:347
 townsendii, Calif., hab., 37:189
 umbrinus, N. A., anat., 35:357; Colo., distr., 37:80
 umbrinus fremonti, Wyo., hab., 40:377
Eutypomyidae, tax., 36:165
evae, *see* *Reithrodon*
Evans, Francis C.:
 Correction, 31:119
 Notes on a population of the striped ground squirrel (*Citellus tridecemlineatus*) in an abandoned field in southeastern Michigan, 32:437
 (Review) Thomas T. McCabe, and Barbara D. Blanchard, Three species of *Peromyscus*, 32:475
everetti, *see* *Urogale*
evergladensis, *see* *Mustela*
Evolution of:
 Perognathus, 35:386
evotis, *see* *Myotis*, *Notiosorex*
Evotomys californicus, nomen., 40:574, 576
 caurinus, nomen., 40:574
 gapperi, Wash., nomen., 40:574, 575, 576
 glareolus, nomen., 40:574
 idahoensis, nomen., 40:574
 mazama, nomen., 40:574, 575
 nivarcus, nomen., 40:574
 obscurus, nomen., 40:574
 occidentalis, nomen., 40:574, 575
 pygmaeus, nomen., 40:574
 rufocanus, nomen., 40:574
 rutilus, nomen., 40:574
Ewers, Dorothea, *see* *Nice*, Margaret M.
exilis, *see* *Dipodomys*
Experimental animals:
 Peromyscus, 40:498
Extension of range of:
 Ammospermophilus, 34:324
 Apodemus, 37:257
 Balantiopteryx, 37:547
 Bassariscus, 35:577
 Castor, 35:578
 Cervus, 35:578
 Citellus, 35:587
 Condylura, 36:288
 Corynorhinus, 36:126
 Cricetulus, 37:257
 Crocidura, 37:257
 Cryptotis, 36:123
 Dasypterus, 36:456
 Eptesicus, 37:257
 Erinaceus, 37:257
 Euderma, 38:406
 Eumops, 37:111

Geomys, 36:142
 Idionycteris, 37:546
 Lasiurus, 35:578, 584; 36:453
 Lemmus, 36:123
 Lepus, 35:578
 Macrophyllum, 38:406
 Marmota, 37:291
 Meriones, 37:257
 Microtus, 37:257
 Mirounga, 35:129
 Mormoops, 36:290
 Mustela, 37:113
 Myocaster, 35:578
 Myotis, 36:126, 288, 567
 Onychomys, 35:118
 Oryzomys, 36:298
 Perognathus, 35:453
 Peromyscus, 35:450
 Phenacomys, 35:577
 Pipistrellus, 36:126
 Procyon, 35:578
 Rattus, 35:521
 Sciurus, 34:360; 35:577, 578; 37:525
 Sorex, 34:382; 35:583; 36:121, 286, 560,
 561; 37:276, 277; 38:406
 Spalax, 37:257
 Suncus, 37:278
 Synaptomys, 36:123
 Ursus, 35:577, 578
 Zapus, 35:592
 exulans, *see* Rattus
 eyra, *see* Herpailurus

F

Facial vibrissae:
 Geomys, 36:143
 Neotoma, 34:183
 fallax, *see* Perognathus
 familiaris, *see* Canis
 Family life of:
 Otter, 32:8
 fasciata, *see* Phoca
 fasciatus, *see* Lynx, Perognathus
 Fat metabolism in:
 Arctic ground squirrel, 32:359
 Citellus (= *Spermophilus*), 31:304, 308
 Odobenus, 31:162
 Phoca, 31:162
 Thalarchos, 31:162
 Faunal comparisons:
 Tamaulipas, 40:7
 Fay, Francis H.:
 Quantitative experiments on the food consumption of *Parascalops breweri*, 35:107
 Fay, Francis H. and Edwin H. Chandler:
 The geographical and ecological distribution of cottontail rabbits in Massachusetts, 36:415
 Feces of:
 Globicephala, 33:322
 Sorex, 35:109

Tapirella, 34:267
 Fecundity in:
 Herpestes, 34:445
 Male small mammals, 31:433
 Odocoileus, 32:267
 Peromyscus, 31:319; 34:50
 Feeding behavior of:
 Alouatta, 40:318
 Nasua, 38:263
 Feeding efficiency of:
 Eptesicus, 40:150
 Myotis, 40:149
 Feeding habits of:
 Alces, 39:136
 Bats, 36:123
 Blarina, 39:503
 Bobcat, 32:357
 Brachyphylla, 39:150
 Cabassos, 34:268
 Canis, 32:291
 Chimpanzee, 32:118
 Isodon, 39:56
 Lutra, 32:1
 Lynx, 39:439
 Odocoileus, 32:273
 Ondatra, 32:98
 Ornithorhynchus, 39:583
 Phocoenoides, 39:442
 Scapanus, 39:265
 Setonix, 39:56
 Spermophilus, 39:154
 Tamiasciurus, 39:596
 Thomomys, 32:84
 Vulpes, 32:298
 Feeding of:
 Canis, 37:337
 Citellus, 34:316
 Dasyprocta, 34:267
 Delphinus, 37:311
 Dicrostonyx, 37:447
 Eptesicus, 37:279
 Eutamias, 34:316
 Felis, 36:290; 38:515
 Glaucornis, 37:122
 Grampus, 37:311
 Herpestes, 36:62
 Lagenorhynchus, 37:311
 Nasua, 35:53
 Notiosorex, 37:108
 Odocoileus, 38:249
 Parascalops, 35:107
 Peromyscus, 37:74
 Phocoenoides, 37:311
 Pizonyx, 35:85
 Pliohippus, 37:459
 Procyon, 37:170
 Sciurus, 36:293; 39:376, 595
 Sorex, 34:120
 Spilogale, 34:255
 Tamias, 34:510
 Tursiops, 37:311

Feeding platform of:

- Peromyscus, 35:17
- Felidae, tax., 37:11
- felina, *see* Lutra
- Felis caracal, 31:186
 - catus, anat., 40:396
 - colocolo colocolo, 40:341
 - colocola, (= Felis colocolo colocolo), 40:341
 - concolor, Ore., 32:347, Ark., 364; 33:22; Minn., distr., 34:390; 35:255; Mont., hab., 36:476; Utah, accidents to, 38:123; British Columbia, 39:140; Okla., 40:366, 403
 - concolor araucanus, Chile, wt., anat., gen., 35:126
 - concolor azteca, Mexico, hab., 35:71
 - concolor coryi, Fla., hab., illus., 31:279; Fla., 40:590
 - concolor mayensis, Guerrero, distr., 39:360
 - concolor missoulensis, Wyo., hab., 40:375
 - domestica, fd., Md., 32:458, 459, 461; Ontario, hab., 36:290; Ontario, hab., 37:119; as predator, 38:468, Calif., fd., 517
 - domesticus, Calif., hab., 40:174
 - mellivora (= Herpailurus yagouaroundi eyra), 40:341
 - nigra (= Felis onca), 40:341
 - Nova Hispanica (= Felis pardalis pardalis), 40:341
 - onca, 33:22; 40:341
 - onca hernandesi, Guerrero, distr., 39:359
 - pajeros, 40:341
 - pampa (= Felis colocolo pajeros), 40:341
 - pardalis, Tex., reprod., meas., 32:116, wt., Tex., 363; 33:22
 - pardalis aequatorialis, syn., 40:152
 - pardalis mearnsi, syn., 40:152
 - pardalis nelsoni, Guerrero, 39:347
 - pardalis pardalis, 40:341
 - rostrata, 40:341
 - silvestris grampis, reprod., 31:328
 - wiedi glaucula, Guerrero, distr., 39:360
 - yagouaroundi, captivity, play, voice, color, hab., feeding, 38:515
- femorosacca, *see* Tadarida
- ferreocanus, *see* Rattus
- Ferret, black-footed, 31:99, 460; 32:209; 33:251; 34:385; 35:418, 443, 593
- ferruginea, *see* Neotoma
- ferrum-equinum, *see* Rhinolophus
- ferreus, *see* Sciurus
- Fetal membranes, 34:289
- Fetal membranes of:
 - Apodontia, 34:295
 - Cynomys, 34:295
 - Heliosciurus, 34:295
 - Petaurista, 34:295
 - Tamiasciurus, 34:295
 - Xerus, 34:295

Fetus of:

- Cervus, 36:145
- Lagenorhynchus, 34:490
- Myotis, 35:432, 434
- Odocoileus, 36:145
- Phocoenoides, 34:493
- Stenella, 32:253
- Tursiops, 32:251
- fiber, *see* Castor
- Fiber spatulatus, 32:360
- zibethicus albus, 32:360
- zibethicus osoyoosensis, 32:360
- Fichter, Edson:
 - Watching coyotes, 31:66
- Fichter, Edson and J. Knox Jones, Jr.:
 - The occurrence of the black-footed ferret in Nebraska, 34:385
- Field tests:
 - Peromyscus, 40:502
- Fields, Hugh M., *see* Caldwell, David K.
- figginsi, *see* Ochotona
- Fighting by:
 - Alces, 36:145
 - Bradypus, 34:268
 - Dipodomys, 32:165
 - Felis, 36:476
 - Herpestes, 33:343; 36:62
 - Hippopotamus, 34:312
 - Mus, 36:299
 - Odocoileus, 36:476
 - Peromyscus, 35:24
- Filler for study skins, 39:158
- fimbriatus, *see* Tatus
- Findley, James S.:
 - A record of moose speed, 32:116
 - A tame red fox cub, 32:117
 - Habitat preferences of four species of Microtus in Jackson Hole, Wyoming, 32:118
 - Tree roosting of the eastern pipistrelle, 35:433
 - Reproduction in two species of Myotis in Jackson Hole, Wyoming, 35:434
 - Utilization of a bird's nest by the meadow vole, 37:120
 - Possible Himalayan color pattern in the masked shrew, 37:275
 - Merriam shrew in New Mexico, 37:277
 - The hog-nosed bat in New Mexico, 38:513
 - The Bailey pocket mouse in New Mexico, 40:145
- Findley, James S., *see* Baker, Rollin H.
 - see* Negus, Norman C.
 - see* Russell, Robert J.
 - see* Sands, James L.
- Findley, James S., and Sydney Anderson:
 - Zoogeography of the montane mammals of Colorado, 37:80
- Findley, James S., and Rollin H. Baker:
 - Dwarf shrew first-reported in South Dakota, 37:543

- Findley, James S., and Norman C. Negus:
Notes on the mammals of the Gothic region, Gunnison County, Colorado, 34:235
- Findley, James S., and John Poorbaugh:
Another dwarf shrew from New Mexico, 38:513
- Findley, James S., and Barry E. Pullen:
The fulvous harvest mouse in New Mexico, 39:306
- Findley, James S., and Richard G. Van Gelder:
Short-tailed shrew in South Dakota, 36:452
- Finley, Robert B., Jr.:
Notiosorex crawfordi and Antrozous pallidus from southeastern Colorado, 35:110
Observation of nocturnal animals by red light, 40:591
- Finland, 40:151
- Fire, effects on mammals, 40:253
- Fisher, 32:227, 347; 34:258; 37:287; 39:140, 153; 40:614
- Fisher, Harvey I.:
Notes on the red fox (*Vulpes fulva*) in Missouri, 32:296
- fisheri, *see* Citellus, *Tamias*
- Fitch, Henry S.:
A new style live-trap for small mammals, 31:364
Seasonal acceptance of bait by small mammals, 35:39
- Fitch, Henry S., Phil Goodrum, and Coleman Newman:
The armadillo in the southeastern United States, 33:21
- Fitzwater, Wm. D., Jr., *see* Vogtman, Donald B.
- flammarum, *see* Reithrodon
- flammeus, *see* Peromyscus
- flavescens, *see* Vulpes
- flavicans, *see* Lutra, *M.[ustela]*
- flavicollis, *see* Apodemus
- flavidens, *see* Herpestes
- flavimanus, *see* Euphractus
- flavipes, *see* Antechinus
- flaviventris, *see* Marmota
- flavus, *see* Perognathus, *Potos*
- Flood effect on:
Castor, 34:261
Microtus, 34:481
Peromyscus, 40:57
- Flook, Donald R.:
Moose using water as refuge from flies, 40:455
- Florida, 32:4, 5, 22, 76, 223, 251; 33:1, 21, 26, 113, 321, 383, 459
Armadillo, 33:26
Balaenoptera, 36:429
Blarina, 40:586
Corynorhinus, 34:384
Cryptotis, 40:586
Dasypterus, 40:586
Dasypus, 31:361; 40:587
Didelphis, 36:559; 40:586
Domestic animals, 40:590
Euarctos, 40:589
Felis, 31:279; 40:590
Glaucomys, 40:587
Lasiurus, 35:116; 37:281; 40:586
Local list, 31:310; 34:133; 38:259
Lutra, 40:590
Lynx, 40:590
Mammal records, 40:586
Mephitis, 34:155; 40:590
Mephitis taxus, 38:452
Mink, 33:113
Mus, 40:589
Mustela, 40:590
Myotis, 36:289, 567; 38:259; 40:16
Neofiber, 31:461; 37:448
Neotoma, 31:361; 34:180; 36:113; 40:589
Odocoileus, 40:590
Ondatra, 36:138
Oryzomys, 32:77; 40:588
Peromyscus, 35:260; 40:588
Pipistrellus, 39:437; 40:527, 528, 529
Pitymys, 36:138
Procyon, 34:500; 37:120, 548; 40:589
Rattus, 31:293
Scalopus, 40:586
Sciurus, 39:595; 40:587
Sigmodon, 32:77, 217; 34:155; 35:260; 40:588
Spilogale, 34:255
Sylvilagus, 36:303; 40:87, 587
Synaptomys, 39:537
Tadarida, 36:106
Trichechus, 34:192; 38:137; 40:590
Tursiops, 35:225; 36:304, 466; 37:126, 454; 40:454, 589
Urocyon, 37:548; 39:74; 40:589
Vampire bat, Pleistocene, 40:534
Woodrat, 33:459
- floridana, *see* Cryptotis, *Neotoma*
- floridanus, *see* Dasypterus, *Euarctos*, *Lynx*, *Peromyscus*, *Pipistrellus*, *Sylvilagus*, *Urocyon*, *Ursus*
- floweri, *see* Kogia
- Fluctuations of:
Blarina, 36:36
Dicrostonyx, 37:447
Martes, 38:174
Microtus, 36:209
Peromyscus, 35:526; 36:206
Pocket gopher, 38:266
- fluviatilis, *see* Manatus
- Flyger, Vagn F., *see* Mansueti, Romeo
- Flying of:
Eumops, 37:407
- fodiens, *see* Neomys
- foeda, *see* Mephitis, *Viverra*

Foenander, E. C.:

Big game of Malaya, reviewed by William H. Burt, 33:405

foina, *see* Martes

Folk, G. Edgar, Jr., *see* Meltzer, Mona R.

fontinalis, *see* Sorex

Food consumption by:

Peromyscus, 33:206

Scalopus, 31:286

Food of:

Alces, 39:136

Alopex, 35:206; 36:254

Alouatta, 33:115; 40:318

Ammospermophilus, 34:326, 331

Apodemus, 39:477

Artibeus, 38:409

Atherurus, 31:344

Bassariscus, 35:57, 406; 36:292; 38:516

Beaver, 34:468; 38:268

Berardius, 34:102

Blarina, 31:351; 33:185; 34:231; 37:274, 543; 39:502

Bobcat, 34:129

Cabassous, 34:268

Callorhinus, 32:365; 34:91; 36:493

Callosciurus, 31:342

Canis, 31:355, 452; 32:291; 33:433

Carollia, 38:409

Castor, 31:48; 32:348

Cebus, 34:267

Chiropodomys, 31:343

Choeronycteris, 35:436

Citellus, 32:93, 358; 33:198; 34:316, 340; 35:40, 445; 36:254; 40:39, 359

Clethrionomys, 32:94; 34:233

Coyote, 34:127

Cricetus, 31:121

Cryptotis, in captivity, 34:231; 39:508

Cynocephalus, 31:271, 272

Dasyprocta, 34:267

Dasypus, 33:29

Desmodus, 40:439

Didelphis, 31:313, 334; 32:101, Ohio, 464; 35:39, 406

Dipodomys, 38:506; 39:598

Dusicyon, 37:284

Echinosorex, 31:344

Enhydra, 35:595

Eptesicus, 31:96; 36:399

Erethizon, 31:94, 415

Erignathus, 35:218

Eutamias, 33:198; 34:316; 37:189

Felis, 32:458, 459; 38:517

Fruit bats, 38:409

Galeopterus, 31:345

Glaucomys, 34:320

Globicephala, 33:321, 323

Herpestes, 33:344, 346; 36:62

Hippopotamus, 34:306

Indian false vampire, 40:545

Lagenorhynchus, 43:495; 37:128

Lariscus, 31:342

Lasionycteris, 36:399

Lasiurus, 36:399

Lynx, 34:258; 39:439

Lyroderma, 40:439

Manatee, 32:33

Marmota, 33:495

Martes, 33:66; 34:257

Mephitis, 35:406

Microtus, 31:96; 32:95, 97; 37:297, 298

Mus, 36:460

Mustela, 32:104, 281, 283; 34:237, 258; 38:517; 39:521

Myotis, 35:539; 36:399

Nasua, 34:267; 35:53

Neotoma, 33:460; in captivity, 34:181, 320

Noctilio, 36:390

Ochotona, in captivity, 34:133; 35:450; 39:599

Odocoileus, 32:273; 34:515

Ondatra, 32:98; 33:114

Ornithorhynchus, 39:583

Oryzomys, 31:316; 33:368

Parascalops, 35:107

Perognathus, 35:592

Peromyscus, 31:94, 314; 32:300; 33:1, 50, 206; 34:232, 320, 506; 35:21; 36:206; 37:189; 38:129; 40:415

Phoca, 34:254; 35:218

Phocoenoides, 34:495; 39:441

Phyllostomus, 40:439

Pipistrellus, 36:399

Pitymys, 36:52

Pizonyx, 35:85

Procyon, 31:448; 32:341, 422, 423, 424, 425, 427, 464; 34:231, 485, 500; 35:406

Rattus, 31:294, 343, 344; 36:259

Ratufa, 31:343

Red fox, 34:258

Rhinolophus, 39:260

Rhinosciurus, 31:343

Rhizomys, 31:343

Scalopus, 33:392

Sciurus, 31:314; 32:105; 34:320, 361 in captivity, 34:509; 39:376; 40:418

Sigmodon, 31:317

Sorex, 32:90; 34:119, 230; 36:214, 339; 37:189

Spalax, 37:257

Spilogale, in captivity, 34:256

Suncus, 31:345; 37:278

Sylvilagus, 35:46

Synaptomys, 34:233

Tadarida, 33:395

Tamias, 31:350; 32:105; 34:510; 37:23; 38:129

Tamiasciurus, 34:320

Tapirella, 34:267

Tarsius, 31:264

Taxidea, 31:355

Thomomys, 32:85

- Tupaia, 31:344
 Tursiops, 32:466
 Urocyon, 32:104; 34:231; 35:406
 Urogale, 31:353
 Ursus, 32:90; 34:321
 Vulpes, 32:299, 462, 464; 34:258, 485; 36:291; 39:527, 591
 Whale, 35:124
 Zapus, 34:234; 35:42
- Food storage by:
- Citellus, 35:586
 - Dipodomys, 40:249
 - Mesocricetus, 35:545
- Food, used as:
- Ammospermophilus, 34:332
 - Antrozous, 34:118
 - Citellus, 34:237, 266, 344
 - Clethrionomys, 34:233
 - Cryptotis, 34:116
 - Eptesicus, 34:384
 - Eutamias, 34:237
 - Hippopotamus, 34:310
 - Lasiurus, 34:118
 - Microtus, 34:485
 - Notiosorex, 34:116, 118
 - Onychomys, 34:118
 - Oryzomys, 34:485
 - Peromyscus, 34:262
 - Porcupine, 34:129, 257
 - Rabbit, 34:501
 - Reithrodontomys, 34:118
 - Seals, 35:218
 - Sigmodon, 34:116
 - Sorex, 34:117, 120
 - Thomomys, 34:501
- Foraging by:
- Myotis, 35:539; 38:121
 - Tadarida, 36:236
- Foreman, Charles W.:
- Notes and blood data on some small mammals of Durham County, North Carolina, 37:427
- formosus, *see* Perognathus
- fortidens, *see* Myotis
- Fossil:
- Antilocapridae, 34:377
 - Balaena, 34:253
 - Balaenoptera, 34:253
 - Bats, 32:229
 - Bison, 32:230
 - Citellus, 32:229
 - Delphinapterus, 34:253
 - Desmodus, 40:534
 - Geomys, 38:261
 - Megalonyx?, 34:376
 - Mephitis, 38:452
 - Nevada, local list, 39:87
 - Nimravides, 39:368
 - Odobenus, 34:253
 - Odocoileus, 34:376
 - Phoca, 34:253
 - Phocoena, 34:253
 - Physeter, 34:253
 - Procyon, 34:373
 - Thomomys, 32:229
- fossor, *see* Thomomys
- Foster, Dorothy Dice:
- Differences in behavior and temperament between two races of the deer mouse, 40:496
- Foster, J. Bristol, *see* Smith, Donald A.
- Fouch, William R.:
- Longevity records for the fox squirrel, 39:154
- Fowle, C. David, and R. Y. Edwards:
- An unusual abundance of short-tailed shrews, *Blarina brevicauda*, 36:36
- Fox, 32:124, 227, 267, 342; 34:221, 258; 40:43, 594
- Arctic, 31:465; 33:38, 43, 478; 35:105, 36:254
 - Bat-eared, 31:186
 - Cross, 31:359; 32:91
 - Desert, 38:500
 - English, 40:514
 - European, 40:514
 - Gray, 31:78, 85, 197; 32:104, 114, 369; 33:244, 253, 366, 419, 420, 421, 423; 34:125, 126, 225, 231; 35:71, 406; 36:101; 37:90, 346, 407, 548; 38:500; 39:74, 148, 439; 40:241, 364, 403, 514
 - Grey, 40:514
 - Hybrid, 40:514
 - Island, 32:366
 - Kit, 32:54, 210; 33:423, 473; 34:224, 332; 37:351
 - Peruvian desert, 37:284
 - Red, 31:85, 194, 359, 465; 32:91, 115, 117, 296, 347, 369, 462, 464, 471; 33:366, 423, 478; 34:125, 126, 231, 389; 35:504; 36:101, 291; 37:90, 375, 395, 407; 39:575, 591; 40:364, 375, 403, Pa., Va., N. C., S. C., Ga., N. Amer., Manitoba, Ontario, 514, British Columbia, Manitoba, Newfoundland, Nova Scotia, Ontario, Quebec, Saskatchewan, Iowa, Utah, Wash., 515
 - Asiatic, 40:514
 - Eurasian, 40:515
 - European, 40:514
 - Melanic form, 40:515
 - New World, 40:513
 - North American, 40:514, 515
 - Old World, 40:513
 - Swift, 39:70, 527
- France:
- Vulpes, 40:513, 515
- franklini, *see* Citellus
- Fraternal behavior of:
- Procyon and Rattus, 31:354
- Freiburg, Richard E., and Philip C. Dumas:

- The elephant seal (*Mirounga angustirostris*) in Oregon, 35:129
fremonti, *see* *Eutamias*, *Sciurus*, *Tamiasciurus*
frenata, *see* *Didelphys*, *Mustela*, *Philander*
frenatus, *see* *Phyllostomus*
French Guiana:
Nasua, 40:351
Sciurillus, 40:345
Ursus, 40:353
French, Robert L.:
Eating, drinking, and activity patterns in *Peromyscus maniculatus sonoriensis*, 37:74
Frenzel, Louis D., *see* Beer, James R.
Frings, Hubert, and Mable Frings:
Audiogenic seizures in the laboratory mouse, 33:80
Latent periods of audiogenic seizures in mice, 33:487
Frings, Hubert, Mable Frings, and Alan Kivert:
Behavior patterns of the laboratory mouse under auditory stress, 32:60
Frings, Hubert, and Alan Kivert:
Nicotine facilitation of audiogenic seizures in laboratory mice, 34:391
Frings, Mable, *see* Frings, Hubert
Frommer, G. P., *see* Ross, S.
frondator, *see* *Castor*
frontalis, *see* *Bibos*
frugivorus, *see* *Rattus*
Frum, W. Gene:
Silver-haired bat, *Lasionycteris noctivagans*, in West Virginia, 34:499
frustror, *see* *Canis*
frutectanus, *see* *Napaeozapus*
fuliginosus, *see* *Cercocebus*
Fuller, W. A.:
Measurements and weights of northern muskrats, 32:360
The first premolar and the canine tooth in bison, 35:454
fulva, *see* *Vulpes*
fulvescens, *see* *Oryzomys*, *Rattus*, *Reithrodontomys*
fulvorufula, *see* *Redunca*
fulvus, *see* *Dasyprocta*, *Lemur*, *Mus*, *Pteronotus*, *Thomomys*, *Vulpes*
fumeus, *see* *Sorex*
fumigatus, *see* *Macroxus*
Funambulus palmarum palmarum, India, anat., tax., 35:471
Fungi:
As food of squirrels, 33:199
Fur animals:
Texas, local list, 35:55
Fur characteristics of:
Wolverine, 33:492
Fur returns:
Pacific Northwest, 39:146
fusca, *see* *Nasua*
fuscipes, *see* *Neotoma*
fuscus, *see* *Canis*, *Eptesicus*, *Herpestes*, *Microtus*, *Paradoxurus*, *Thomomys*
- G
- Galago, grand, 38:279
Galago crassicaudatus, longev., 38:279
galapagoensis, *see* *Arctocephalus*
Galapagos Islands:
Otaria, 37:287
Otariidae, 37:549
galbreathi, *see* *Arctoryctes*
Gale, Larry R., and Robert A. Pierce:
Occurrence of the coyote in Kentucky, 35:246
galei, *see* *Clethrionomys*
Galeopterus variegatus, Malaya, habitat, hab., 31:345
galeritus, *see* *Hipposideros*
Galiictis canaster, San Luis Potosí, distr., 40:9, 10, Quintana Roo, 237
cuja, 40:342
vittata canaster, syn., 40:152
Gallizioli, Steve, *see* Wallmo, O. C.
gambeli, *see* *Peromyscus*
Game laws:
Brazil, 33:390
gapperi, *see* *Clethrionomys*, *Evotomys*
Gardner, Marshall C.:
An undescribed Washington pocket gopher, 31:92
Garst, W. E.:
Black-footed ferret in South Dakota, 35:594
Gashwiler, Jay S.:
A study of the reproductive capacity of Maine muskrats, 31:180
Small mammal study in west-central Oregon, 40:128
Gashwiler, Jay S., *see* Robinette, W. Leslie
Gashwiler, Jay S., and W. Leslie Robinette:
Accidental fatalities of the Utah cougar, 38:123
gatesi, *see* *Myotis*
Gaughran, George R. L.:
Domestic cat predation on short-tailed weasel, 31:356
Gault, William L., *see* Barbour, Roger W.
Gayal, 38:279
Gazella dorcas dorcas, 31:188
gazella thomsoni, 31:188
granti, 31:188
Gazelle:
Dorcas, 31:188
Grant's, 31:188
Thomson's, 31:188
gazini, *see* *Mustela*
Geis, Aelred D.:
Coprophagy in the cottontail rabbit, 38:136
Normal blood cell counts for the cottontail rabbit, 38:136
geisha, *see* *Apodemus*

geminus, *see* *Nyctimene*

Genetic basis:

Red fox, 40:515

Genetics of:

Odocoileus, 40:96

Peromyscus, 40:509

Sciurus, 39:533

Tamiasciurus, 36:136

Ursus, 36:460

Genital system, 34:289

Genital tract of:

Apodontia, 34:295

Citellus, 34:292

Funambulus, 34:292; 35:471

Glaucomys, 34:292

Heliosciurus, 34:292

Marmota, 34:292

Petaurista, 34:292

Ratufa, 34:292; 35:471

Sciurus, 34:292

Tamias, 34:292

Tamiasciurus, 34:292

Genitalia of:

Mesocricetus, 32:204

Pika, 32:169

Gentile, Joseph:

A craniometric study of the Norway rat,
33:190

Gentry, John B., and Eugene P. Odum:

The effect of weather on the winter activ-
ity of old-field rodents, 38:72

Geocapromys, 33:175

browni, 33:173, 174

ingrahami irrectus, 32:229

geoffrensis, *see* *Inia*

geoffroyi, *see* *Ateles*

Geomys, 32:217; *anat.*, tax., 35:425; tax., 36:165

Geomys, 32:217; fossil, 38:261; *anat.*, 40:397

breviceps, Okla., Tex., mutations, 32:338;
capture, 40:577

breviceps brazensis, Tex., hab., wt., pel.,
36:143

breviceps texensis, Tex., tax., 31:348

bursarius, 31:288; Wis., distr., 36:142; Ill.,
foss., distr., 38:261

bursarius attwateri, *anat.*, 39:445

bursarius llanensis, Tex., tax., 31:348

personatus fallax, *anat.*, 39:445

tuza austrinus, wt., habitat, 31:314

George, John L., and Merle Stitt:

March litters of raccoons (*Procyon lotor*)
in Michigan, 32:218

Georgia, 33:26

Armadillo, 33:26

Dasypterus, 39:64

Kogia, 40:452

Lasiurus, 36:399; 39:64

Local list, 38:72

Mus, 34:393

Neofiber, 31:460

Neotoma, 36:572

Pipistrellus, 40:18, 528, 529

Rat, 38:270

Rattus, 34:393; 35:521; 39:304

Red fox, 40:514

Sigmodon, 34:393; 36:368

Sylvilagus, 36:144; 39:116

Tamias, 36:136

Trichechus, 37:288; 39:154

Urocyon, 39:74

Zapus, 31:461

georgianus, *see* *Scotophilus*

Gerbil, 37:417

Cheesman's, 37:417

Indian, 37:417

Gerbillus, metabolism, 40:357

calurus, *anat.*, tax., 35:243

campestris, comp., 35:243

cheesmani cheesmani, Iraq, distr., hab., 37:
417

dasyurus, comp., 35:243

dasyurus dasyurus, Iraq, distr., hab., 37:417

**dasyurus mesopotamiae*, Iraq, orig. desc.,
37:417

gerbillus, comp., 35:243

pyramidum, comp., 35:243

quadrifaculatus, comp., 35:243

gerbillus, *see* *Gerbillus*

Gerenuk, 31:189

Germany:

Rattus, 35:119

germinans, *see* *Crocota*

geronimensis, *see* *Phoca*

gerrardi, *see* *Sciurus*

Gersbacher, Willard M., and Julius R.
Swayne:

The meadow jumping mouse in southern
Illinois, 32:122

Gestation in:

Bears, 31:450

Blarina, 39:511

Corynorhinus, 33:301

Crociodura, 39:511

Cryptotis, 39:509

Didelphis, 31:333

Dipodomys, 39:597

Erethizon, 32:219

Felis, 31:280

Lepus, 31:357

Marmota, 31:454; 33:388

Neotoma, 34:182

Ochotona, 31:356

Odocoileus, 32:270; 38:116; 40:111

Ornithorhynchus, 39:582

Oryctolagus, 31:357

Peromyscus, 33:8; 35:24

Procyon, 32:218

Rattus, 39:304

Sorex, 39:511

Sylvilagus, 31:356; 40:84

Tursiops, 32:263

Urogale, 31:353

gestri, *see* *Rattus*

Getz, Lowell L.:

Color variation in pocket gophers, *Thomomys*, 38:523

Activity of *Peromyscus leucopus*, 40:449

Gibbon, hybrid, 31:150

gibbosus, *see* *Canis*

Gibbs, Robert H., Jr.:

Vocal sound produced by the kangaroo rat,

Dipodomys spectabilis, 36:463

gibbsi, *see* *Neurotrichus*

gigantea, *see* *Manis*

giganteus, *see* *Dasypus*

Gigantobison, *see* *Bison*

gigas, *see* *Alces*, *Dasypus*, *Megasorex*

Gilbert, Paul F., and Ralph R. Hill:

Healing of the fractured leg bone of an elk, 37:129

gilberti, *see* *Peromyscus*

gilli, *see* *Tursiops*

gilvipes, *see* *Tatus*

Giraffa camelopardalis reticulata, 31:187;

Kenya, desc., 40:251

camelopardalis rothschildi, phys., wt., 36:574; Kenya, 40:251

camelopardalis tippelskirchi, Kenya, desc., 40:251

capensis capensis, 31:187

capensis tippelskirchi, 31:187

Giraffe:

Baringo, 36:574; 40:251

Cape, 31:187

Masai, 31:187; 40:251

reticulated, 31:187; 40:251

glacialis, *see* *Eubalaena*

glama, *see* *Lama*

glandifers, *see* *Eonycteris*

Glands:

Extrapalpebral, 40:21

Lacrimal, 40:20

Meibomian, 40:20

Natalid organ, 31:439

Pararhinal, 31:438

Glands of:

Artibeus, 33:102

Bats, 31:395

Canidae, 33:424

Castor, 34:35, 207

Chilonycteridae, 35:147

Condylura, 35:186, 190

Cynomys, 34:16, 17

Dasypus, 33:77

Desmodontidae, 35:147

Dipodomys, 34:1

Emballonuridae, 35:147

Erethizon, 34:216

Eumops, 36:407

Funambulus, 35:471

Herpestes, 33:340; 34:439, 440, 442

Lasiurus, 33:77; 40:20

Molossidae, 35:147

Natalidae, 35:147

Neurotrichus, 32:36

Odocoileus, 40:110, 114

Parascalops, 35:186, 189

Pecari, 37:246

Peromyscus, 33:103

Phyllostomidae, 35:147

Rangifer, 36:187

Ratufa, 35:471

Scalopus, 35:186, 193

Scapanus, 35:195

Sorex, 36:214, 561

Trichechus, 34:201

Vespertilionidae, 35:147

glareolus, *see* *Clethrionomys*, *Evotomys*

Glaser, Frank S., *see* Hosley, N. W.

Glass, Bryan P.:

A second *Notiosorex* from Oklahoma, 34:118

New records for bats in Oklahoma, 36:128

Returns of Mexican freetail bats banded in Oklahoma, 39:435

The Seminole bat in Oklahoma, 39:587

Additional returns from free-tailed bats banded in Oklahoma, 40:542

Glass, Bryan P., *see* Arvey, M. Dale

see Halloran, Arthur F.

Glass, Bryan P., and Richard C. Morse:

A new pipistrel from Oklahoma and Texas, 40:531

Glass, Bryan P., and Claud M. Ward:

Bats of the genus *Myotis* from Oklahoma, 40:194

glaucinus, *see* *Eumops*, *Sciurillus*

Glaucomys, 33:244

sabrinus, Mich., 31:359; Ore., 32:348, S. D., tax., 469, meas., 470; Calif., fd., 34:320; Colo., distr., 37:80, Ontario, hab., 119; Ore., gen., 40:138

sabrinus bangsi, comp., 32:469; Wyo., hab., 40:377

sabrinus canescens, comp., 32:469

sabrinus gouldi, Prince Edward I., misc., 39:291

sabrinus macrotis, Mich., 32:471, N. A., anat., 35:357; N. Y., distr., hab., 37:395

volans, Mich., 32:472; N. J., 34:507; N. C., hab., wt., 37:122; Ark., misc., 39:220; Tamaulipas, distr., comp., ecol., 40:6, 7, anat., 397

volans goldmani, 33:109

volans herreranus, 33:110

volans madrensis, 33:110

volans querceti, Fla., hab., habitat, 31:314; Fla., 40:587

volans saturatus, S. C., 31:85; 32:105

volans volans, W. Va., 32:370; N. J., distr., hab., 34:232; N. A., anat., 35:357, 429; Ohio, hab., 36:101; Ill., wt., hab., 37:294, W. Va., phys., hab., 295, Ind., distr., hab., 407

- glaucus, *see* Eschrichtius
- Gliridae, tax., 36:165
- gliroides, *see* Chiropodomys
- glis, *see* Tupaia
- Globicephala, Mass., hab., anat., 36:424
- brachyptera, 32:251; syn., 33:333
- macrorhyncha, Fla., behavior, captivity, feeding, voice, 33:321; distr., 36:467; Atlantic Coast, distr., 39:441
- melaena, Va., distr., 39:440
- scammoni, Calif., hab., wt., 37:311
- globulus, *see* Tolypeutes
- Glossophaga elongata, Curacao, 40:238
- longirostris, Venezuela, pel., 31:350; Bonaire, Curacao, 40:238
- longirostris rostrata, 32:224
- morenoi, 33:236
- soricina, Mexico, distr., 35:584; Bahamas, misc., 38:166; Tamaulipas, distr., 40:9, 10, Quintana Roo, Honduras, 237, Curacao, 238
- soricina alticola, meas., 33:236; Mexico, tax., anat., 35:68
- soricina leachi, meas., 33:235; Mexico, anat., tax., 35:67; Mexico, 114; Mexico, distr., hab., wt., 38:4; Panama, hab., 36:232; San Luis Potosi, misc., 39:293
- soricina morenoi, syn., 35:78
- Glover, Richard:
- Unusual rutting of a captive wapiti stag, 34:136
- Notes on the Sika deer, 37:99
- Glyptodont, Brazil, 33:390
- Goat:
- Calculi in, 32:152; 37:129; 39:140
- Domestic, 34:270
- Mountain, 33:434, 480; 40:43
- Godfrey, Gillian K.:
- A technique for finding *Microtus* nests, 34:503
- Observations on the nature of the decline in numbers of two *Microtus* populations, 36:209
- Reproduction of *Talpa europaea* in Suffolk, 37:438
- godmani, *see* Antechinus, Petrogale
- Goehring, Harry H.:
- Pipistrellus subflavus obscurus, *Myotis keenii*, and *Eptesicus fuscus fuscus* hibernating in a storm sewer in central Minnesota, 35:434
- Observations on hoary bats in a storm, 36:130
- Gold Coast:
- Chaeropithecus, 39:434
- goldmani, *see* Glaucomys
- Golley, Frank B.:
- Gestation period, breeding and fawning behavior of Columbian black-tailed deer, 38:116
- Distribution of porcupine in upper Michigan, 38:526
- Golley, Frank B., and Theodore F. Whitmoyer:
- Zygodactylus in the meadow mouse, 40:595
- Goodpaster, Woodrow, and Donald F. Hoffmeister:
- Bats as prey for mink in Kentucky cave, 31:457
- Notes on the mammals of western Tennessee, 33:362
- Life history of the golden mouse, *Peromyscus nuttalli*, in Kentucky, 35:16
- Goodpaster, Woodrow, *see* Smith, Elizabeth
- Goodpaster, Woodrow W., *see* Van Gelder, Richard G.
- Goodrum, Charles W., obit., 33:417
- Goodrum, Phil, *see* Fitch, Henry S.
- Goodwin, George G.:
- Southern records for Arctic mammals and a northern record for Alfaro's rice rat, 35:258
- Renaming of *Sigmodon planifrons minor* Goodwin, 40:447
- Gopher, 32:109; 36:221
- Dakota pocket, 31:23
- Merriam pocket, 35:72
- Mexican pocket, 35:72
- Mountain, 32:282
- Pocket, 31:92; 32:293, 314, 338; 33:442, 485, 486, 498; 35:121; 36:142, 143; 37:201, 540; 38:132, 266, 495, 496; 39:445; 40:43, 174
- Gordon, David C.:
- Melanism in the varying hare, *Lepus americanus virginianus*, 35:122
- Gorilla, census, 32:429; 40:595
- beringei, 32:432
- gorilla, 32:432
- Gorski, T. W., *see* Musacchia, X. J.
- Goslin, Robert M.:
- Eastern big-eared bat in Ohio, 35:430
- Melanistic ground squirrels from Ohio, 40:145
- gossypinus, *see* Peromyscus
- Gottschang, Jack L.:
- Juvenile molt in *Peromyscus leucopus noveboracensis*, 37:516
- Gould, Edwin:
- The feeding efficiency of insectivorous bats, 36:399
- Further studies on the feeding efficiency of bats, 40:149
- gouldi, *see* Mesembriomys, Pteropus
- gracilis, *see* Lutra, Peromyscus, Spilogale, Stehlinia
- Graf, William:
- Territorialism in deer, 37:165
- grammurus, *see* Citellus
- grampis, *see* Felis

- Grampus:
 Gray, 35:123
 griseus, North Atlantic, hab., 35:123
 rectipinna, Hawaii, 33:255; Calif., hab., wt., 37:311; comp., 38:186
 granatensis, *see* Sciurus
 grandis, *see* Tatus
 granti, *see* Gazella
 Gray, James:
 How animals move (Review), 35:464
 grayi, *see* Cercopithecus, Mesoplonodon
 Great Britain:
 Neomys, 32:354, 355
 Grechman, Richard, *see* Chew, Robert M.
 Greeley, F., *see* Teeri, A. E.
 Greene, Howard C.:
 A record of fox squirrel longevity, 31:454
 Greenhall, Arthur M.:
 Food preferences of Trinidad fruit bats, 38:409
 Greenwald, Gilbert S.:
 The reproductive cycle of the field mouse, *Microtus californicus*, 37:213
 Greer, Kenneth R.:
 Some osteological characters of known-age ranch mink, 38:319
 Gregory, Joseph T.:
 Incisor malocclusion in a cottontail rabbit, 34:393
 Grenada, 32:224
 grenadensis, Artibeus, 32:224
 Grenatensis, *see* Sciurus
 grevyi, *see* Dolichohippus
 Griffin, Donald R., *see* Hall, John S.
 Grim, John Norman:
 Feeding habits of the southern California mole, 39:265
 Grimes, J. E., *see* Eads, R. B.
 Grimm, William C.:
 Condylura cristata from the coastal plain of South Carolina, 36:288
 grimmia, *see* Sylvicapra
 grisea, *see* Didelphis
 griseus, *see* Myotis
 griseus, *see* Bradypus, Grampus, Herpestes, Micoureus, Sciurus, Tamias
 Grison canaster, syn., 40:152
 Grivet, 31:186
 Grizzly:
 California, 39:151
 groenlandica, *see* Phoca
 groenlandicus, *see* Dicrostonyx
 Grooming by:
 Cynomys, 36:69
 Odocoileus, 38:251
 Ground-sloth, 37:423
 Ground squirrel, 31:308; 34:155, 266; 35:357, 545; 36:136; 37:550; 39:296
 Alaskan, 35:586
 Antelope, 36:273, 543
 Arctic, 33:478; 35:445; 39:594; 40:610
 Barrow, 34:334; 39:92
 Beechey, 40:445
 Belding, 35:587
 California, 32:54; 34:329; 35:40
 Columbian, 40:26
 Golden-mantled, 33:198; 34:65, 131, 237
 Hudson Bay, 36:362
 Mantled, 40:376
 Mexican, 39:154
 Nelson antelope, 32:54; 34:324; 39:207
 Parry's, 36:254
 Richardson, 34:131
 Spotted, 38:494
 Thirteen-lined, 34:510; 35:105; 36:296
 Townsend, 37:123, 124
 Uinta, 34:132; 40:376
 White-tailed antelope, 34:326
 Yukon, 36:362
 Group composition:
 Alouatta, 40:319
 Growth of:
 Callorhinus, 31:384
 Citellus, 34:343; 39:595; 40:37
 Clethrionomys, 35:376
 Collared lemming, 33:182
 Corynorhinus, 33:286
 Cryptotis, 39:509
 Dicrostonyx, 35:376
 Didelphis, 31:334
 Globicephala, 33:333
 Incisors in rodents, 33:486
 Incisors in Thomomys, 33:485
 Lynx, 31:329
 Martes, 33:66
 Microtus, 35:376; 36:533
 Monachus, 40:228
 Myotis, 35:432
 Neotoma, 33:461; 34:182; 38:478
 Ornithorhynchus, 39:582
 Peromyscus, 33:1, 14; 39:183
 Procyon, 34:123
 Rattus, 39:303
 Reithrodontomys, 33:388
 Sylvilagus, 39:124
 Tadarida, 31:401
 Thomomys, 33:450; nails, 34:394
 Urogale, 31:353
 Ursus, 35:29
 grypus, *see* Halichoerus
 guajanensis, *see* Sciurillus, Sciurus
 Guam:
 Suncus, 37:278
 Guanaco, calculi in, 32:145
 guariba, *see* Alouatta
 Guatemala:
 Leptonycteris, 38:454
 Tadarida, 36:106
 Guenon, 31:150
 Guerrero:
 Local list, 39:347
 Guettinger, Ralph C., *see* Dahlberg, Burton L.

Guianensis, *see* *Mustela*, *Sciurus*

Guilday, John E.:

Winter fetus in the little brown bat, *Myotis lucifugus*, 31:96

Sexual dimorphism in the pelvic girdle of *Microtus pennsylvanicus*, 32:216

Archaeological evidence of the fisher in West Virginia, 37:287

The prehistoric distribution of the opossum, 39:39

Guilday, John E., and William J. Mayer-Oakes:

An occurrence of the rice rat (*Oryzomys*) in West Virginia, 33:253

Guiler, Eric R.:

Observations on a population of small marsupials in Tasmania, 39:44

Guiler, Eric R., *see* Davies, J. L.

Guinea pig, 33:486

Guini, *see* *Mustela*

Gulo, 33:492

canescens (= *Eira barbara barbara*), 40:341

gulo, *Alas.*, *phys.*, *anat.*, 36:346

gulo luscus, *Mont.*, *tax.*, *anat.*, 36:248; *Mont.*, *tax.*, *anat.*, 36:248, *Calif.*, *distr.*, 569

luscus, *Alas.*, 32:91; *Wis.*, *distr.*, 35:254, *Calif.*, *distr.*, 594; *Nebr.*, *distr.*, 37:445; *British Columbia*, 39:140, *Labrador*, *Quebec*, *hab.*, 570

luscus luscus, *Alas.*, 31:466; *Ida.*, 32:224; 40:614

suffocans (= *Conepatus chinga suffocans*), 40:341

Gunderson, Harvey L.:

Red-backed vole with a tick attached near eyeball, 33:495

Nutria, *Myocaster coypus*, in *Minnesota*, 36:465

Red-backed vole habitat studies in central *Minnesota*, 40:405

Gunderson, H. L., W. J. Breckenridge, and J. A. Jarosz:

Mammal observations at Lower Back River, *Northwest Territories*, *Canada*, 36:254

gunnii, *see* *Perameles*

gunnisoni, *see* *Citellus*

Gunter, G.:

Consumption of shrimp by the bottle-nosed dolphin, 32:465

Gunter, Gordon:

Blainville's beaked whale, *Mesoplodon densirostris*, on the *Texas* coast, 36:573

Gunter, Gordon, Carl L. Hubbs, and M. Allan Beal:

Records of *Kogia breviceps* from *Texas*, with remarks on movements and distribution, 36:263

Gut, H. James:

A Pleistocene vampire bat from *Florida*, 40:534

gymnurus, *see* *Echinosorex*, *Tatus*

H

Habitat of:

Alces, 39:140

Alouatta, 35:117

Ammospermophilus, 34:324

Antrozous, 35:539

Apodemus, 37:1

Artibeus, 35:68; 36:232; 38:7, 10

Atherurus, 31:344

Baiomys, 35:75, 38:520

Balaena, 37:456

Balantiopteryx, 38:1

Bassariscus, 35:56, 442; 38:500

Beaver, 34:261

Bettongia, 39:52

Blarina, 31:313; 32:103; 34:231; 36:101

Callosciurus, 31:342

Carrollia, 36:232

Castor, 34:459; 38:497

Chilonycteris, 35:67; 36:232

Chiropodomys, 31:343

Choeronycteris, 35:68; 38:513

Citellus, 31:198; 32:91; 34:65, 237, 335; 35:71; 36:254, 296; 37:189, 291; 38:494; 40:31

Clethrionomys, 32:93, 108; 34:233, 238; 36:221; 37:189

Conepatus, 35:71

Corynorhinus, 34:237; 35:430, 539

Cryptotis, 31:360; 34:230; 39:350

Cynocephalus, 31:269

Dasypterus, 39:68

Dasyptus, 31:361; 33:29; 35:78; 39:362

Desmodus, 36:232; 38:11

Dicrostonyx, 36:254

Didelphis, 31:313; 32:101; 34:230

Dipodomys, 35:515, 570; 38:496, 503

Dremomys, 31:342

Echinosorex, 31:344

Eptesicus, 35:69, 539; 37:31, 543

Erethizon, 31:466; 34:239, 259, 511; 38:499, 526

Eumops, 36:232, 407

Eutamias, 34:238; 37:189; 38:444, 446, 495

Felis, 35:71; 39:359

Galeopterus, 31:345

Geomys, 31:314

Glaucomys, 31:314; 34:232; 36:101; 37:294

Glossophaga, 36:232; 38:4

Herpestes, 33:336; 36:62

Hippopotamus, 34:302

Hystrix, 31:345

Idionycteris, 37:546

Inia, 39:2

- Isoodon, 39:51
 Jentinkia, 39:353
 Lasionycteris, 34:499; 37:111
 Lasiurus, 31:455; 34:121; 35:116; 36:454;
 37:543; 39:64; 40:13
 Lepus, 31:4, 466; 38:493; 39:360; 40:83
 Liomys, 35:73
 Lonchorhina, 36:232
 Lutra, 31:313; 34:231
 Lynx, 31:466
 Macrophyllum, 36:232
 Macrotus, 35:67, 539
 Manatee, 32:25
 Marmota, 32:104; 34:232, 237
 Martes, 37:521
 Mazama, 34:267
 Mephitis, 34:231; 35:71; 38:501; 39:355
 Micronycteris, 36:232
 Microsorex, 34:382
 Microtus, 31:21, 351, 360, 460; 32:94, 95,
 118; 34:233, 238, 263, 382, 479; 35:77;
 259; 36:221; 37:436; 38:444, 446, 499,
 530; 40:56
 Mormoops, 36:290; 37:440
 Mormopterus, 34:383
 Mus, 31:344; 34:174, 234; 35:77, 509; 38:
 499
 Mustela, 32:104, 226; 34:231, 237; 35:430;
 38:500
 Myotis, 35:69, 539; 36:130, 232, 288, 289;
 37:441, 543; 38:15
 Napaeozapus, 32:109; 37:196
 Nasua, 35:48; 39:355
 Natalus, 36:232
 Neotoma, 31:198, 290, 361, 423; 34:180;
 35:239, 37:189; 38:444, 448, 472, 498
 Neotomodon, 35:76
 Noctilio, 36:232
 Notiosorex, 37:108
 Nycticeius, 37:543
 Ochotona, 31:4; 34:239; 35:450
 Odocoileus, 34:234
 Ondatra, 34:234, 479; 38:499
 Onychomys, 38:498
 Oryzomys, 31:316, 422; 34:135, 232, 479;
 36:298
 Parascalops, 31:459; 32:101
 Pecari, 39:364
 Perameles, 39:47, 51
 Perognathus, 35:453; 37:451; 38:444, 446,
 496
 Peromyscus, 31:20, 100, 314, 316, 360; 32:
 105, 106, 107, Calif., 200; 33:51; 34:130,
 134, 135, 232, 238, 505; 35:16, 75, 515,
 561; 36:42, 206, 569; 37:189; 38:444,
 446, 449, 497, 498
 Phenacomys, 31:351; 34:238; 35:450, 577;
 36:221
 Phoca, 34:254
 Phyllostomus, 36:232
 Pipistrellus, 35:433, 539; 37:543
 Pitymys, 31:360; 34:233; 36:52, 138
 Potorous, 39:51
 Potos, 39:355
 Procyon, 31:313; 34:231; 35:71; 38:500;
 39:354
 Pteronotus, 38:3
 Rattus, 31:154, 343, 344; 34:135, 171, 234,
 366; 36:259; 38:499, 531
 Ratufa, 31:342
 Reithrodontomys, 31:314; 35:74; 38:497,
 530
 Rhizomys, 31:343
 Rhynchonycteris, 36:232
 Saccopteryx, 36:232
 Scalopus, 34:230
 Sciurus, 31:313, 314, 454; 34:232, 361; 36:
 101; 38:495
 Sigmodon, 34:135; 35:76, 260; 36:368; 38:
 498
 Sorex, 31:459, 460, 465; 32:90, 102; 34:
 230, 237, 382; 35:66, 430; 36:214, 221,
 286, 339, 560, 561; 37:110, 189, 276,
 435, 436; 38:530; 39:349
 Sotalia, 39:3
 Spalax, 39:387
 Suncus, 31:345; 37:278
 Sylvilagus, 31:1, 318, 360; 32:109; 34:234;
 35:78, 392; 36:144, 303, 415; 38:494;
 39:116, 122, 361; 40:82
 Synaptomys, 31:460; 32:108; 34:233
 Tadarida, 35:70; 36:232, 236; 37:42
 Tamandua, 39:362
 Tamias, 36:101
 Tamiasciurus, 31:466; 34:232, 238; 38:495
 Tarsius, 31:260
 Taxidea, 38:500
 Thomomys, 31:23; 34:238; 36:221; 38:
 495, 496
 Trichys, 31:345
 Tupaia, 31:344
 Urocyon, 34:231; 35:71; 38:500
 Urogale, 31:352
 Ursus, 31:360; 35:345
 Vulpes, 37:351; 38:500
 Zalophus, 32:18
 Zapus, 31:22, 461; 34:234, 238; 35:233;
 36:121, 140, 221; 38:446
- Habits of:
 Apodemus, 39:479
 Blarina, 32:103; 39:499
 Canis, 31:167
 Citellus, 40:27
 Clethrionomys, 38:390
 Crocidura, 38:390, 391
 Cryptotis, in captivity, 34:233
 Didelphis, 31:334; 32:465
 Eptesicus, 32:103; 39:258, 438
 Eutamias, 38:390
 Felis, 38:515
 Halichoerus, 38:297
 Isoodon, 39:46

- Lasiurus*, 40:13
Lynx, 31:327
Marmota, 32:104
Mustela, 32:226
Myotis, 38:15, 259; 39:434
Neotoma, 32:107
Ochotona, 39:599
Odocoileus, bedding, 38:249
Ornithorhynchus, 39:582
Parascalops, 32:101
Peromyscus, 32:106; 38:129; 40:496
Phoca, 32:19
Potorous, 39:45
Procyon, 31:448; 34:123
Sciurus, 39:595
Sorex, 31:22; 32:102; 34:118, 120
Spalax, 39:386
Sylvilagus, 39:119; 40:89
Synaptomys, in captivity, 34:233
Tadarida, 39:434
Tamias, 38:129; 40:555
Tamiasciurus, 39:443, 596
Taxidea, 40:147
Urocyon, 32:104
Urogale, 31:352
 Hadlow, W. J., *see* Adams, Lowell
haematoreia, *see* *Neotoma*
 Haft, Jay Stuart:
 Pituitary removal in *Microtus* with preservation of skull, 37:446
 Hair, determination of, 32:80
 Hair arrangement, *Canidae*, 33:420, 421
 Hair balls, 31:94; 32:151
 Hair of:
 Caribou, 32:83
 Deer, 32:83
 Elk, 32:83
 Moose, 32:83
 Hair slope, *Canidae*, 33:419
 Haiti:
 Chilonycteris, 36:109
 Local list, 36:109
 Tadarida, 36:106
 Hale, Kelley, *see* Smith, Elizabeth
Halichoerus grypus, *Canada*, hab., 35:595;
 Sweden, hab., 38:280, distr., breeding,
 hab., 297
Halicore, comp., 34:192
 Hall, E. Raymond, and James W. Bee:
 Occurrence of the harbor porpoise at Point
 Barrow, *Alaska*, 35:122
 Hall, John S., Roger J. Cloutier, and Donald
 R. Griffin:
 Longevity records and notes on tooth wear
 of bats, 38:407
 Hall, John S., and Wayne H. Davis:
 A record of homing in the big brown bat,
 39:292
 *halli, *see* *Taxidea*
 Halloran, Arthur F.:
 Live and dressed weights of American bi-
 son, 38:139
 A note on the Sonoran pronghorn, 38:423
 Halloran, Arthur F., *see* Young, Stanley P.
 Halloran, Arthur F., and Willard E. Blanchard:
 Bighorn ewe associates with cattle on Kofa
 Game Range, *Arizona*, 31:463
 Lynx from western *Wyoming*, 40:450
 Halloran, Arthur F., and Bryan P. Glass:
 The carnivores and ungulates of the Wich-
 ita Mountains Wildlife Refuge, *Oklahoma*, 40:360
hallucatus, *see* *Satanellus*
hamadryas, *see* *Papio*
 Hamerstrom, F. N., Jr., and F. Lawrence
 Camburn:
 Weight relationships in the George Reserve
 deer herd, 31:5
 Hamilton, Rodger D., *see* Musacchia, X. J.
 Hamilton, W. J., Jr.:
 The prairie deer mouse in *New York* and
 Pennsylvania, 31:100
 Warm weather foods of the raccoon in
 New York state, 32:341
 (Review) F. Bourlière, *Vie et Moeurs des*
 Mammifères, 32:478
 (Review) William Henry Burt and Richard
 Philip Grossenheider, *A field guide to*
 the mammals, 34:139
 (Review) Leon F. Whitney and Acil B.
 Underwood, *The raccoon*, 34:141
 Reproduction and young of the *Florida*
 wood rat, *Neotoma f. floridana* (Ord),
 34:180
 (Review) Carl G. Hartman, *Possums*, 34:
 274
 (Review) Clifford B. Moore, *Ways of*
 mammals in fact and fancy, 35:270
 (Review) Harvey L. Gunderson and James
 R. Beer, *The mammals of Minnesota*,
 35:270
 Coprophagy in the swamp rabbit, 36:303
 The young of *Neofiber alleni*, 37:448
 Past and present distribution of marten in
 New York, 39:589
 Hamilton, W. J., Jr., *see* Eadie, Robert W.
 Hammel, H. T.:
 Infrared emissivities of some *Arctic* fauna,
 37:375
 Hammond, John, Jr.:
 Gonadotrophin-induced ovulation in mink,
 33:218
 Hamster, 33:183; 35:425, 545; 39:298; threat
 of, 40:613
 Golden, 31:121; 32:204; 36:135, 573; 40:
 613
 Grey, 37:257
 Handley, Charles O., Jr.:
 Marine mammals in *Michigan* *Pleistocene*

- beaches, 34:252
 Abnormal coloration in the pine mouse (*Pitymys pinetorum*), 34:262
 A new South Dakota locality for the kangaroo rat, *Dipodomys*, 34:264
Phenacomys in Minnesota, 35:260
 (Review) D. R. Rosevear, Checklist and atlas of Nigerian mammals, with a foreword on vegetation, 35:269
 (Review) J. R. Ellerman, et al., Southern African mammals, 35:460
 Nomenclature of some Tertiary Chiroptera, 36:128
 A third specimen of the shrew *Notiosorex* from Oklahoma, 37:278
 Bat versus ant, 37:279
 The shrew *Sorex dispar* in Virginia, 37:435
 First records of the occurrence of the long-legged bat (*Macrophyllum*) in Honduras and Venezuela, 38:406
 (Review) Angel Cabrera, Catalogo de los Mamíferos de America del Sur. I. 40:151
 (Review) Jacques Verschuren, *Écologie, biologie et systématique des cheiroptères*, 40:259
 Handling of:
 Citellus, 34:339
 Martens, young, 33:66
 Hanna, G. D.:
 Alaska fur seals, *Callorhinus ursinus*, observed off San Francisco Bay, California, 32:364
 Hannon, J. P., *see* Cook, S. F.
 Hansen, Richard M.:
 Notes on behavior of long-tailed weasel in Utah, 33:492
 Richardson ground squirrel in Utah, 34:131
 The Belding ground squirrel north of the Snake River in Idaho, 35:587
 Two new subspecies of antelope ground squirrels from Utah, 36:273
 Decline in Townsend ground squirrels in Utah, 37:123
 Microenvironmental influence on periodicity in Townsend ground squirrels, 37:124
 Extra incisors in the rodent *Dicrostonyx groenlandicus*, 37:549
 Remarks on reported hybrid ground squirrels, *Citellus*, 37:550
 Remarks on the bifid claws of the varying lemming, 38:127
 Influence of daylength on activity of the varying lemming, 38:218
 Commensal litter of *Peromyscus maniculatus*, 38:523
 Aspects of coat color in young varying lemmings, 40:205
 Hansen, Richard M., *see* Behle, William H.
 see Durrant, Stephen D.
 Hansen, Richard M., and Richard S. Miller:
 Observations on the plural occupancy of pocket gopher burrow systems, 40:577
 Hanson, Harold C.:
 A new race of red-backed vole (*Clethrionomys*) from the barren grounds of Canada, 33:500
 Hanson, William R.:
 Aggressive behavior of mule deer toward bobcat, 37:458
 Failure of mule deer to wean offspring, 39:155
 Hanson, William R., *see* Glass, Bryan P.
 Harbert, Frank H., *see* Buss, Irven O.
hardwickei, *see* *Rhinopoma*
 Hare, 31:361, 466; 32:227; 37:453
 Arctic, 32:98; 36:254
 European, 40:75, 92
 Snowshoe, 31:193, 249, 357, 359; 32:210, 283, 349, 471; 33:433, 434, 436, 479; 35:122, 458; 36:362; 37:64, 94, 375; 38:517, 527; 40:66, 138, 221, 250, 593, 594
 Varying, 34:239; 35:122; 38:527; 40:379
 Harem of:
 Callorhinus, 34:426
 Harlan, Charles F., *see* Quiring, D. P.
harnieri, *see* Kobus
 Harper, Francis:
 (Review) Douglas Carruthers, *Beyond the Caspian, a naturalist in central Asia*, 31:468
 Harrington, Fred A., Jr.:
 Further incidence of white-tailed deer in Colorado, 40:251
 Harris, Van T.:
 Ecological relationships of meadow voles and rice rats in tidal marshes, 34:479
 Harris, William P., Jr.:
 (Review) Leo Wender, *Animal encyclopaedia*, 31:102
 A substitute name for *Petaurista petaurista rufipes* Sody, 32:234
 (Review) J. Z. Young, *The life of vertebrates*, 32:371
 Citellus spilosoma major Merriam, preoccupied, 33:503
 Harrison, David L.:
 Mammals from Kurdistan, Iraq, with description of a new bat, 37:257
 Gerbils from Iraq, with description of a new gerbil, 37:417
 Observations on infant jerboas with special reference to the development of the tympanic bulla, 39:395
 Harrison, John L.:
 Range of movement of some Malayan rats, 39:190
 Harrison, John L., and R. Traub:
 Rodents and insectivores from Selangor, Malaya, 31:337

Hartebeest:

- Coke's, 31:187
- Jackson's, 31:187
- Kenya, 31:187
- harti, *see* Enchisthenes
- hastatus, *see* Phyllostomus
- Hastings, Claude E.:
 - Nest of the cotton rat, 38:416
- hatcheri, *see* Reithrodon
- Haugen, Arnold O.:
 - Breeding records of captive white-tailed deer in Alabama, 40:108
- Haugen, Arnold O., and Daniel W. Speake:
 - Parturition and early reactions of white-tailed deer fawns, 38:420
- Haugen, Orland L.:
 - Longevity of the raccoon in the wild, 35:439
- Haven, Herbert M. W., obit., 31:119
- hawaiiensis, *see* Rattus
- Hawaii, 33:255, 336
 - Herpestes, 34:436
 - Lasiurus, 31:455
 - Rattus, 31:154
- Hawaiian Islands:
 - Monachus, 40:226
- hawaiiensis, *see* Rattus
- Hawbecker, Albert C.:
 - Small mammal relationships in an ephedra community, 32:50
 - Environment of the Nelson antelope ground squirrel, 34:324
 - Correction, 34:531
 - Occurrence of Peromyscus, 36:569
 - Survival and home range in the Nelson antelope ground squirrel, 39:207
 - Parasites of Ammospermophilus nelsoni, 40:446
- Hawley, Vernon D., and Fletcher E. Newby:
 - Marten home ranges and population fluctuations, 38:174
- Hay, Keith G.:
 - Record beaver litter for Colorado, 38:268
- haydeni, *see* Sorex
- Hayman, R. W.:
 - American bats reported in Iceland, 40:245
- Hayne, Don W.:
 - The home range of Microtus in relation to distance between traps, 31:26
 - Correction, 31:485
- Hays, Horace A.:
 - The distribution and movement of small mammals in central Oklahoma, 39:235
- Hayward, C. Lynn:
 - Pelage color changes in Perognathus longimembris, 37:451
- Hayward, C. Lynn, and Merlin L. Killpack:
 - Occurrence of Perognathus fasciatus in Utah, 37:451
- Health of:
 - Tamias, 38:195

Hearing of:

- Blarina, 39:500
- Cetaceans, 33:331
- Globicephala, 33:331
- Herpestes, 33:343
- Inia, 39:15
- Ornithorhynchus, 39:582
- Sotalia, 39:15

Heart rate of:

- Mirounga, 35:211

Heat loss:

- Canis, 37:375
- Castor, 37:375
- Enhydra, 37:375
- Lepus, 37:375
- Lynx, 37:375
- Martes, 37:375
- Rangifer, 37:375
- Rattus, 37:378
- Vulpes, 37:375

Heat prostration:

- Callorhinus, 37:327

Hecht, Max K., *see* Koopman, Karl F.hecki, *see* Connochaeteshectori, *see* Mesopodion

Hedgehog, 36:123; 38:254, 279

European, 37:257

heermanni, *see* Dipodomys

Heinrich, Gerd H.:

- *Apodemus flavicolis alpicola, new name, 33:260

- Microsorex, Sorex palustris, and Microtus chrotorrhinus from Mt. Katahdin, Maine, 34:382

helleri, *see* Vampyrops

Helme, Arthur H., obit., 31:376

helveticus, *see* Nyctinomushelvolus, *see* Lemmus

Hematological changes in:

- Bat, 40:547
- Hamsters, 40:548

Hematology:

- Citellus, 36:362
- Erethizon, 36:362
- Lepus, 36:362
- Marmota, 36:362
- Microtus, 36:362
- Mustela, 36:362
- Odocoileus, 39:269, 309
- Ondatra, 36:362
- Sciurus, 36:362
- Sylvilagus, 36:362
- Ursus, 36:362; 39:588

Hemiechinus calligoni, Iraq, hab., par., 36:123

hemionus, *see* Odocoileus

Hemorrhagic fever in:

- Apodemus, 37:1

Henning, Willard Loren:

- Method for keeping the eastern mole in captivity, 33:392

- henselii, *see* Nasua
 Heppenstall, Caroline A., *see* Krutzsch, Philip H.
 Heptaxodontidae, tax., 36:165
 Hermaphrodite:
 Capreolus, 35:486
 Odocoileus, 37:231
 hermaphroditus, *see* Paradoxurus
 Herpailurus yagouaroundi eyra, 40:341
 Herpestes, as food, 33:347
 auropunctatus auropunctatus, Hawaii, anat., hab., phys., 34:436; Hawaii, ecol., pop., econ. status, 33:336; Puerto Rico, dis., hab., phys., wt., par., 36:62
 birmanicus, 33:336
 edwardsi, 33:336
 flavidens (= fuscus), 33:341
 griseus, 33:336
 mungo, 33:336
 smithi, 33:338
 urva, anal glands, 33:340
 vitticollis, anal glands, 33:340
 Herreid, Clyde F., II:
 Four-thumbed free-tailed bat, 39:587
 Sexual dimorphism in teeth of the free-tailed bat, 40:538
 herreranus, *see* Glaucomys
 Hershkovitz, Philip:
 Zorilla I. Geoffroy and Spilogale Gray, generic names for African and American polecats, respectively, 34:378
 Notes on American monkeys of the genus Cebus, 36:449
 Nomenclature and taxonomy of the neotropical mammals described by Olfers, 1818, 40:337
 Hesperomyotis, 40:152
 Hesperomys, 40:339
 lepidus ducilla, Chile, distr., 36:465
 leucogaster, Brazil, syn., 40:347
 ratticeps, Brazil, syn., 40:347
 hesperus, *see* Pipistrellus
 Hesterberg, Gene A.:
 Chipmunk eats frog, 31:350
 Heterogeomys hispidus, Tamaulipas, distr., 40:9, 10, Quintana Roo, 237
 Heteromyidae, anat., tax., 35:425; tax., 36:165
 Heteromys desmerestianus desmerestianus, Mexico, wt., par., 35:101
 heuglini, *see* Papio
 Hexalobodon, Haiti, distr., 36:109
 Hibbard, Claude W.:
 Thomomys talpoides (Richardson) from a late Pleistocene deposit in Kansas, 32:229
 A new jumping mouse from the Upper Pliocene of Kansas, 32:351
 (Review) George Gaylord Simpson, Horses, 33:262
 A new Bassariscus from the Upper Pliocene of Kansas, 33:379
 A change in the definition of the generic characters of the genus Dipodomys Gray, 34:264
 A new Synaptomys, an addition to the Borchers Interglacial (Yarmouth?) fauna, 35:249
 Two new Cenozoic microtine rodents, 38:39
 A new weasel from the lower Pleistocene of Idaho, 39:245
 Hibbard, Claude W., *see* Rinker, George C.
 Hibbard, Claude W., and Barton A. Wright:
 A new Pleistocene bighorn sheep from Arizona, 37:105
 Hibbard, Edmund A.:
 Range and spread of the gray and the fox squirrels in North Dakota, 37:525
 Age ratios in wild mink populations, 38:412
 Hibernation experiments of:
 Tamias, 40:557
 Hibernation of:
 Antrozous, 36:379
 Citellus, 31:158, 309; 33:358; 34:65; 35:445, 545; 36:254; 37:124; 38:423; 40:40, 201
 Corynorhinus, 33:276, 365; 36:379
 Cynomys, 36:69
 Eptesicus, 34:384; 35:434; 36:242, 379; 37:31; 38:423
 Eutamias, 37:189
 Lasionycteris, 37:282
 Mesocricetus, 35:545; 38:423; 39:298
 Myotis, 35:434; 36:739; 38:423
 Napaeozapus, 37:196
 Perognathus, 38:60
 Pipistrellus, 35:434; 40:16
 Tamias, 36:101; 40:554, 560, 561, 562, 563
 Ursus, 38:423
 Zapus, 32:227; 35:121; 36:301; 37:122
 Hickey, Joseph J., *see* Ellarson, Robert S.
 Hightower, B. G., V. W. Lehman, and R. B. Eads:
 Ectoparasites from mammals and birds on a quail preserve, 34:268
 hildae, *see* Saccostomus
 Hildebrand, Milton:
 The integument in Canidae, 33:419
 Incisor tooth wear in the sea otter, 35:595
 Motions of the running cheetah and horse, 40:481
 Hill, J. E., *see* Laurie, E. M. O.
 Hill, Ralph K., *see* Gilbert, Paul F.
 Hill, W. C. Osman:
 The correct name of the olive baboon, 40:143
 Hillemann, Howard H., *see* Beatty, Myrtle Dee
 hilleri, *see* Nycticebus
 hiltonensis, *see* Odocoileus
 hindei, *see* Sylvicapra
 Hinegardner, Ralph T., *see* Chew, Robert M.
 Hipparion antelopinum, 32:467

- Hippopotamus, calculi in, 32:147; 33:105; 34:299
 amphibius, West Africa, anat., dis., distr., hab., pop., 34:299; longev., 38:279
 amphibius amphibius, Africa, 31:187
 amphibius capensis, Africa, 31:187
 amphibius kiboko, Africa, 31:187
 Cape, 31:187
 East African, 31:187
 irravadicus, 32:467
 Nile, 38:279
 Northern, 31:187
 Pigmy, 34:302; 38:279
 Hipposideros bicolor albanensis, wt., 33:118
 diadema reginae, wt., 33:118
 galeritus cervinus, 32:211; wt., 33:118
 muscinus semoni, wt., 33:118
 speoris, birth, 31:274, 277
 Hippotigris quagga böhmi, Africa, 31:189
 quagga chapmani, Africa, 31:189
 Hippotragus equinus equinus, Africa, 31:189
 niger niger, Africa, 31:189
 hippurus, *see* Callosciurus
 Hirasaka, K.:
 Basking habit of the Japanese bear, 35:128
 hircus, *see* Capra
 hirsutus, *see* Artibeus
 hirtus, *see* Procyon
 hispida, *see* Phoca
 hispidus, *see* Heterogeomys, Perognathus, Sigmodon
 Histology of:
 Odocoileus, 40:114
 Hitchcock, Harold B.:
 Felled tree kills beaver (*Castor canadensis*), 35:452
 The use of bird bands on bats, 38:402
 Hoary bat, 34:121
 Hock, Raymond J.:
 The opossum in Arizona, 33:464
 hoehni, *see* Sciurillus
 Hoel, Paul G., *see* Bartholomew, George A., Jr.
 Hoffman, Roger A., and Charles M. Kirkpatrick:
 Red fox weights and reproduction in Tippecanoe County, Indiana, 35:504
 Hoffmann, Robert S.:
 Merriam shrew in California, 36:561
 A population-high for *Peromyscus maniculatus*, 36:571
 hoffmanni, *see* Choleopus
 Hoffmeister, Donald F.:
 A plea for uniformity of common names of mammals, 34:285
 A record of *Sorex merriami* from northeastern Colorado, 37:276
 Review of the long-nosed bats of the genus *Leptonycteris*, 38:454
 Hoffmeister, Donald F., *see* Goodpaster, Woodrow
 see Musgrove, William F.
 see Parmalee, Paul W.
 Hog:
 Giant forest, 31:187
 Musk, 37:246
 Wart, 31:187; 38:279
 Hoiberg, Arnold J., *see* Sealander, John A., Jr.
 Holarctic regions:
 Red fox, 40:513
 Holdenreid, Robert:
 A new live-catch rodent trap and comparison with two other traps, 35:267
 Natural history of the bannertail kangaroo rat in New Mexico, 38:330
 Holding, B. F., and O. L. Royal:
 The development of a young harvest mouse, *Reithrodontomys*, 33:388
 Hollister, Mabel P., obit., 31:119
 hollisteri, *see* *Sorex*
 Holloway, Harry L.:
 Sorex dispar at Mountain Lake, Virginia, 38:406
 Home range:
 Analysis, 32:318
 Comparisons in artificial populations, 35:2
 Definition, 35:1
 Methods reviewed, 35:2
 Home range of:
 Alouatta, 40:318, 320
 Ammospermophilus, 39:212
 Apodemus, 37:1; 39:487
 Blarina, 36:21
 Canis, 33:430
 Citellus, 32:442; 34:336
 Clethrionomys, 31:22; 32:325, 455; 36:21
 Cryptotis, 35:181
 Didelphis, 31:332
 Herpestes, 36:62
 Lutra, 32:2
 Martes, 38:175
 Microsorex, 36:21
 Microtus, 31:26; 34:346, 505; 36:21
 Mus, 35:183
 Mustela, 32:287
 Myotis, 38:27
 Napaeozapus, 36:21
 Odocoileus, 37:143
 Peromyscus, 32:327; 35:8, 181; 36:21, 42, 297; 39:392
 Pitymys, 36:52
 Potorous, 39:52
 Rattus, 31:155; 34:354; 36:45
 Reithrodontomys, 35:181
 Sigmodon, 35:182
 Small mammals, 35:1
 Sorex, 36:21
 Sylvilagus, 35:392; 39:122
 Synaptomys, 38:132
 Tamias, 34:450
 Tursiops, 36:304
 Wild rodents, 32:76

- Zapus, 31:22
- Homing:
- Antrozous, 36:379
- Callorhinus, 34:95
- Corynorhinus, 36:379; 37:48
- Eptesicus, 36:379; 37:48; 39:292
- Myotis, 34:122; 36:379; 37:48; 38:514
- Pipistrellus, 37:48
- Rattus, 39:200
- Tamias, 38:519
- Homo, 40:403
- sapiens, hab., 34:356; anat., 36:493; anat., 40:395
- Honduras:
- Local list, 40:237
- Macrophyllum, 38:406
- Pipistrellus, 40:530
- Hooijer, D. A.:
- Notes on the dentition of the golden monkey, *Rhinopithecus*, 33:258
- Hooijer, Dirk Albert:
- A femur of a (?) chalicothere from the Pliocene of upper Burma, 32:467
- hoole, *see* Vulpes
- hoolock, *see* Hylobates
- Hooper, Emmet T.:
- Use dermestid beetles instead of cooking pots, 31:100
- (Review) Rudolph M. Anderson, Methods of collecting and preserving vertebrate animals, 31:102
- Notes on the pygmy mouse (*Baiomys*), with description of a new subspecies from Mexico, 33:90
- Records of the flying squirrel (*Glaucomys volans*) in Mexico, 33:109
- Notes on mice of the species *Peromyscus boyleyi* and *P. pectoralis*, 33:371
- (Review) Alexander C. Martin, H. S. Zim, and A. L. Nelson, American wildlife and plants, 33:400
- Extra teeth in the pygmy mouse, *Baiomys musculus*, 36:298
- Longevity of captive kangaroo rats, *Dipodomys*, 37:124
- Selection of fats by dermestid beetles, *Dermestidae*, 37:125
- Record of the Mexican harvest mouse *Reithrodontomys mexicanus* from Michoacan, Mexico, 38:521
- Supernumerary teeth in *Peromyscus truei*, 38:522
- Hoover, Robert L.:
- Seven fetuses in western fox squirrel (*Sciurus niger rufiventer*), 35:447
- Hoover, Robert L., and Lee E. Yeager:
- Status of the fox squirrel in northeastern Colorado, 34:359
- hopiensis, *see* *Eutamias*
- Hopkins, Marie L.:
- Bison (*Gigantobison*) *latifrons* and Bison (*Simobison*) *alleni* in southeastern Idaho, 32:192
- Skull of fossil camelid from American Falls Lake bed area of Idaho, 36:278
- Hopkins, Milton, Jr.:
- Distance perception in *Mus musculus*, 34:393
- Horn core:
- Bison, 40:570
- Horner, B. Elizabeth:
- Trichobezoars (hair balls) in *Peromyscus*, 31:94
- Horner, B. Elizabeth, and J. Mary Taylor:
- Breeding of *Rattus assimilis* in captivity, 39:301
- horribilis, *see* *Ursus*
- Horse, calculi in, 32:145; 33:484; 37:459; 38:278, 280; 40:396, 481
- Galloping, 40:486
- horsfieldi, *see* *Cynopterus*
- hortulorum, *see* *Cervus*
- hosei, *see* *Presbytis*
- Hosley, N. W., and Frank S. Glaser:
- Triplet Alaskan moose calves, 33:247
- hottentotus, *see* *Cryptomys*
- Houck, Warren J.:
- Cuvier's beaked whale from northern California, 39:308
- Hough, Fred:
- Set hunting pattern of a little brown bat, 38:121
- House of:
- Neotoma, 37:371
- Howard, W. E.:
- Amount of food eaten by small carnivores, 38:516
- Howard, Walter E.:
- Winter fecundity of caged male white-footed mice in Michigan, 31:319
- Relation between low temperature and available food to survival of small rodents, 32:300
- A live trap for pocket gophers, 33:61
- Growth rate of nails on adult pocket gophers, 34:394
- Nutria (*Myocastor coypus*) in California, 34:512
- A trigger mechanism for small-mammal live traps, 34:513
- Melanism in *Peromyscus boyleyi*, 38:417
- California ground squirrel breeding in captivity, 40:445
- Survival of hamsters on California range-land, 40:613
- Howard, Walter E., *see* Morejohn, G. Victor
- see* Quast, Jay C.
- Howard, Walter S., and Melvin E. Smith:
- Rate of extrusive growth of incisors of pocket gophers, 33:485
- Howell, Joseph C.:
- Populations and home ranges of small mam-

- mals on an overgrown field, 35:177
 howelli, *see* *Scalopus*
 Hoyer, P. V., and R. M. Lane:
 Some variations in the superficial muscles
 of the back of the albino rat (*Rattus*
 norvegicus), 31:288
 hoyi, *see* *Microsorex*
 Hoyt, Sally F.:
 Additional notes on the gestation period of
 the woodchuck, 33:388
 Hoyt, Southgate Y., and Sally F. Hoyt:
 Gestation period of the woodchuck, *Marmota*
 monax, 31:454
 Hubbs, Carl L.:
 Probable record of the beaked whale
 Ziphius cavirostris, in Baja California,
 32:365
 Eastern Pacific records and general dis-
 tribution of the pygmy sperm whale, 32:
 403
 Dolphin protecting dead young, 34:498
 Hubbs, Carl L., *see* Bartholomew, George A.,
 Jr.
 see Gunter, Gordon
 Hubert, Frings and Alan Kivert:
 Nicotine facilitation of audiogenic seizures
 in laboratory mice, 34:391
 Hudson, George E.:
 Cryptorchid elk (*Cervus canadensis*) in
 the Blue Mountains of Washington, 31:
 464
 Hudson, George E., and Marion Bacon:
 New records of *Sorex merriami* for eastern
 Washington, 37:436
 Hudson, George E., and J. David Solf:
 Control of small mammals with sunken-can
 pitralls, 40:455
 Hudson, Jack W., *see* Bartholomew, George
 A., Jr.
 Hudson, Paul, *see* Browman, Ludwig G.
 Hudson Bay:
 Dicrostonyx, 39:291
 Lepus, 39:291
 Microtus, 39:291
 Mustela, 39:291
 hudsonica, *see* *Mephitis*
 hudsonicus, *see* *Sciurus*, *Tamiasciurus*
 hudsonius, *see* *Clethrionomys*, *Zapus*
 huerfanensis, *see* *Camelops*
 Huey, Laurence M.:
 An Alaskan record of the narwhal, 33:496
 Second record of *Tadarida molossa* from
 San Diego, California, 35:435
 Choeronycteris mexicana from southern
 California and Baja California, 35:436
 Unusual capture of a badger, 40:147
 Longevity notes on captive *Perognathus*,
 40:412
 Hughes, A. H., *see* Krutzsch, Philip H.
 humboldtensis, *see* *Martes*
 humeralis, *see* *Nycticeius*
 humulis, *see* *Reithrodontomys*
 Hunsaker, Don, Gerald G. Raun, and John E.
 Swindells:
 Range expansion of *Baiomys taylori* in
 Texas, 40:447
 Hunt, George S.:
 Aquatic activity of a snowshoe hare, 31:193
 Hunt, Thomas P.:
 Breeding habits of the swamp rabbit with
 notes on its life history, 40:82
 Hunt, Tom:
 Breeding of *Cryptotis parva* in Texas, 32:
 115
 Hunter, Gilbert N., and Robert G. Kinghorn:
 Mountain sheep drive mule deer from food,
 31:193
 Hunting by:
 Canis, 37:337
 Eptesicus, 36:402
 Lasionycteris, 36:402
 Lasiurus, 36:402
 Martes, 38:517
 Myotis, 36:401
 Noctilio, 36:390
 Pipistrellus, 36:402
 Hunting for:
 Erignathus, 35:218
 Jaguar, 33:390
 Phoca, 35:218
 Hutia, short-tailed, 38:164
 Hyaenidae, tax., 37:11
 Hybridism in:
 Bears, 31:449
 Citellus, 37:550
 Hylobates, 31:150
 Neotoma, 36:572
 Peromyscus, 31:319; 35:448
 Primates, 31:150
 Wapiti, 34:136
 Hydrochoeridae, tax., 36:165
 Hydrochoerus, Brazil, 33:390
 Hydromys, 40:595
 chrysogaster, 40:339
 chrysogaster beccari, wt., 33:118
 chrysogaster reginae, wt., 33:118
 esox illuteus, 32:211
 Hyena, spotted, 31:186; 40:615
 Hylobates agilis, 31:151
 hooleck, 31:151
 lar pileatus, 31:151
 Hylochoerus meinertzhageni meinertzhageni,
 Africa, 31:187
 Hylomys siullus, Malaya, 31:345
 Hylonycteris, Veracruz, distr., 40:9
 Hyopsodus, Colo., foss., distr., 35:581
 Hyperoodon, comp., 34:111
 rostratus, comp., 34:248
 Hypohippus cf. osborni, Nev., foss., 39:87
 hypokanthus, *see* *Cebus*
 hypoleuca, *see* *Simia*
 Hypothermia:

- Eptesicus fuscus*, 38:423
 Hystricidae, tax., 36:165
Hystrix brachyura, Malaya, 31:345
indica, Afghanistan, distr., 37:299
insidiosa (= *Coendou insidiosus*), 40:339
leucura, 33:72
nycthemera (= *Coendou prehensilis prehensilis*), 40:339
pollicaris (= *Coendou prehensilis prehensilis*), 40:339
rutila (= *Chaetomys subspinosus*), 40:339, Brazil, syn., 349
subspinosus, Brazil, syn., 40:349
tortilis (= *Chaetomys subspinosus*), 40:339
volubilis (= *Chaetomys subspinosus*), 40:339, syn., 349

I

- ibearia*, see *Ichneumia*
 Iceland:
 Bats, 40:245
Ichneumia albicauda ibearia, 31:186
Icticyon panamensis, syn., 40:152
Ictonyx, as synonym of *Zorilla*, 34:381
 striatus, Africa, nomen., 34:114; Africa, 35:130
 Idaho, 32:192, 224; 33:273
 Blarina, 39:246
 Camelops, 36:278
 Citellus, 35:587; 37:550
 Dipodomys, 37:449
 Martes, 34:74
 Mimomys, 39:246
 Mustela, 39:245
 Myotis, 34:122
 Odocoileus, 34:515; 37:231; 38:277
 Ondatra, 31:97; 37:494
 Pleiotomys, 39:246
 Sorex, 40:438
idahoensis, see *Evotomys*, *Sylvilagus*
Idionycteris, Tamaulipas, distr., 40:8
 phyllotis, Ariz., distr., hab., meas., 37:546
ignavus, see *Bradypus*
igniventris, see *Sciurus*
Illige, D. J., and Homer G. Erling:
 Unusual twin fawns in desert mule deer doe, 36:145
Illige, Denis:
 An analysis of the reproductive pattern of whitetail deer in south Texas, 32:411
illinoensis, see *Neotoma*
 Illinoian time:
 Bison, 40:567
 Illinois, 32:122; 33:491
 Citellus, 34:510
 Eptesicus, 39:292
 Geomys, 38:261
 Glaucomys, 37:294
 Lasiurus, 33:110; 37:280
 Martes, 39:153
 Mephitis, 34:157
 Mus, 34:154
 Myotis, 40:16
 Peromyscus, 34:154; 35:589; 38:53
 Pipistrellus, 40:524, 528, 529
 Procyon, 35:155
 Reithrodontomys, 38:522
 Sciurus, 34:154
 Spilogale, 38:261
 Sylvilagus, 40:443
 Illustration of:
 Alaskan fur seal skulls, 36:563; teeth, 38:312, 313, 314, 315, 317, 318
 Ammospermophilus, environment, 39:208
 Anechoic chamber, 32:65
 Aplodontia, uterus, ovary, 39:225
 Apodemus, habitat, 37:3, 4; wt., 39:482; movements, 39:486, 488, 491
 Arctic fox, feeding on walrus, 35:207
 Arctic ground squirrel, den, 40:611
 Arctocephalus, 31:179
 Artibeus, facial glands, 33:103
 Balaenoptera, 36:430; tympanic bones, 432
 Bassariscus, 33:380
 Bat faces, 35:151
 Bat glands, hist., 31:397, 398
 Bats, bacula, 36:98
 Beaver colonies, placement of, 34:460
 Beluga, pancreas, 38:187, 188
 Berardius, 34:99, 106, 107
 Bison, skull, 32:193; dentition, 35:454
 Blackfish, female with young, 36:426
 Bovidae, serological relationships, 39:557
 Brown rat showing frostbite, 37:183
 Cage for bats, 39:263
 Cage for small mammals, 40:618
 Cages for moles, 33:393
 Calculi, 32:141
 California sea lions, 32:17
 Callorhinus, 34:90, 91, 427
 Callorhinus territories:
 Distribution, 34:430
 Camelops, premaxilla, 36:279
 Canidae, dorsal tail gland, 33:424
 Capreolus, reproductive tracts of antlered does, 35:489
 Carcharodon, tooth, 40:617
 Castor, 33:483; skulls, 34:30, bacula, 35, cardiac gland, 206; uterus masculinus, 39:101
 Cheetah, galloping, 40:487, 490, 493; speed records, 40:483
 Chilonycteris, skulls, 36:111
 Citellus, burrows, 32:92, home range, 443, local distr., 447; nest and habitat, 34:337, nesting burrow, 342; approximate range, 40:26
 Clethrionomys, cruising ranges, 32:455
 Colony and den plans, 40:33, 35
 Columbian ground squirrel, characteristic poses, 40:29, habitat, 30

- Condylura, male reproductive organs, 32:38
 Corynorhinus, male reproductive organs, 33:281, testes cycle, 282, interstitial cells in male, 289, 307, ovarian cycle, 297, corpus luteum, 306, pelvis of female, 310
 Cotton rats, age and sex variation, 32:77
 Cougar and mule deer, 38:125
 Coyote, hair slope and mammae, 33:420
 Crocidura, dentition, 38:258
 Cryptotis, 33:241; weights, 39:510
 Cynomys, thoracic and abdominal viscera, 34:18, glands of neck, 19, lobes of lungs, lobes of liver, female urogenital system, 24, prostatic urethra and assoc. glands, 22, male urogenital system, 23; in cages and recognition contact, 36:72
 Cynopterus, 31:276
 Deer, activity and moon phase, 31:428; antler rudiment, 33:74; abnormal antlers and cryptorchid gonad, 37:232
 Dipodomys, locomotion, 32:157, 158, 163, 164; trapping area, 38:331
 Dung on Adak Island, 33:41, 42
 Elephant, tusks and skull, 38:244, 245
 Elephant seal, 32:17; 33:163
 Elk, plural canines, 32:112
 Ephedra community, 32:52, 53
 Eptesicus, cave habitat, 37:33
 Equipment for recording bladder emptying, 39:455
 Erethizon, os penis, 34:212, male urogenital tract, 214, penis, 215
 Euderma, 33:481
 Felis, 31:279
 Fur seal, genitalia, 31:385, 386, baculum, 387; rookery, abandoned, 33:162; harems, 34:427
 Geomys, local distr., 32:339
 Gerbillus, 35:247, skulls, 244
 Gerbillus and Meriones, cheekteeth, 35:245, 246
 Golden mouse, habitat, 35:17
 Gophers trapped on two areas, 38:266
 Gray fox, hair slope and mammae, 33:420, hair pattern, 421, cranial vibrissae, 422
 Gray seal, range, 38:304
 Gray squirrel, forefeet (X-ray), 32:111
 Grizzly, skull, 39:152
 Ground squirrels, capture location, 32:445; trap, 33:497; sections of testes, 40:47, 48
 Gulo, ovaries, 36:349, skull and baculum, 53
 Hair, scales of caribou, deer, elk, moose, 32:83
 Hamster, osteogenesis, 31:125; os genitale, 32:205
 Hare infected with ringworm, 37:97
 Herpestes, baculum, 34:439
 Hippopotamus damage, 34:304
 Horse, speed records, 40:483, sequence of footfalls, 485, galloping, 486, 490, 493
 House mice, seizure susceptibility in, 32:70
 Humerus of unknown talpid, 39:88
 Ictonyx, skin, 34:115
 Inia, 39:8
 Isodon, holes, 39:48
 Jack rabbit, innominate bone, 40:64
 Jaculus, 39:396
 Jamaican bats, inferred temporal range of, 33:175
 Javelina, scent gland, 37:247
 Jerboa skulls, 39:397
 Kogia, 32:404, 405, 406
 Lagurus, Meibomian glands, 40:21
 Lasiurus and Dasypterus, facial glands, 33:78, 79
 Lemmings, tunnels, 33:181; X-ray of dentary bones, 37:550; bifid claws, 38:128, activity, 221, 222
 Leptonycteris, distr., 38:455
 "Le Zorille" of Buffon, 34:115
 Liomys, teeth, 34:60, 62
 Live trap, 33:497; 39:287
 Liver showing cysts, 37:553
 Malabar squirrel, penis diagram, 35:478, glans penis and baculum, 479
 Man, speed records, 40:483, sequence of footfalls, 485
 Manatee, distr., 32:24
 Manis, female with baby and head, 37:534
 Map of Bahamas, 38:169
 Bernalillo Co., N. Mex., 38:493
 Churchill region, Manitoba, 38:99
 Glacier Park, Mont., 38:176
 Kodiak Island group, 39:575
 Trap grid, 40:131
 Marten, records in New York, 39:590
 Martes, skulls, 34:80
 Mephitis, mandible, 38:452, dentition, 453
 Mesembriomys, extra molar tooth, 33:71
 Mesopodion, lower mandibles, 34:241
 Mice, seizures, 32:66
 Microtus, bacula, 39:542
 Microtus, innominate bone, 32:217; diagram of home range, 34:348; ovarian follicles, 37:217, molt pattern, 251; teeth, 38:45; teeth and skull, 40:55
 Miller, Gerrit S., Jr., 35:316
 Mink, baculum, 32:45, 46; femurs, 35:498; femurs of known-age, 38:321, skull and pelvic girdles, 322
 Modified Young's trap, 38:532
 Mona monkeys, 36:447
 Mongoose in Hawaii, 33:339
 Moose, habitat, 39:133, 134
 Mule deer, antler abnormalities, 40:99, 100
 Mus, urinating posts, 34:502
 Mustela, jaw, 39:245
 Myosorex, molt in, 39:496, 497
 Myotis, wing, 32:397, uropatagium, 398;

- teeth, 37:59, molar, 61; distr., 38:16, sex ratios, 29, homing flights, 29, molt, 464
- Myotis and *Macrotus*, variability in temperature, 32:391
- Nasua preparing to feed, 38:264
- Natalid gland of bat, 35:149
- Natalid organ, 31:440
- Natalidae, ears, 31:440
- Nebraskomys, teeth, 38:42
- Neofiber, 33:88
- Neotoma, 34:184, teeth, 186; skull, 36:118; distr., 38:198
- Neurotrichus, male reproductive organs, 32:37
- Nimravides, skull and dentition, 39:370, 371
- Noctilio catching fish, 36:396
- Octodon and *Petromys*, teeth, 38:358
- Octodonts, skulls, 38:354, 355, 357
- Odocoileus, 32:278, variation in volume of testis, 413, breeding season, 418; heads and skulls, 36:202; locations of cutaneous glands, 40:114, photo-micrograph of tarsal and metatarsal glands, 117, 118, 120, photo-micrograph of interdigital gland, 121
- Ogmodontomys, teeth, 38:40, 42
- Ondatra, seasonal variation in endocrine and reproductive organs, 32:182, 183
- Opossum, distr. in Arizona, 33:466
- Os clitoridis, 35:360
- Otter, 32:3, 7, 8, bacula measurements 47, 48, 49
- Palm squirrel, diagram of penis, 35:475, glans penis and baculum, 477
- Pan, brain, 36:80
- Paradipoides, 33:100
- Perognathus, locomotion, 35:388, 389, leaping, 390; embryology, 38:208, testis, 209
- Peromyscus, local distr., 32:200; ovum, 33:7; baculum, 34:190; locomotion, 35:390; tail vertebrae, 38:214, 215, 217; development, 39:185, baculum, 598
- Phocoena, 38:265; skulls, 39:27
- Phocoenoides, 34:494
- Pika genitalia, 32:170
- Pizonyx, type locality, 35:84
- Pocket gopher, trap, 33:61, 62, 63; bacula, 39:446
- Porcupine quill, 36:87; range in Conn., 38:134
- Potorous, 39:47
- Press for making hair impressions, 32:81
- Procyon, teeth and lower jaw, 34:374
- Profile of plant cover and small mammal distribution, Alaska, 32:96
- Pygmy sperm whale, 36:264, skull, 265
- Raccoon, box trap, 35:441; foods, 32:424, 425; at feed station, 37:174
- Rangifer, distr. in Ontario, 32:331, abundance, Ontario, 335; trends in pop., Ontario, 336; glandular areas, 36:188, sections of glands, 190, vertical section of interdigital gland, 193, cross-sectioned apocrine tubules, 194, vertical sections of interdigital skin, 197, nerve fibers and endings in glandular areas, 198
- Rat burrows, 33:41, after poisoning, 42; uterus showing placental scars, 36:521; cross sections of uteri, 36:526
- Rattus, habitat, 31:155; skull, 33:192; distr., 35:522; distr., 39:192
- Rice rats, age and sex variation, 32:78
- Rodent cache, vegetative growth, 34:319
- Rodent habitats in New Caledonia, 34:169
- Rodents, tooth measurements, 38:224, 226, 229, 230, 231
- Rupicapra (colored pl.), 40:152
- Scalopus, teeth, 39:60
- Sciurus, color variation, 39:535
- Seals from Hokkaido and young, 35:220
- Sigmodon, habitat, 36:369
- Simia, 35:416
- Size of range of movement of animals related to trapping catch, 32:322
- Small mammal trap, 34:514
- Sorex, male reproductive organs, 32:39, 46; breeding season, 38:159, weights, 161
- Sotalia, 39:8, skull, 9
- Spalax, 39:387
- Spermophilus, molt, 39:94, 95
- Spilogale, skin, 34:115
- Squirrels, urogenital tracts and penis, 35:474, diagrams of urethra and colliculus seminalis, 480
- Subnivean live-trapping, 40:141
- Sylvilagus, weights, 38:236, testis, 238
- Synaptomys, molar pattern, 35:250; distr., 39:538, dentition, 539
- Tadarida, molt, 38:462; distr., 39:436, 437
- Tamias, model of burrow, 37:26
- Tamiasciurus, os genitale, 33:458
- Thermocouple for recording temperatures of mice, 32:123
- Thomomys, frequency distr., wts., 33:448, meas., 452; molt, 37:210; incisor growth, 39:383
- Trapping methods, 31:379
- Trichechus, skull, 34:195, skeletal parts, 197
- Tropical mammals, northern limit, 40:8
- Tursiops, skull, 33:386
- Urocyon, molar, 39:78
- Ursus, den, fecal plug, 35:34; skulls, 37:538
- Vulpes, distr., 32:298; M¹, 40:517
- Walrus carcass, 35:207
- Whitetail deer, abnormal antler development in female, ovaries of antlered doe, 35:491, antlers, 599
- Woodrat breeding, pen, 38:475
- Zapus, 32:352
- Ziphius, 34:250; 39:308

illuteus, *see* Hydromys

Imaizumi, Yoshinori, *see* Jones, J. Knox, Jr.

imberbis, *see* Strepsiceros

imitator, *see* Cebus

Impalla, 31:188

imperator, *see* Mammuthus

inas, *see* Rattus

inauris, *see* Erinaceus

incautus, *see* Myotis

Incisor procumbency, rodents, 38:223

Index, Journal of Mammalogy, 31:487, 32:
489, 33:513, 34:532, 35:625, 36:595, 37:
575, 38:554, 39:619, 40:645

India:

Cynopterus, 31:275

Funambulus, 35:471

Hipposideros, 31:274

Lyroderma, 40:439

Ratufa, 35:471

Vulpes, 40:515

Indiana:

Eptesicus, 34:122; 39:253, 438

Lasiurus, 33:110; 34:121; 37:280

Local list, 37:407, 543; 38:281, 282

Myotis, 39:586

Nycticeius, 34:121; 37:282

Pipistrellus, 40:524, 528

Scalopus, 40:181

Sylvilagus, 31:323

Tamiasciurus, 37:64

Vulpes, 35:504

indica, *see* Hystrix, Ratufa, Tatera

infernalis, *see* Baiomys, Reithrodontomys

infulata, *see* Cebus, Callithrix

infumata, *see* Dactylopsila

ingens, *see* Dipodomys, Mustela

Ingles, Lloyd G.:

Observations on Barro Colorado Island
mammals, 34:266

Observations on behavior of the coatimundi,
38:263

ingrahami, *see* Capromys, Geocapromys

Inia geoffrensis, Brazil, hab., 39:1

Injury of:

Cervus, 37:129

Glaucomys, 37:122

innuitus, *see* Alopex

inornata, *see* Petrogale

inornatus, *see* Perognathus

insidiosa, *see* Hystrix

insidiosus, *see* Coendou

insignis, *see* Lariscus, Napaeozapus

insularis, *see* Didelphis

Intelligence of:

Blarina, 31:287

Cynocephalus, 31:270

Globicephala, 33:324

Manatee, 32:31

Tursiops, 35:225

Interbreeding, 40:572

Intergradation of:

Giraffa, 40:251

Liomys, 35:73

Martes, 34:74

Ochotona, 35:450

Peromyscus, 35:561

Sciurus, 36:293

Synaptomys, 36:1

Tamiasciurus, 35:90

Taxidea, 35:388

Vulpes, 40:516

interior, *see* Lutra, Myotis

intermedius, *see* Corynorhinus, Dasypterus,

Lagurus, Perognathus, Phenacomys

interpres, *see* Citellus

Interrelations among:

Microtus, 34:480

Mus, 34:174

Ondatra, 34:480

Oryzomys, 34:480

Rattus, 34:174

interrupta, *see* Spilogale

Interspecific relationships of Dipodomys, 32:
54

Introduction of:

Chinchilla, 36:302

Dama, 36:47

Didelphis, 33:464

Herpestes, 33:352; 34:436; 36:62

Martes, 40:451

Myocastor, 34:512; 36:465

Odocoileus, 33:371

Red fox, 40:514

Iowa, 32:218

Didelphis, 31:331

Local list, 36:121, 123

Myotis, 38:514

Odocoileus, 37:457; 40:148

Pipistrellus, 40:527

Red fox, 40:515

Sylvilagus, 31:326

iowae, *see* Taxidea

Iran:

Vulpes, 40:515

Iraq:

Allactaga, 39:396

Jaculus, 39:395

Local list, 37:257, 417

Spalax, 39:386

Ireland:

Vulpes, 40:515

irravadicus, *see* Hippopotamus

irrectus, *see* Geocapromys

irremotus, *see* Canis

irroratus, *see* Liomys

irus, *see* Macacus

Irving, Laurence, John Krog, Hildur Krog
and Mildred Monson:

Metabolism of varying hare in winter, 38:
527

Ischyromyidae, tax., 36:165

- Isolobodon, Haiti, distr., 36:109
 Isoodon macrourus, wt., 33:117
 obesula, wt., 33:117; Tasmania, hab., distr., 39:46
 isthmica, *see* Marmosa
 isthmicus, *see* Potos
 Ivey, R. DeWitt:
 Ecological notes on the mammals of Bernalillo County, New Mexico, 38:490
 The mammals of Palm Valley, Florida, 40:585
 Iwen, Frank A.:
 Another Wisconsin record of the prairie spotted skunk, 39:296
 Hoary bat the victim of a barbed wire fence, 39:438

J

- Jackal, black-backed, 31:186
 Jackrabbit, black-tailed, 32:54, 292; 38:419, 481, 485, Texas, 493
 Jackson, Hartley H. T.:
 (Review) Wallace Byron Grange, The way to game abundance, 31:467
 (Review) Frank G. Ashbrook, Raising small animals for pleasure and profit, 33:400
 Wolverine (*Gulo luscus*) specimens from Wisconsin, 35:254
 The status of *Eutamias minimus jacksoni*, 38:518
 Sorex arcticus at Maugerville, New Brunswick, 40:609
 Jackson, Hartley H. T., *see* Young, Stanley P.
 Jackson, William B.:
 Food habits of Baltimore, Maryland cats in relation to rat populations, 32:458
 Use of nest boxes in wood mouse population studies, 34:505
jacksoni, *see* *Alcelaphus*, *Taxidea*
 Jacobs, G. J.:
 Blood values of two American carnivores, 38:261
jaculus, *see* *Jaculus*
Jaculus jaculus loftusi, Iraq, anat., 39:395
 Jaeger, Edmund C.:
 The coyote as a seed distributor, 31:452
 Jaguar, 33:390
 Jaguarundi, 38:515
 Jalisco:
 Local list, 32:120
jalorensis, *see* *Rattus*
 Jamaica, 33:171
 Tadarida, 36:106
jamaicensis, *see* *Artibeus*
 James, Douglas, *see* Sealander, John A.
 James, William B.:
 The Merriam shrew in Washington State, 34:121
 Jameson, E. W., Jr.:
 The external parasites of the short-tailed shrew, *Blarina brevicauda* (Say), 31:138
 Determining fecundity in male small mammals, 31:433
 Local distribution of white-footed mice, *Peromyscus maniculatus* and *P. boyleyi*, in the northern Sierra Nevada, California, 33:197
 Food of deer mice, *Peromyscus maniculatus* and *P. boyleyi*, in the northern Sierra Nevada, California, 33:50
 Reproduction of deer mice (*Peromyscus maniculatus* and *P. boyleyi*) in the Sierra Nevada, California, 34:44
 (Review) Lowell Sumner and Joseph S. Dixon, Birds and mammals of the Sierra Nevada, 34:519
 Insects in the diet of pocket mice, *Perognathus parvus*, 35:592
 Some factors affecting fluctuations of *Microtus* and *Peromyscus*, 36:206
 Observations on the biology of *Sorex trowbridgei* in the Sierra Nevada, California, 36:339
 Janes, Donald W.:
 Body temperature of the eastern cottontail, 38:137
 Japan:
 Apodemus, 37:272
 Berardius, 34:106, 111
 Lagenorhynchus, 34:488
 Lissodelphis, 34:488
 Mesoplodon, 34:243
 Microtus, 34:345
 Miniopterus, 37:272
 Myotis, 37:272
 Phoca, 35:218
 Phocoenoides, 34:488; 39:441
 Rattus, 37:272
 Ursus, 35:128
 Whale, 35:124
 Jarosy, J. A., *see* Gunderson, H. L.
 Javelina, 34:270; 36:146; 37:246
 Jaynes, Julian, *see* Beach, Frank A.
 Jellison, William L.:
 A beaked whale, *Mesoplodon* sp., from the Pribilofs, 34:249
 Jenkins, James H., *see* Schantz, Viola S.
 Jenkins, James H., and David W. Johnston:
 Additional records of the jumping mouse, *Zapus hudsonius*, from Georgia, 31:461
 Jennings, William L.:
 Polydactyly in the eastern pipistrel, 39:437
 Jennings, William L., and James N. Layne:
 Myotis sodalis in Florida, 38:259
 Jensen, Jens A., *see* Constantine, Denny G.
 Jentinkia, Veracruz, distr., 40:9
 **sumichrasti latrans*, Guerrero, orig. desc., 39:353
 Jerboa, 39:395
 Jewett, Stanley G.:
 Free-tailed bats, and melanistic mice in

- Oregon, 36:458
- Johnson, David H.:
Myotis subulatus leibii in Virginia, 31:197
 The occurrence and significance of extra molar teeth in rodents, 33:70
 The status of *Nycticebus coucang brachycephalus* Sody, 33:115
 An early record of a marsupial in Ceylon, 37:274
- Johnson, David H., *see* Miller, Gerrit Smith
- Johnson, Murray L., and Leo K. Couch:
 Determination of the abundance of cougar, 35:255
- Johnson, Murray L., and Burton T. Ostenson:
 Comments on the nomenclature of some mammals of the Pacific Northwest, 40:571
- Johnson, Ned K.:
 New mammal records for Nevada, 35:577
- Johnston, David W., *see* Jenkins, James H.
- Johnston, Richard F.:
 Adaptation of salt marsh mammals to high tides, 38:529
- Johnston, Richard F., and Robert L. Rudd:
 Breeding of the salt marsh shrew, 38:157
- johnstoni, *see* *Cercopithecus*, *Okapia*
- jolonensis, *see* *Dipodomys*
- Jones, Dale A., *see* Robinette, W. L.
- Jones, Fred L.:
 A low altitudinal record of the Sierra Nevada pine marten, 36:568
 Records of southern wolverine, *Gulo luscus luteus*, in California, 36:569
 Southern extension of the range of the pigmy rabbit in California, 38:274
- Jones, Fred L., *see* Beauchamp, Don E.
- Jones, J. Knox, Jr.:
 Another record of a swimming jumping mouse, 31:453
- Jones, J. Knox, Jr., *see* Fichter, Edson
- Jones, J. Knox, Jr., and Sydney Anderson:
 Noteworthy records of harvest mice in Mexico, 39:446
- Jones, J. Knox, Jr., and Albert A. Barber:
 Home ranges and populations of small mammals in central Korea, 38:377
- Jones, J. Knox, Jr., and Yoshinori Imaizumi:
 Mammals from Sado Island, Japan, with comments on the status of *Apodemus argenteus*, 37:272
- Jones, J. Knox, Jr., and Richard B. Loomis:
 Records of the short-tailed shrew and least shrew from Colorado, 35:110
- Jones, J. Knox, Jr., and Robert L. Packard:
Myotis keenii septentrionalis in South Dakota, 39:150
- Jones, J. Knox, Jr., and Terry A. Vaughan:
 The evening bat in Nebraska, 40:246
- Jones, J. Knox, Jr., and Olin L. Webb:
Myotis thysanodes thysanodes in Idaho, 34:122
- Jones, T. S.:
 Bat records from the islands of Grenada and Tobago, British West Indies, 32:223
- Jones, Victor E., *obit.*, 31:376
- Jordan, James S.:
 Notes on a population of eastern flying squirrels, 37:294
- jubata, *see* *Eumetopias*, *Myrmecophaga*, *Otaria*
- jubatus, *see* *Acinonyx*
- Judd, W. W.:
 Mammal host records of Acarina and Insecta from the vicinity of Hamilton, Ontario, 31:357
 Mammals observed in the Yukon Territory, Canada, in the summer of 1949, 31:360
 Mammal host records of Acarina and Insecta from the vicinity of London, Ontario, 34:137
 Gray squirrels feeding upon samaras of elm, 36:296
- Justice, Keith E.:
 The pigmy mouse in southeastern Arizona, 38:529
- Justice, Keith E., and William J. Schaldach:
 Dacron as a filling material for small mammal skins, 39:158

K

- kachensis, *see* *Taphozous*
- Kalmbach, E. R.:
 Trout encounters porcupine, 34:511
- Kangaroo rat, 33:493
- Bannertail, 38:496
- Merriam, 33:494; 38:496
- Ord, 33:493
- Ord's, 38:496
- Kansas, 32:229, 351; 33:24, 379
- Antrozous, 36:379
- Armadillo, 33:24
- Corynorhinus, 36:379
- Didelphis, 35:39
- Eptesicus, 36:379
- Lasiurus, 37:111
- Megalonyx?, 34:376
- Microtus, 35:45
- Mustela, 36:292
- Myotis, 36:379; 38:465; 40:440
- Neotoma, 35:46
- Odocoileus, 34:376
- Peromyscus, 35:42, 367; 38:212
- Pipistrellus, 40:525
- Procyon, 34:373
- Reithrodontomys, 35:45
- Sigmodon, 38:416
- Sylvilagus, 35:47; 38:137
- Synaptomys, 35:249
- Tadarida, 38:463
- Taxidea, 31:91, 346; 34:388
- Thomomys (foss.), 37:540
- Zapus, 35:42

- *kansensis, *see* Taxidea
 karagan, *see* Vulpes
 Karlson, Eskril L.:
 A new type of cage for recording daily activity rhythms of small mammals, 31:416
 Karpuleon, Fay:
 Food habits of Wisconsin foxes, 39:591
 kayi, *see* Cryptoryctes
 Keener, H. A., *see* Teeri, A. E.
 keenii, *see* Myotis
 Keith, Lloyd B., *see* Rowan, Wm.
 kelloggi, *see* Cynodesmus, Thomomys
 Kelly, Arthur L., and Lawrence R. Penner:
 Spirocerca from the snow leopard, 31:462
 Kelly, Arthur L., Lawrence R. Penner, and Rawson J. Pickard:
 Sarcocystis in the moose, 31:462
 Kelson, Keith R.:
 Fluctuations in population of small mammals in Utah, 32:113
 (Review) Emmet T. Hooper, A systematic review of the harvest mice (genus Reithrodontomys) of Latin America, 34:398
 Kennerly, Thomas E., Jr.:
 The baculum in the pocket gopher, 39:445
 kennicotti, *see* Citellus, Colobotis, Spemophilus
 Kentucky, 33:398
 Canis, 35:256
 Cryptotis, 31:360
 Eptesicus, 31:457
 Lasiurus, 36:454
 Local list, 32:101; 38:140
 Microsorex, 37:438
 Microtus, 31:360
 Myotis, 31:350, 457; 37:546; 38:515
 Peromyscus, 31:360; 34:130; 35:16
 Pipistrellus, 31:457; 40:525
 Pitymys, 31:360; 37:121
 Rattus, 37:110
 Sorex, 37:110
 Sylvilagus, 31:323, 360
 Synaptomys, 37:413
 Kenya:
 Giraffa, 40:251
 Kenyon, Karl W.:
 Diving depths of the Steller sea lion and Alaska fur seal, 33:245
 A bottlenose dolphin from the California coast, 33:385
 Kenyon, Karl W., and Ford Wilke:
 Migration of the northern fur seal, Callorhinus ursinus, 34:86
 Key to:
 Ontario genera of Cervidae, 32:83
 kiboko, *see* Hippopotamus
 Kilham, Lawrence:
 Mother and young of Sorex cinereus fontinalis in captivity, 32:115
 Grey squirrels born and raised in captivity, 34:509
 Cow-pasture nests of Cryptotis parva parva, 35:252
 Territorial behaviour of red squirrel, 35:252
 Territorial behavior in pikas, 39:307
 Red squirrels feeding at sapsucker holes, 39:596
 Killpack, Merlin L.:
 A golden mantled squirrel's race for life, 34:131
 Notes on the thirteen-lined ground squirrel in Utah, 36:296
 Killpack, Merlin L., *see* Hayward, C. Lynn
 King, John A.:
 The subspecific identity of the Black Hills flying squirrels (Glaucomys sabrinus), 32:469
 Maternal behavior and behavioral development in two subspecies of Peromyscus maniculatus, 39:177
 Kinghorn, Robert G., *see* Hunter, Gilbert N.
 Kinghorn, Robert G., and Lee E. Yeager:
 Plural canines in elk, 32:112
 Kinkajou, 35:102; 38:263, 279
 kinneari, *see* Rhinopoma
 Kinney, Alva R., Dean H. Ecke, and Virgil I. Miles:
 Modification of a live-catch rodent trap to protect small mammals, 38:531
 Kinney, Alva R., *see* Ecke, Dean H.
 kirkii, *see* Rhynchotragus
 Kirkpatrick, Charles M.:
 Crow predation upon nestling cottontails, 31:322
 Coprophagy in the cottontail, 37:300
 Kirkpatrick, Charles M., *see* Hoffman, Roger A.
 see Provost, Ernest E.
 Kirkpatrick, Ralph D., *see* Neal, Bobby J.
 kirtlandi, *see* Blarina
 Kitts, David B.:
 Nimravides, a new genus of Felidae from the Pliocene of California, Texas, and Oklahoma, 39:368
 Kivert, Alan, *see* Frings, Hubert
 Klein, Harold G.:
 Inducement of torpidity in the woodland jumping mouse, 38:272
 Klimstra, W. D.:
 An additional record of Reithrodontomys in Illinois, 38:522
 Kline, Paul D.:
 Additional mule deer records for Iowa, 40:148
 Klipspringer, 31:188
 Knepton, James C., Jr.:
 The occurrence of Tamias striatus in Georgia, 36:136
 kob, *see* Adenota

- Kob, Uganda, 31:188
 White-eared, 31:188
- Kobus defassa harnieri, Africa, 31:188
 defassa ugandae, Africa, 31:188
 ellipsiprymnus ellipsiprymnus, Africa, 31:188
 leche, Africa, 39:581
- Kodiak Islands:
 Local list, 39:574
- Koford, Carl B.:
 New rodent records for Chile and for two Chilean provinces, 36:465
- Koford, Mary K., *see* Pearson, Oliver P.
- Kogia breviceps, Calif., distr., 32:403, illus., 404, 405, 406, 409; 33:332; Texas, anat., hab., 36:263; Ga., misc., 40:452
 floweri, 32:403
- kolbi, *see* Cercopithecus
- Koopman, Karl F.:
 Fossil bats from the Bahamas, 32:229
 The status of the bat genus *Reithronycteris*, 33:255
 A new subspecies of *Chilonycteris* from the West Indies and a discussion of the mammals of La Gonave, 36:109
 Bats from San Luis Potosi with a new record for *Balantiopteryx plicata*, 37:547
 Does *Pygoderma* occur in North America?, 39:584
 The zoogeographical limits of the West Indies, 40:236
 (Review) Philip Hershkovitz, A geographic classification of Neotropical mammals, 40:258
- Koopman, Karl F., Max K. Hecht, and Emanuel Ledecy-Janecek:
 Notes on the mammals of the Bahamas with special reference to the bats, 38:164
- Koopman, Karl F., and Paul S. Martin:
 Subfossil mammals from the Gómez Farias region and the tropical gradient of eastern Mexico, 40:1
- Korea:
 Apodemus, 37:1; 38:374
 Crocidura, 38:390, 391
 Eutamias, 38:390
 Local list, 38:376
- korrigum, *see* *Damaliscus*
- Korschgen, Leroy J.:
 December food-habits of mink in Missouri, 39:521
- Koster, William J., and Ronald R. Clothier:
 The dwarf shrew, *Sorex nanus*, in New Mexico, 33:250
- koupara, *see* *Canis*
- Kramer, Raymond J.:
 Adult brown bears climb trees, 39:588
- Kritzler, Henry:
 Observations on the pilot whale in captivity, 33:321
- Kritzler, Henry, *see* McBride, Arthur F.
- Krog, John:
 Storing of food items in the winter nest of the Alaskan ground squirrel, *Citellus undulatus*, 35:586
- Krog, John, *see* Irving, Lawrence
- Krogsdale, Joanne T., *see* McNeil, Charles W.
- Krutzsch, Philip H.:
 Carnivorous behavior in the big brown bat, 31:96
 Supernumerary molars in the jumping mouse (*Zapus princeps*), 34:265
 Notes on the habits of the bat, *Myotis californicus*, 35:539
 Observations on the Mexican free-tailed bat, *Tadarida mexicana*, 36:236
 Observations on the California mastiff bat, 36:407
 Ectoparasites from some species of bats from western North America, 36:457
 Variation in the os penis of tropical fruit bats, 40:387
- Krutzsch, Philip H., *see* Vaughan, Terry A.
- Krutzsch, Philip H., and Caroline A. Heppenstall:
 Additional distributional records of bats in Utah, 36:126
- Krutzsch, Philip H., and A. H. Hughes:
 Hematological changes with torpor in the bat, 40:547
- Krutzsch, Philip H., and S. Edward Sulkin:
 The laboratory care of the Mexican free-tailed bat, 39:262
- Krutzsch, Philip H., and Terry A. Vaughan:
 Additional data on the bacula of North American bats, 36:96
- Kudu, Greater, 31:189
 Lesser, 31:189
- kuhlii, *see* *Macroxus*, *Pipistrellus*
- Kuns, Merle L., and Richard E. Tashian:
 Notes on mammals from northern Chiapas, Mexico, 35:100
- Kuroda, Nagahisa, *see* Wilke, Ford

L

- labialis, *see* *Noctilio*
- labiatus, *see* *Dicotyles*
- Laboratory observations of:
 Rattus, 31:293
- Laboratory use of:
 Lynx, 37:548
- Labrador, 32:1
 Canis, 39:570
 Cystophora, 35:105
 Gulo, 39:570
 Phoca, 34:254; 35:105
 Rangifer, 39:560
- laceianus, *see* *Peromyscus*
- Lactation in:
 Corynorhinus, 33:309
 Herpestes, 34:445
- Ladd, William Sargent, obit., 31:119

- Lagenorhynchus acutus*, Mass., hab., distr., anat., 37:128
obliquidens, Mexico, hab., 34:398, Japan, anat., hab., meas., 488; Calif., dis., hab., wt., 37:311; 40:454
Lagidium viscacia viscacia, 40:339
lagochilus, *see* *MacroGLOSSUS*
lagopus, *see* *Alopex*
Lagurus, anat., 40:399
 curtatus, anat., 39:542
 curtatus curtatus, Utah, tax., 36:270; anat., comp., tax., 40:20
 curtatus intermedius, Utah, tax., 36:270; anat., comp., tax., 40:20
 curtatus levidensis, Utah, 32:114; Utah, tax., 36:270; anat., comp., tax., 40:20, Wyo., hab., 379
 **curtatus orbitus*, Utah, orig. desc., tax., hab., gen., anat., 36:270; anat., comp., 40:20
 curtatus pallidus, Utah, tax., 36:270; anat., comp., tax., 40:20
 curtatus pauperrimus, Wash., 34:121; Utah, tax., 36:270; anat., comp., tax., 40:20
 lagurus, anat., comp., tax., 40:20
 luteus, anat., 39:542
lagurus, *see* *Lagurus*
Lama glama longev., 38:279
lanata, *see* *Didelphys*, *Mustela*
lanatus, *see* *Caluromys*
landesi, *see* *Synaptomys*
Landry, Stuart O., Jr.:
 Factors affecting the procumbency of rodent upper incisors, 38:223
 The relationship of *Petromys* to the *Octodontidae*, 38:351
Landry, Stuart O., Jr., *see* Conaway, Clinton
Lange, Arthur L.:
 Woodchuck remains in northern Arizona caves, 37:289
Lange, Kenneth I., and John R. Mikita:
 Mammal remains from owl pellets in Arizona, 40:607
langheldi, *see* *Papio*
Langsdorffii, *see* *Sciurus*
laniger, *see* *Mustela*
lar, *see* *Hylobates*
laricorum, *see* *Sorex*
Lariscus insignis, Malaya, hab., 31:342
Larrison, Earl J., *see* Higman, Harry W.
Larthe, Yvonne:
 Dyes suitable for use in studies of rat movements, 39:450
larvata, *see* *Didelphis*
Lasionycteris noctivagans, S. C., 31:84, Ontario, par., 358; Manitoba, 32:222, Ore., 346; W. Va., distr., hab., meas., wt., 34:499; Utah, distr., 36:126, Mass., hab., 399; Va., hab., 37:111, Minn., hab., 282, Atlantic Ocean, hab., 442; N. Mex., distr., 38:493; Wyo., hab., 40:374
lasiura, *see* *Crocidura*
Lasiurus, pel., 31:350; 32:229; as food, 35:61
 borealis, S. C., hab., 31:190, Calif., hab., 457; anat., 33:77, 111; Nev., distr., 35:578; Mass., wt., hab., 36:399, Ky., hab., wt., 454; Wis., 37:279, W. Va., Ind., Ill., Mo., hab., 280, Atlantic Ocean, hab., N. Y., hab., 442; Bahamas, misc., 38:167; dis., 39:262; Quintana Roo, 40:237, anat., 394
 borealis borealis, S. C., 31:84, hab., 349; Ky., 32:103, W. Va., 369; Tenn., 33:365; Okla., 34:118, Ind., distr., 121; Ark., syn., 35:584; Ohio, hab., 36:101; N. Y., distr., hab., 37:395, Ind., distr., hab., 407, Ind., distr., hab., meas., wt., 543; Bahamas, misc., 38:167; Ga., ecol., distr., 39:64
 borealis minor, Bahamas, misc., 38:167
 borealis seminolus, hab., tax., status, 31:190; Fla., 40:586
 borealis teliotis, temp., 32:401; Calif., hab., habitat, roosts, as prey, 40:13
 cinereus, Calif., hab., 31:456; 33:110, 113; Okla., as food, 34:118, Ind., distr., 121; Minn., hab., Fla., 35:116, Md., dis., 253, Nebr., distr., 429, Ark., distr., 430, Calif., distr., hab., 430, 431; Minn., hab., wt., 36:130, N. Y., distr., wt., 455; Kan., distr., 37:111, Fla., wt., distr., 281; Tex., distr., 38:514; Wis., accident, dis., 39:262, 438; distr., comp., 40:5, Bermuda, Iceland, distr., 246, Wyo., hab., 374
 cinereus cinereus, Calif., hab., 34:256; Ind., distr., hab., 37:407; Ky., distr., 38:149; Nebr., 39:147; Calif., hab., habitat, roosts, 40:15, Tex., 442
 cinereus villosissimus, Paraguay, distr., 36:130
 minor, Bahama, misc., 38:167
 seminolus, S. C., 31:84, hab., tax., status, S. C., 190, Fla., 313; Fla., distr., 34:134; Ark., distr., 35:584; Ga., wt., hab., 36:399, N. Y., distr., wt., 453, N. C., distr., 453; Bahamas, misc., 38:167; Ga., ecol., distr., 39:64, Okla., distr., 587
 semotus, Hawaii, hab., 31:455
lataxina, *see* *Lutra*
lateralis, *see* *Citellus*
Latham, Roger M.:
 Simple method for identification of least weasel, 34:385
 Hairless squirrels, 36:136
laticaudatus, *see* *Rhinosciurus*
laticeps, *see* *Oryzomys*
latifrons, *see* *Bison*
latimanus, *see* *Scapanus*
latirostris, *see* *Trichechus*
latrans, *see* *Canis*, *Jentinkia*
laucha, *see* *Calomys*
Laucha, *see* *Mus*
Laurie, E. M. O., and J. E. Hill:

- Renaming of *Miniopterus australis minor*
Laurie and Hill, 38:128
- Lawrence, Barbara, and William E. Schevill:
Tursiops as an experimental subject, 35:225
- Lay, George B., obit., 31:119
- layardi, *see* *Mesoplodon*
- Laycock, William A.:
Seasonal periods of surface inactivity of the
pocket gopher, 38:132
- Layne, James N.:
The use of the tail by an opossum, 32:464
The os genitale of the red squirrel, *Tamiasciurus*, 33:457
The os clitoridis of some North American
Sciuridae, 35:357
(Review) James Gray, How animals move,
35:464
Seminole bat, *Lasiurus seminolus*, in cen-
tral New York, 36:453
Homing behavior of chipmunk in central
New York, 38:519
Observations on freshwater dolphins in the
upper Amazon, 39:1
- Layne, James N., *see* Jennings, William L.
- Layne, James N., and Allen H. Benton:
Some speeds of small mammals, 35:103
- Layne, James N., and Glen F. Woolfenden:
Gray squirrels feeding on insects in car
radiators, 39:575
- leachi, *see* *Glossophaga*
- Le Blanc, J. S.:
Rearing of lemmings at Fort Churchill,
Manitoba, 37:447
- leche, *see* *Adenota*, *Kobus*
- Lechleitner, R. R.:
Age criteria in mink, *Mustela vison*, 35:496
Least weasel in Glacier National Park, 35:
594
Reingestion in the black-tailed jack rabbit,
38:481
An extra molar in *Erethizon*, 39:447
Sex ratio, age classes and reproduction of
the black-tailed jack rabbit, 40:63
- Lechwe, 39:581
Nile, 31:188
- Ledecky-Janecek, Emanuel, *see* Koopman,
Karl F.
- Lee, Joshua A.:
Range of *Peromyscus eremicus eremicus* in
Nevada, 35:450
- Lee, M. Raymond, *see* Dearden, Lyle C.
see Durrant, Stephen D.
- Legend:
Indian, 39:452
- Leggadina delicatula delicatula, wt., 33:118
- Lehman, V. W., *see* Hightower, B. G.
- leibi, *see* *Myotis*
- leibii, *see* *Myotis*
- lemanensis, *see* *Rhinolophus*
- Lemke, C. W.:
An unusually late pregnancy in a Wiscon-
sin cottontail, 38:275
- Lemming, 32:93; 33:437; 35:105; 36:356
Bog, 32:108; 34:233; 36:293; 39:537; 40:
403
Brown, 31:466; 33:180, 479; 36:254; 38:
112
Collared, 31:466; 32:93; 33:180, 479; 35:
376; 36:254; 39:291
Greenland collared, 37:447
Northern bog, 38:112
Southern bog, 36:1
Varying, 37:549; 38:112, 127, 218; 40:205
- Lemmini, phylogeny of, 39:551
- Lemmiscus, tax., 40:24
- Lemmus, 33:437; tax., 40:25, anat., 399
Arctic, hab., 35:105
helvolus, 32:206
trimucronatus, Manitoba, distr., 36:123, N.
W. Terr., distr., 254; anat., 39:542;
Alas., 40:608
trimucronatus alascensis, Alas., 31:466;
Alas., 32:93; Alas., 33:180, 479; anat.,
36:356
trimucronatus trimucronatus, Manitoba,
distr., 38:112
- Lemur, 31:150
Flying, 31:269, 345
fulvus, 31:151
macaco, 31:150
mongoz, 31:150
- Lemuridae, 40:595
- Lensink, Calvin J.:
Occurrence of *Microtus xanthognathus* in
Alaska, 35:259
Deformed jaw in an Alaskan brown bear
(*Ursus*), 35:438
- leo, *see* *Panthera*
- Leonard, Robert G., *see* Sealander, John A.
- leonardi, *see* *Neofiber*
- Leone, Charles A., and Alvin L. Wiens:
Comparative serology of carnivores, 37:11
- Leopard, 31:187
Snow, 31:462; 38:279
- Leopold, A. Starker:
Dichotomous forking in the antlers of
white-tailed deer, 35:599
- lepida, *see* *Neotoma*
- lepidus, *see* *Cercopithecus*, *Hesperomys*, *Na-
talis*, *Nyctellus*
- Leporidae (as food), 35:59
- leporinus, *see* *Noctilio*
- lepta, *see* *Mustela*
- Leptarctus oregonensis, tax., 38:452
primus, tax., 38:452
progressus, tax., 38:452
- Leptonycteris curasoae, Curaçao, 40:238
nivalis, Coahuila, Tex., 40:11, Curaçao, 238
nivalis curasoae, Netherlands Antilles, tax.,
distr., 38:460
nivalis longala, Tex., Mexico, tax., distr.,
38:459

- nivalis nivalis*, 33:236; Mexico, anat., tax., 35:68; Mexico, distr., 38:5; Tex., Guatemala, Mexico, distr., 38:454; tax., 38:458
**nivalis sanborni*, Ariz., Mexico, tax., distr., orig. descr., 38:456
nivalis yerbabuenae, 33:236
leptostomus, *see* *Megalonyx*
leptura, *see* *Saccolpteryx*
Lepus, hab., 31:257; comp., 34:294; as fd., 35:111; as fd., 37:351; as fd., 39:528
alleni, Ariz., distr., 40:250
americanus, Mich., hab., 31:193, gest. per., 357, Mich., 359, Yukon Terr., 361; Ore., 32:349, Mich., 471; 33:433, Wis., 434, prey, 436, Alas., 479; Alas., phys., 36:362; Mont., dis., 37:94, Alas., phys., 375; Colo., as prey, escape, 38:517; Mich., 39:149, Prince Edward I., 292; Ore., gen., 40:138, Alberta, wt., 221, N. Mex., 336, Mich., hab., par., 250, 593
americanus bairdi, Colo., 32:283; Colo., distr., 34:239; Wyo., hab., 40:379
americanus dalli, Alas., 31:466
americanus macfarlani, Alas., metabolism in winter, 38:527
americanus phaeonotus, Conn., par., 35:458; Manitoba, wt., phys., hab., 37:64
americanus seclusus, syn., 40:145
**americanus setzeri*, new name, 40:145
americanus tahoensis, Nev., distr., 35:578
americanus virginianus, N. Y., gen., wt., N. H., hab., 35:122
arcticus, N. W. Terr., wt., distr., 36:254
californicus, Calif., 32:54; Tex., par., 34:269; anat., 37:453; Tex., habitat, 40:83, 92, anat., 396, Colo., anat., 442, Calif., misc., 443
californicus bennettii, Calif., 40:444
californicus californicus, Calif., sex ratio, age classes, reprod., sex criteria, wt., age ratios, anat., mortality, 40:63
californicus deserticola, Calif., 31:4; Utah, 32:114; Utah., par., 38:485
californicus eremicus, gest. per., 31:357; 32:292
californicus melanotis, S. D., distr., 38:419
californicus texianus, N. Mex., distr., hab., 38:493
callotis, Mexico, 35:77; Guerrero, distr., 39:360
europaeus, Ontario, par., 34:138; reingestion, 38:482; reprod., 40:75, 92
minimus (= *Cavia porcellus*), 40:340
othus, Alas., 32:98
timidus seclusus, syn., 40:145
townsendi, 40:92
townsendi campanius, Iowa, distr., 36:121
townsendi townsendi, Calif., 31:4; Colo., 32:283; Wyo., hab., 40:379
lestes, *see* *Canis*
letifera, *see* *Mustela*
leucas, *see* *Delphinapterus*
leucocephalus, *see* *Peromyscus*
 Leucocyte counts:
 Myotis, 40:552, 553
 Tadarida, 40:552
leucodon, *see* *Crociodura*, *Spalax*, *Thomomys*
leucogaster, *see* *Hesperomys*, *Onychomys*
leucomus, *see* *Artibeus*
leucopus, *see* *Peromyscus*, *Rattus*
leucotis, *see* *Adenota*, *Sciurus*
leucura, *see* *Hystrix*
leucurus, *see* *Ammospermophilus*, *Citellus*, *Cynomys*
levidensis, *see* *Lagurus*
levipes, *see* *Peromyscus*
lewisi, *see* *Peromyscus*
 Libby, Wilbur L.:
 Observations on beaver movements in Alaska, 38:269
 Records of the pika in the Tanana Hills, Alaska, 39:448
 The distribution of some small mammals in eastern interior Alaska, 40:607
 Liberia, 32:118
liberiensis, *see* *Choeropsis*
 Lidicker, William Z., Jr., *see* Davis, Wayne H.
 Liers, Emil E.:
 Notes on the river otter (*Lutra canadensis*), 32:1
 Early breeding in the river otter, 39:438
 Life history of:
 Cynocephalus, 31:269
 Didelphis, 31:331
 Herpestes, 33:335
 Lynx, 31:327
 Neotoma, 33:459
 Rattus, 31:293
 Life span of:
 Dipodomys, 37:124
 Lynx, 36:290
 Ovibos, 35:456
 Procyon, 35:439
 Sorex, 36:323, 339
 Life zones:
 Citellus, 36:273
 Mustela, 32:281
 New Mexico (local list), 38:491
 New York, 35:579
 Light effect:
 Antilocapra, 35:533
 Blarina, 36:564
 Citellus, 34:338
 Cynomys, 36:69
 Microtus, 36:564
 Mustela, 36:564
 Peromyscus, 36:564
 Sorex, 36:564
lilium, *see* *Sturnira*
limicola, *see* *Reithrodontomys*
 "Lincoln Index," method, 31:382

- Lindeborg, Robert G.:
 An adaptation of breeding *Peromyscus maniculatus bairdii* females to available water, and observations on changes in body weight, 31:74
- Lindsay, Dwight M.:
 Additional records of *Nycticeius* in Indiana, 37:282
 Some bat records from southeastern Indiana, 37:543
- Lindt, Chester C.:
 Underwater behavior of the southern sea lion, *Otaria jubata*, 37:287
- Lindt, Chester C., *see* Ryckman, Raymond E.
- lineata*, *see* *Phocoena*
- lineatus*, *see* *Phyllostomus*, *Sciurus*, *Vampyrus*
- Linsdale, Jean M., and Lloyd P. Tevis, Jr.:
 A five-year change in an assemblage of wood rat houses, 37:371
- Liodontia, Nev., foss., 39:87
- Liomys irroratus*, Mexico, 32:120; 33:97;
 Tamaulipas, Tex., distr., 40:6, 9, 10
irroratus minor, Mexico, tax., hab., gen., 35:73
irroratus pullus, Mexico, gen., hab., 35:73
irroratus torridus, 33:97
pictus sonoranus, Mexico, anat., 34:59
- Lion, 32:227
 Cape, 31:186
 Masai, 31:187
 Mountain, 32:347, 364; 34:390
 Sea, 31:164
- Lipids in:
 Bison, 36:305
- lipura*, *see* *Trichys*
- Lissodelphis borealis*, Japan, hab., 34:488
- listeri*, *see* *Rattus*
- Litocranius walleri walleri*, 31:189
- litoreus*, *see* *Procyon*
- Litter, communal:
Peromyscus, 38:523
- Litters of:
 Bears, 31:449
 Castor, 34:37, 38, 41
 Citellus, 40:35, 57
 Clethrionomys, 38:393
 Condylura, 37:223
 Dasypus, 38:529
 Dipodomys, 33:494; 38:342
 Glaucomys, 37:295
 Lynx, 31:329
 Microtus, 38:393
 Mus, 35:509
 Neotoma, 31:424
 Ochotona, 31:356
 Ondatra, 31:182, 183; 37:494
 Oryzomys, 31:423
Peromyscus, 31:320; 33:11; 34:46; 35:24; 37:513; 38:393
Procyon, 32:218
Sciurus, 35:447
Sigmodon, 31:317
 Sorex, 38:160
 Sylvilagus, 38:239, 275; 40:87
Urocyon, 37:346
Urogale, 31:353
Ursus, 33:246
Vulpes, 35:504
- littoralis*, *see* *Sigmodon*, *Urocyon*
- litoratus*, *see* *Artibeus*, *Phyllostomus*
- Liu, T. T.:
 Transmigration of fertilized eggs in *Peromyscus*, 34:507
 Hybridization between *Peromyscus maniculatus oreas* and *P. m. gracilis*, 35:448
 Monozygotic twinning in *Peromyscus maniculatus*, 35:449
- Live trapping:
 Beaver, 34:463
 Blarina, 35:40
 British shrews, 32:355
 Citellus, 34:336; 35:40
 Cryptotis, 35:40
 Didelphis, 35:39
 Dipodomys, 35:42, 515; 38:330
 Glaucomys, 37:294
 Herpestes, 36:62
 Microtus, 34:346; 35:45; 36:209, 533
 Mustela, 37:114
 Neotoma, 35:46
 Ochotona, 35:450
Peromyscus, 35:42, 515; 36:42
Procyon, 35:440
 Reithrodontomys, 35:45
 Small rodents, 34:514
 Sylvilagus, 35:46, 392
 Tamias, 34:448
 Thomomys, 37:201
 Zapus, 35:42
- Live traps:
 Small mammals, 34:513
- Llama, 38:279
- llanensis*, *see* *Geomys*
- Llewellyn, Leonard M., and Robert K. Enders:
 Trans-uterine migration in the raccoon, 35:439
 Ovulation in the raccoon, 35:440
 Trans-uterine migration of blastocysts in the eastern skunk, 36:459
- LoBue, Joseph P., and Rezneat M. Darnell:
 An improved live trap for small mammals, 39:286
 Effect of habitat disturbance on a small mammal population, 40:425
- Locomotion of:
 Alouatta, 40:318
 Bassariscus, 35:57
 Citellus, 34:339
 Dipodomys, 32:155
 Isoodon, 39:46
 Lepus, 37:64

- Monachus, 40:227
 Perognathus, 35:386
 Pitymys, 36:52
 Potorous, 39:45
 Tamiasciurus, 37:64
 Loncheres, 40:339
 Loncheris (= Loncheres, = Echimys), 40:339
 brachyura (= Euryzygomatomys spinosus), 40:340
 paleacea (= Echimys paleacea), 40:339
 Lonchorhina aurita, Panama, hab., 36:232;
 Bahamas, misc., 38:166
 Long, Larry E., *see* Esch, Gerald W.
 Longevity of:
 Anoa, 38:279
 Bats, 38:407; 39:343
 Bibos, 38:279
 Bos, 38:280
 Canis, 34:390
 Cervus, 38:279
 Choeropsis, 38:279
 Dicrostonyx, 37:447
 Eptesicus, 31:455
 Equus, 38:279, 280
 Erinaceus, 38:279
 Galago, 38:279
 Halichoerus, 38:280
 Hippopotamus, 38:279
 Lama, 38:279
 Lutra, 39:591
 Microdipodops, 40:413
 Myotis, 31:350
 Nycticebus, 38:279
 Okapia, 38:279
 Ornithorhynchus, 38:279; 39:583
 Panthera, 38:279
 Perognathus, 40:412
 Phacochoerus, 38:279
 Phloeomys, 38:279
 Pipistrellus, 33:491
 Potos, 38:279
 Rhinoceros, 38:279
 Sciurus, 31:454; 39:154
 Longhorn, 40:368
 longicauda, *see* Microtus
 longicaudatus, *see* Manis, Mus, Oryzomys,
 Petaurus
 longicaudis, *see* Lutra
 longicaudus, *see* Microtus, Phenacomys, Pro-
 echimys, Reithrodontomys
 longimembris, *see* Perognathus
 longirostris, *see* Glossophaga, Prodelphinus,
 Sorex
 Loomis, Richard B., *see* Jones, J. Knox, Jr.
 loquax, *see* Tamiasciurus
 Lord, Rexford D.:
 Winter pregnancy of the cottontail, 40:443
 Lord, Rexford D., Jr.:
 The loss of ear tags in the gray fox and
 raccoon, 37:548
 loriae, *see* Nyctinomys
 loringi, *see* Clethrionomys
 Loris, slow, 38:279
 losea, *see* Rattus
 lotor, *see* Procyon
 Louch, Charles D.:
 Adrenocortical activity in two meadow vole
 populations, 39:109
 *louiei, *see* Thomomys
 Louisiana, 32:466; 33:21
 Armadillo, 33:25
 Blarina, 35:40
 Cryptotis, 35:40
 Pipistrellus, 40:527
 Tadarida, 31:395; 36:106
 Lowe, Charles E.:
 Ecology of the swamp rabbit in Georgia,
 39:116
 lowi, *see* Callosciurus
 Loxodonta africana, Africa, anat., 38:243
 africana africana, Africa, 31:187
 africana oxyotis, Africa, 31:187
 Lucier, Charles V., *see* Pruitt, William O., Jr.
 lucifugus, *see* Myotis
 ludovici, *see* Sturnira
 ludovicianus, *see* Cynomys
 Lukens, Paul W., Jr., and William B. Davis:
 Bats of the Mexican state of Guerrero, 38:1
 lumholtzi, *see* Sminthopsis
 lunatus, *see* Damaliscus
 lupina, *see* Lutra
 lupina, M., 40:342
 Lupulella mesomelas mcmillani, Africa, 31:
 186
 mesomelas mesomelas, Africa, 31:186
 lupus, *see* Canis
 luscus, *see* Gulo
 luteiventris, *see* Eutamias
 lutensis, *see* Mustela
 luteola, *see* Marmota
 luteolus, *see* Dipodomys
 luteus, *see* Lagurus
 lutillus, *see* Melomys
 Lutra annectens annectens, Guerrero, desc.,
 39:358
 annectens colombiana, syn., 40:152
 annectens repanda, syn., 40:152
 canadensis, Mich., 31:359, Alas., 466;
 Minn., hab., 32:1, Fla., 4, 44; Alas., hab.,
 34:255; Mass., anat., 35:125; Ohio, distr.,
 37:284; Prince Edward I., misc., 39:292,
 Minn., hab., 438, Alas., 576, Wash.,
 longev., 591
 canadensis interior, Tenn., 33:366
 canadensis laxina, N. J., distr., hab., 34:
 231
 canadensis nexa, Wyo., hab., 40:375
 canadensis sonora, N. Mex., wt., distr., hab.,
 35:443
 canadensis vaga, Fla., habitat, 31:313; Fla.,
 40:590
 felina, 40:342

- flavicans, 40:342
 gracilis (= *Enhydra lutris*), 40:342
 longicaudis, 40:342
 lupina, 40:342
 nitens (= *Pteronura brasiliensis*), 40:342
 platensis, 40:342
Lutreolina crassicaudatus, 40:338
lutreolus, *see* *Rattus*
lutris, *see* *Enhydra*
lybicus, *see* *Meriones*
Lycalopex, 33:424
lycaon, *see* *Canis*
Lycaon pictus, 33:424, 426
 pictus pictus, Africa, 31:186
lydekkeri, *see* *Aceratherium*
 Lyman, Charles P.:
 Activity, food consumption and hoarding
 in hibernators, 35:545
 Lymphangioma in:
 Odocoileus, 37:552
Lynx, 32:210, 363, par., 358, 471; W. Va.,
 33:254; 34:258; 36:132; 37:375; 40:375
 Canada, 31:359, 466; 35:129
 canadensis, Mich., 31:359; Mich., 32:471;
 Ontario, hab., 35:129; Mich., distr., 36:
 132; Alas., phys., 37:375; Wis., distr.,
 38:414; British Columbia, 39:140, Prince
 Edward I., misc., 292
 canadensis canadensis, Alas., 31:466; Wis.,
 32:363; British Columbia, fd., 34:258;
 Wyo., hab., 40:375, Wyo., wt., 450
 European, 35:254
 lynx, Europe, conserv., 35:254
 rufus, Mich., 31:359; Calif., 32:54, Ore.,
 347, Mich., 472; 33:22; Calif., 34:332;
 Conn., dis., wt., 35:458; phys., 37:375,
 Ariz., hab., 458, tech., 548, phys., 549;
 British Columbia, 39:140, Nebr., 148,
 Mich., hab., 439; Mass., wt., breeding,
 40:148, 403
 rufus baileyi, Calif., hab., 31:327
 rufus floridanus, S. C., 31:85; Fla., 40:590
 rufus pallescens, Wyo., hab., 40:375
 rufus, rufus, S. C., 31:85, Mass., N. H.,
 hab., 327; Nebr., wt., distr., 35:429;
 N. J., phys., 36:290
 rufus texensis, Okla., wt., 40:366
 rufus uinta, N. Mex., 31:327; Wyo., 40:451
lynx, *see* *Lynx*
lyra, *see* *Lyroderma*, *Megaderma*
lyratus, *see* *Citellus*
Lyroderma (= *Megaderma*) *lyra*, India, hab.,
 40:439
lysteri, *see* *Tamias*
- M
- M. *flavicans*, 40:342
 M. *lupina*, 40:342
Macaca, 33:258
 mulatta, 33:153; 40:325
 radiata, hab., 31:93
 macaco, *see* *Lemur*
Macacus irus, 31:150
 mulatta, 31:150
 nemestrina, 31:150
 radiata, 31:151
 rhesus, 31:150
 silenus, 31:150
Macaque, 31:150
 Celebean, 33:260
 Moor, 33:260
 MacDonald, J. R.:
 A cranium of *Mammuthus* (*Archidiskodon*)
 cf. *imperator* from northeastern South
 Dakota, 32:466
 Unusual "curiosity" behavior on the part of
 an *Odocoileus hemionus* doe, 34:397
 MacDonald, J. R., and Sherrill Swenson:
 Did the Pliocene horse *Plihippus* eat hack-
 berries, 37:459
macer, *see* *Chilonatalus*, *Natalus*
macfarlani, *see* *Microtus*
machrinoides, *see* *Scalopus*
machrinus, *see* *Scalopus*
 Mackenzie, B. A.:
 Green algae growth on gray seals, 35:595
mackenzii, *see* *Phenacomys*
 Mackiewicz, John, and Richard H. Backus:
 Oceanic records of *Lasionycteris noctiva*-
 gans and *Lasiurus borealis*, 37:442
maclellandi, *see* *Callosciurus*
 MacLeod, Charles F., *see* Beer, James R.
 MacLulich, D. A.:
 A new technique of animal census, with
 examples, 32:318
macroactylus, *see* *Myotis*
macrodon, *see* *Ondatra*
MacroGLOSSUS lagochilus lagochilus, Celebes,
 baculum, 40:391
 lagochilus nanus, Australia, *baculum*, 40:
 391
Macrophyllum macrophyllum, Panama, hab.,
 36:232; Honduras, Venezuela, distr., 38:
 406
macrophyllum, *see* *Macrophyllum*
Macropus canguru, wt., 33:118
 robustus erubescens, wt., 33:118
macropus, *see* *Microtus*
macrotrichia, *see* *Globicephala*
Macrotherium salinum, 32:467
macrotrichia, *see* *Corynorhinus*, *Glaucomyx*, *Neo*-
 toma, *Peropteryx*, *Pteropus*, *Saccopteryx*,
 Tadarida, *Vulpes*
Macrotrichia, 33:172; Haiti, distr., 36:109; 40:
 442
 californicus, 32:390, temp., 391, 393; Calif.,
 33:275; Calif., hab., 35:539
 mexicanus, *Tamaulipas*, distr., 40:9, 10
 mexicanus mexicanus, 33:235; Mexico, hab.,
 35:67; Mexico, distr., wt., 38:4
 waterhousei, 33:172
 waterhousei compressus, 32:229

- waterhousii, Bahamas, misc., 38:165
 waterhousii compressus, Bahamas, misc., 38:165
 waterhousii heberfolium, Bahamas, misc., 38:165
 macroura, *see* Mephitis, Vulpes
 macrourus, *see* Atherurus, Isoodon, Odocoileus
 Macroxus bruneo-niger, Brazil, syn., 40:346
 fumigatus, Brazil, syn., 40:346
 kuhlii, Brazil, syn., 40:345
 macrura, *see* Didelphys
 maculata, *see* Euderma
 maculatus, *see* Phalanger
 madrensis, *see* Glaucomys
 magister, *see* Neotoma
 magna, *see* Dobsonia
 magnus, *see* Desmodus
 Maine, 32:267, 356; 33:246
 Capra, 37:129
 Microsorex, 34:382
 Microtus, 34:382
 Mink, 34:258
 Odobenus, 35:444
 Odocoileus, 37:552; 39:269
 Ondatra, 31:180
 Pipistrellus, 40:527
 Sorex, 34:382; 35:583
 major, *see* Citellus, Molossus, Natalus, Nyctimene, Phyllonycteris
 majori, *see* Samonycteris
 malaianus, *see* Nycticebus
 malaisia, *see* Rattus
 Malaya, local list., 31:337; 39:190
 mallurus, *see* Sylvilagus
 Malocclusion in:
 Odocoileus, 36:308
 Rattus, 35:427
 Sylvilagus, 34:393
 Ursus, 35:438
 Mammae of:
 Trichechus, 34:194
 Mammuthus (Archidiskodon) cf.
 columbi, 33:101
 imperator, S. D., 32:466
 Man, 36:393, 493; 40:403, 484
 bear predation on, 31:135
 Manatee, 31:98; 32:22; 34:192; 37:288; 38:137; 39:154
 Manatus, comp., 34:192
 americanus, 32:31
 fluviatilis (= Trichechus manatus), 40:342
 Mandrillus, 31:150
 Mangabey, 31:150
 Mangold, Robert E.:
 Raccoon (Procyon lotor) mortality in southern Iowa, 32:218
 maniculatus, *see* Peromyscus
 Manis gigantea, Africa, distr., hab., 37:531
 longicaudatus, Africa, distr., descr., hab., meas., par., 37:531
 tricuspis, Africa, distr., descr., meas., para., 37:531
 Manitoba, 32:222, 469
 Clethrionomys, 31:22
 Delphinapterus, 38:185
 Dicrostonyx, 37:447
 Lemmus, 36:123
 Lepus, 37:64
 Local list, 38:87, 98
 Microtus, 31:21
 Peromyscus, 31:20
 Rangifer, 38:275
 Red fox, 40:514, 515
 Sorex, 31:22; 36:123
 Synaptomys, 36:123; 38:132
 Urocyon, 39:439
 Wapiti, 34:136
 Zapus, 31:22; 37:299
 Manley, David E.:
 Parturition of a captive meadow vole, 34:130
 Mann, Peter M.:
 Keeping short-tailed shrews in captivity, 37:274
 Mansueti, Romeo, and Vagn F. Flyger:
 Long-tailed shrew (Sorex dispar) in Maryland, 33:250
 Manville, Richard H.:
 The mammals of Drummond Island, Michigan, 31:358
 A comparison on trapping methods, 31:377
 Reports of cougar in New York, 32:227
 A late breeding cycle in Peromyscus, 33:389
 Longevity of the coyote, 34:390
 Malocclusion in the rat, 35:427
 Dichromatism in Michigan rodents, 36:293
 Report of deer attacking cougar, 36:476
 Hibernation of meadow jumping mouse, 37:122
 Unusual sex ratio in Peromyscus, 37:122
 (Review) Francis Harper, The mammals of Keewatin, 38:142
 (Review) Laura I. Makepeace, Rabbits, a subject bibliography, 38:142
 (Review) Burton L. Dahlberg and Ralph C. Guettinger, The white-tailed deer in Wisconsin, 38:143
 (Review) Paul Leyhausen, Verhaltensstudien an Katzen, 38:143
 (Review) Ralph S. Palmer and E. M. Reilly, Jr., A concise color standard, 38:143
 Longevity of captive mammals, 38:279
 (Review) Dennis G. Rainey, Eastern woodrat, 38:285
 (Review) David E. Davis, Manual for analysis of rodent populations, 38:286
 Roe deer in New York, 38:422
 (Review) Claude T. Barnes, The natural history of a Wasatch summer, 38:426

- (Review) William Henry Burt, Mammals of the Great Lakes region, 38:429
 (Review) W. Frank Blair, et al., Vertebrates of the United States, 39:159
 (Review) Joseph Curtis Moore, The natural history of the fox squirrel, *Sciurus niger shermani*, 39:161
 (Review) Philip J. Darlington, Jr., Zoogeography: the geographical distribution of animals, 39:311
 Odd items in bobcat stomachs, 39:439
 (Review) Eadweard Muybridge, Animals in motion, 39:459
 (Review) Paul L. Errington, Of men and marshes, 39:460
 (Review) E. Laurence Palmer, Fieldbook of mammals, 39:461
 Concerning platypuses, 39:582
 The Columbian ground squirrel in northwestern Montana, 40:26
 (Review) Erna Mohr, Säugetiere, 40:152
 (Review) Helen Gere Cruickshank, John and William Bartram's America, 40:259
 (Review) Francis Harper, The travels of William Bartram, 40:259
 (Review) Peter Krott, Demon of the North, 40:459
 (Review) Raymond M. Gilmore, The story of the gray whale, 40:462
 (Review) Carl L. Hubbs, ed., Zoogeography, 40:462
 (Review) E. Raymond Hall and Keith R. Kelson, The mammals of North America, 40:621
 Manzer, J. I.:
 Observations on the gray whale, 35:444
 Manzer, J. I. and I. McT. Cowan:
 Northern fur seal in the inside coastal waters of British Columbia, 37:83
 Map of:
 Adak Island, 33:39
 Alaska, part, 33:477
 Area of overlap of *Cercopithecus mona* and *lowei*, 36:439
 Armadillo, occurrence and spread of, 33:23
 Dispersal of southern bog lemming, 36:5
 Distribution of armadillo in La., Ark., and Miss., 33:23, Fla., 24
 coatis in Ariz., 35:49
 Dipodomys, 35:571
 Mona monkey, 36:438
 Neotoma in Fla., 36:114
 opossum in Ariz., 33:466
 Peromyscus nuttalli, 35:18
 Pizonyx in Baja California, 35:82
 Sylvilagus in Mass., 36:417
 Tamiasciurus in Utah, 35:89
 Zapus hudsonius in Ohio, 35:237
 Everglades Nat'l. Park, 32:24
 Forest types and cottontail distribution, 36:419
 Fur posts on Quebec peninsula, 35:347
 Gambia, showing Hippopotamus localities, 34:300
 Guadalupe Island, Baja Calif., 33:166
 Martes distribution, 34:75
 Montana, showing origin of Thomomys sample, 32:315
 Mustela, occurrence in Nebr., 34:386
 Mustela rixosa in Pa., 33:252
 Pipistrellus, 40:523, 529
 Range of Ammospermophilus nelsoni, 34:325, 327, 328
 Ranges of oldfield mice, 35:563
 Rice rat remains from archeological sites, 33:254
 San Benito Islands, Baja Calif., 33:167
 San Nicolas Island, Calif., 32:16
 Sciurus, distribution in Colo., 34:360
 Seward Peninsula, Alas., 32:89
 Sites of occurrence of Citellus parryi barrowensis, 34:335
 Tadarida, 40:542
 Walrus of St. Lawrence I., 35:205
 mapurita, *see* Zorilla
 marginatus, *see* Citellus
 marinus, *see* Reithrodon
 mariposae, *see* Microtus
 maritimus, *see* Thalarectos
 Marking of:
 Beaver, 34:462
 Callorhinus, 34:418
 Ground squirrels, 32:438
 Herpestes, 36:62
 Microtus, 34:503
 Mustela, 37:114
 Peromyscus, 34:505; 36:42
 Procyon, 35:440
 Small mammals, 39:416
 Small marsupials, 39:49
 Sylvilagus, 35:392
 Tamias, 34:449
 Thomomys, 37:201
 Marlow, Basil J. G.:
 A commensal nematode in the African bush pig, 36:147
 Marmosa canescens canescens, Guerrero, distr., 39:347
 citella, Argentina, syn., 40:343
 marmota, Paraguay, syn., 40:343
 mexicana, Tamaulipas, distr., comp., 40:4
 mitis, Honduras, 40:237
 mitis isthmica, syn., 40:152
 pusilla, Argentina, tax., 40:338
 robinsoni isthmica, syn., 40:152
 verax, Paraguay, syn., 40:344
 Marmoset, 31:150
 Marmot, 32:93, 117; 33:68; 35:359; 40:43
 Hoary, 31:466; 33:478
 Olympic, 33:495
 Yellow-bellied, 32:283; 34:237; 39:275; 40:375

- Marmota, Mich., 31:359; Alas., 32:93
 caligata broweri, Alas., 31:466
 caligata caligata, Alas., 33:478
 flaviventer avara, Utah, misc., 39:275
 flaviventer luteola, Colo., distr., hab., 34:237
 flaviventris, Colo., distr., 37:80, Ariz., foss., distr., 289; N. Mex., 40:336
 flaviventris luteola, Colo., 32:283
 flaviventris nosophora, Wyo., hab., 40:375
 marmota caligata, Alas., 40:609
 monax, Pa., anat., 31:196, N. Y., gest. per., 454; Mich., 32:471; W. Va., 33:254, gest., 388; Ind., par., 38:282; 40:397, anat., 403
 monax monax, S. C., 31:85; Ky., meas., 32:104, W. Va., 369; Tenn., 33:366; N. J., distr., hab., 34:232; Ohio, 36:101; Ind., distr., wt., 37:407
 monax ochracea, Yukon Terr., 31:361; Alas., phys., 36:362; Alas., distr., 37:291
 monax rufescens, Ontario, dis., 31:358; N. A., anat., 35:359; N. Y., distr., hab., 37:395
 olympus, Wash., hab., 33:495
 Marshall, Joe T., Jr.:
 Rats of Arno Atoll, Marshall Islands, 36:259
 Marshall, William H.:
 Predation on shrews by frogs, 32:219
 Accidental death of a porcupine, 32:221
 Note on missing teeth in *Martes americana*, 33:116
 Summer weights of raccoons in northern Minnesota, 37:445
 Marshall, William H., *see* Schoonover, Lyle J.
 Marshall Islands:
 Emballonura, 34:384
 Rattus, 36:259
 Marsupial, in Ceylon, 37:274
 marsupialis, *see* Antidorcas, Didelphis
 Marten, 31:465; 32:227, 282, 347; 34:74, 257; 36:133; 37:375, 521; 38:174, 517; 39:140, 589
 Pine, 33:66; 40:374
 Sierra Nevada pine, 36:568
 Stone, 37:257
 Martes, comp., 34:294; tax., 38:452
 americana, Mich., 32:472; 33:116; British Columbia, Ida., Mont., anat., map, pelage, phys., rev., tax., 34:74; Minn., distr., 36:133; Colo., distr., 37:80, Alas., phys., 375; Mont., map, pop., 38:174, reprod., 412, Colo., hunting, as predator, 517; British Columbia, 39:140, N. Y., distr., pop., 589
 americana actiosa, Alas., 31:465; British Columbia, fd., 34:257
 americana caurina, 34:84; Wyo., hab., 40:374
 americana humboldtensis, 34:85
 americana nesophila, 34:85
 americana origenes, 34:84; Colo., hab., distr., pop., 37:521
 americana sierrae, 34:85; Calif., distr., 36:568
 americana vancouverensis, 34:85
 caurina, Ore., 32:347; British Columbia, Ida., Mont., anat., map, pelage, phys., rev., tax., 37:74, 84
 caurina origenes, fd. hab., growth, behav., 33:66
 foinea, Iraq, distr., 37:257
 pennanti, Ore., 32:347, Mich., 472; Colo., distr., 37:80; British Columbia, 39:140, Ill., distr., 153; Nova Scotia, misc., 40:451, 614
 pennanti columbiana, British Columbia, fd., 34:258
 pennanti pennanti, W. Va., foss., distr., 37:287
 martinensis, *see* Sorex
 Martin, Marian and Paul S. Martin:
 Notes on the capture of tropical bats at Cuevo el Pachon, Tamaulipas, Mexico, 35:584
 Martin, Paul S., *see* Koopman, K. F.
see Martin, Marian
 Martinique:
 Dasypsecta, 40:349
 Maryland, 32:115, 458; 33:190, 250
 Cryptotis, 35:252
 Eptesicus, 40:150
 Felis, 38:466
 Lasiurus, 35:253
 Microtus, 34:479
 Mus, 34:484
 Mustela, 37:113
 Myotis, 40:149
 Odocoileus, 39:309
 Ondatra, 34:479; 36:493
 Oryzomys, 34:479
 Pipistrellus, 40:526
 Procyon, 35:439, 440
 Rattus, 34:352; 37:475; 38:466
 Sciurus, 34:509
 Masculinizing tumor:
 Odocoileus, 40:230
 Masked shrew, 34:116
 Massachusetts, 32:230, 356; 33:243
 Eptesicus, 36:399
 Globicephala, 36:424
 Lagenorhynchus, 37:128
 Lasionycteris, 36:399
 Lasiurus, 36:399
 Lutra, 35:125
 Lynx, 31:327; 40:148
 Myotis, 38:407; 40:16
 Odocoileus, 37:231
 Parascalops, 35:107
 Pipistrellus, 36:399; 40:524
 Pitymys, 36:52

- Procyon, 31:354
 Sylvilagus, 36:415
 Tamias, 34:510
massaica, *see* *Panthera*
massaicus, *see* *Phacochoerus*
 Mastodon, long-tusked, 33:390
 Mastology, Canidae, 33:425
 Maternal behavior of:
 Alouatta, 40:325
 Callorhinus, 34:420
 Microtus, 34:504
 Neotoma, 31:424; 34:182
 Oryctolagus, 40:93
 Oryzomys, 31:423
 Peromyscus, 35:25; 39:177
 Rattus, 37:177
 Sylvilagus, 31:326; 40:94
 Tursiops, 34:498
 Maternal care:
 Myotis, 38:122
 Mather, Deane W., obit., 33:417
 Matheson, Colin:
 Potential longevity in some mammals, 38:280
 Mating behavior of:
 Dama, 36:471
 Neotoma, 34:181
 Odocoileus, 40:110
 Pitymys, 36:52
 Mating of:
 Cervids, 34:136
 Erethizon, 37:452
 Lagenorhynchus, 37:311
 Ornithorhynchus, 39:582
 Tamias, 38:195
 Tursiops, 37:311
 Mating season:
 Thomomys, 40:582
 Matson, J. R.:
 Litter size in the black bear, 33:246
 Observations on the dormant phase of a female black bear, 35:38
 Maturity in:
 Peromyscus, 33:12
 maurus, *see* *Clethrionomys*
 maximus, *see* *Dasypus*, *Pipistrellus*, *Priodontes*
 Mayer, William V.:
 A preliminary study of the Barrow ground squirrel, *Citellus parryi barrowensis*, 34:334
 A method for determining the activity of burrowing mammals, 38:531
 Mayer-Oakes, William J., *see* Guilday, John E.
 maynardi, *see* *Procyon*
 Mazama mexicana, Tamaulipas, distr., 40:9, 10
 sartori, Panama, hab., 34:267
 mazama, *see* *Evotomys*
 McAtee, W. L.:
 Possible early record of a manatee in Virginia, 31:98
 McBride, Arthur F., and Henry Kritzler:
 Observations on pregnancy, parturition, and postnatal behavior in the bottlenose dolphin, 32:251
 McCabe, Robert A.:
 (Review) Olaus J. Murie, A field guide to animal tracks, 36:478
 Observations on the disappearance of shed caribou antlers, 38:275
 (Review) Calvin Rutstrum, The new way of the wilderness, 40:461
 McCauley, Howard:
 The effect of flooding on a marked population of *Peromyscus*, 40:57
 McCauley, W. H.:
 Color mutations in a small, partially isolated population of pocket gophers (*Geomys breviceps*), 32:338
 Fluctuations and structure of *Peromyscus gossypinus* populations in eastern Texas, 35:526
 An unusually large nest of *Cryptotis parva*, 40:243
 McCauley, W. H., and W. N. Bradshaw:
 New locality records for some mammals of eastern Texas, 34:515
 McClellan, Jim:
 An otter catch on the Gila River in southwestern New Mexico, 35:443
 McCulloch, Clay Y., Jr.:
 Breeding record of javelina, *Tayassu angulatus*, in southern Arizona, 36:146
 McCullough, Robert A.:
 Possible occurrence of identical twins in the whitetail deer, 38:421
 McDowell, Robert D., *see* Richmond, Neil D.
 McEwen, E. H.:
 A sporadic occurrence of an Alaskan fur seal, 35:444
 McEwen, E. H. *see* Peterson, R. L.
 McFarland, William N., *see* Norris, Kenneth S.
 mcgrewi, *see* *Nebraskomys*
 McIlhenny, Edward A., obit., 31:119
 McIntosh, William B.:
 (Review) Ryo Tanaka, A comparative study on Formosan common rats and mice of four species belonging to the genera *Rattus*, *Apodemus*, and *Mus* from the standpoint of variation-statistics, 32:477
 McKeever, Sturgis:
 Goosebeak whale from North Carolina, 39:440
 McKenna, Malcolm C.:
 Gray Bull mammals from the Knight formation in Moffat County, Colorado, 35:581
 McKinley, Daniel:
 Historical note on the Bahama raccoon, 40:248

mcmillani, *see* *Lupulella*

McNab, Brian K.:

A new record of *Mustela erminea* and
Sorex merriami, 35:430

McNeil, Charles W., and Joanna T. Krogsdale:
Parasites of raccoons in southwest Wash-
ington, 34:123

Meade, Grayson E.:

The water rat in the Pleistocene of Texas,
33:87

mearnsi, *see* *Felis, Sylvilagus*

mearnsii, *see* *Sylvilagus*

Measurements of:

Alopex, 36:254

Alouatta, 35:117

Antilocapra, 31:192

Aplodontia, 37:87

Apodemus, 37:272

Artibeus, 33:237; 35:114; 37:283; 38:7, 8,
11

Bacula in mink, 32:48

Baiomys, 33:97

Balaena, 37:456

Balaenoptera, 36:429; 39:593

Balantiopteryx, 35:66; 38:1

Bassariscus, 35:442; 39:354

Berardius, 34:100, 101, 105

Bison, 32:193, 230

Blarina, 32:103; 34:231; 35:110; 36:101,
452

Callorhinus, 31:390, 391, 392; 35:444; 36:
493; 37:83

Canis, 34:128, 390; 39:350

Castor, 32:363; 34:29, 260; 35:197, 452;
37:506; 38:466

Centurio, 35:114

Cervus, 36:145

Citellus, 34:266, 343; 36:273

Clethrionomys, 32:108; 33:501; 34:233

Condylura, 36:288

Conepatus, 39:358

Corynorhinus, 33:365; 38:141

Cratogeomys, 35:122

Cryptotis, 31:313; 32:115; 34:230; 35:110;
36:123; 39:351

Dasypterus, 36:456; 38:12; 39:362

Desmodus, 35:114; 40:536

Dicrostonyx, 38:112

Didelphis, 31:94; 39:348

Diphylla, 35:114

Dipodomys, 35:570

Enhydra, 32:10

Eptesicus, 33:238; 35:69; 36:101; 37:543

Euderma, 31:197

Eumops, 37:111

Felis, 32:116; 35:71, 126; 39:359, 360, 361

Geomys, 36:143

Gerbillus, 35:243

Giraffa, 36:574

Glaucomys, 32:470

Globicephala, 33:321; 36:424

Glossophaga, 33:235, 236; 35:114

Herpestes, 36:62

Idionycteris, 37:546

Inia, 39:5, 6

Jentinkia, 39:353

Kogia, 36:263; 40:452

Lagenorhynchus, 34:491; 37:128

Lagurus, 36:270

Lasionycteris, 34:499

Lasiurus, 31:191; 35:116; 36:101, 453, 454,
455; 37:111, 281, 543

Lemmus, 36:123

Lepus, 35:122

Liomys, 35:73

Lutra, 35:443; 39:358, 359

Lynx, 31:329

Manatee, 32:27, 28, 29, 31, 32

Marmosa, 39:348

Marmota, 32:104; 36:101

Martes, 34:78, 79, 81; 36:133

Megasorex, 39:348

Mesoplonodon, 34:245, 249

Microtus, 31:195, 360; 32:98, 216, 353;
34:233; 35:587; 37:120, 249; 38:110

Miniopterus, 37:257, 272

Molossus, 32:219

Mormopterus, 34:383

Mountain lion, 32:364

Mus, 35:509; 36:101

Mustela, 31:99; 32:225; 33:253; 35:430,
496; 36:101, 568; 37:113, 272; 39:358

Myosorex, 39:331

Myotis, 31:97; 34:122; 35:111, 432; 36:
289, 567

Napaeozapus, 32:109; 37:196

Nasua, 35:52; 39:356

Neofiber, 37:448

Neotoma, 34:183; 36:113; 38:199

Notiosorex, 33:106; 34:117; 35:110; 36:
561; 37:278

Nycticebus, 33:116

Nycticeius, 32:233; 37:282, 543

Odocoileus, 39:365

Ondatra, 32:360; 37:494, 501

Onychomys, 35:118

Oryzomys, 35:76, 263; 38:141

Pecari, 39:363

Perognathus, 35:97; 37:451

Peromyscus, 31:360; 32:105, 106; 33:373;
34:130, 191, 232; 35:25, 561; 36:101;
38:212

Phenacomys, 34:391; 35:450; 38:106

Phocoena, 35:122; 39:31

Phocoenoides, 34:492

Pipistrellus, 36:123; 37:543

Pitymys, 31:360; 34:233; 36:52

Pizonyx, 35:86

Potos, 39:357

Procyon, 31:445; 33:248; 34:376; 36:101;
39:354

Rattus, 33:193; 34:366; 35:119; 36:259

- Reithrodontomys, 35:73
 Rhinopithecus, 33:260
 Scalopus, 33:364; 36:101
 Sciurus, 35:447
 Sea otters, 40:617
 Sigmodon, 31:317; 35:76, 260
 Sorex, 32:102, 223; 33:107, 108, 365; 34:121, 230, 382; 36:123, 286, 430, 560, 561, 583; 37:276, 277, 345, 435, 436; 38:103; 39:349
 Spilogale, 39:357
 Stumira, 35:114; 38:6
 Sylvilagus, 39:125, 361
 Synaptomys, 34:233; 36:1, 123; 38:112, 132
 Tadarida, 31:401
 Tamandua, 39:362
 Tamias, 32:104; 36:101
 Tarsius, 31:260
 Taxidea, 31:90, 347; 34:388
 Thomomys, 31:93; 32:313; 33:445
 Trichechus, 34:194
 Urocyon, 37:346
 Ursus, 31:363; 39:151
 Weasel, 40:614
 Whitetail deer, 32:412
 Zapus, 31:461; 32:228; 34:234; 35:121, 592; 36:101, 140; 37:122
 Ziphius, 32:365; 34:251
 Measurements table:
 Tadarida, 40:539, 540
 Measuring technique:
 Tadarida, 40:538
 medius, *see* Bassaricyon
 Meester, J.:
 Correction to "The Mammals of South Africa," 34:518
 A litter of *Rattus namaquensis* born in captivity, 39:302
 Variation in the shrew genus *Myosorex* in southern Africa, 39:325
 The fur and molts in the shrew, *Myosorex cafer*, 39:494
 megacephalus, *see* Microdipodops, *Peromyscus*
 megaceros, *see* Adenota
 Megaderma, 40:439
 lyra lyra, *fd.*, predator, 40:545
 Megalocnus rodens, Cuba, *foss.*, *descr.*, 37:423
 Megalonyx *?*, Kan., *anat.*, *foss.*, 34:376
 leptostomus, *comp.*, 34:376
 megalonyx, *see* Notiomys
 megalophylla, *see* Mormoops
 megalotis, *see* Micronycteris, *Otocyon*, *Potos*, *Reithrodontomys*
 megaphyllus, *see* *Rhinolophus*
 Megasorex gigas, Guerrero, *distr.*, 39:347
 Megatherium, 33:390
 Meibomian glands, 40:20
 meinertzhageni, *see* *Hylochoerus*
 mekisturus, *see* *Peromyscus*
 melaena, *see* *Globicephala*
 melampus, *see* *Aepyceros*
 Melanic form:
 Red foxes, 40:515
 Melanism in:
 Citellus, 40:145
 Eumops, 36:407
 Lepus, 35:122
 Microtus, 36:458
 Neotoma, 35:239
 Peromyscus, 38:417
 Rattus, 39:304
 Sciurus, 36:293; 39:532
 Sylvilagus, 37:271; 39:148
 Urocyon, 34:232
 melanochaitus, *see* *Panthera*
 melanophrys, *see* *Peromyscus*
 melanorhinus, *see* *Myotis*
 melanotis, *see* *Oryzomys*, *Peromyscus*
 Mellivora capensis sagulata, 31:186
 mellivora, *see* *Felis*
 Melomys, 32:211
 cervinipes capensis, *wt.*, 33:118
 cervinipes eboreus, *wt.*, 33:118
 lutillus australis, *wt.*, 33:118
 Meltzer, Mona R., and G. Edgar Folk, Jr.:
 A method for correlating bladder emptying and total activity in rodents, 39:454
 Membership list, 31:220; 35:284; 40:278
 Memphisitis, *see* *Viverra*
 Menzies, G. C., *see* Eads, R. B.
 Menzies, George C., *see* Eads, R. B.
 Mephitis, Mich., 31:359; *comp.*, 34:256, 294; *fd.*, 35:59
 chilensis (= *Conepatus chinga chinga*), 40:342
 foeda (= *Mephitis mephitis mephitis*), 40:341
 macroura macroura, Mexico, *hab.*, 35:71; Guerrero, *distr.*, 39:355
 mephitis, Mich., 32:471; Okla., Fla., Mich., par., Ontario, par., 34:138, 155, Ill., par., 157, Tex., par., 270; Tex., *hab.*, 35:406; Ind., *distr.*, 37:407; Ind., par., 38:282; Tex., 39:71, Prince Edward I., *misc.*, 292; 40:241, 336, 341, 375, 403, 593
 mephitis elongata, S. C., 31:85; Fla., 40:590
 mephitis hudsonica, *phys.*, 37:112; Wyo., *hab.*, 40:375
 mephitis mephitis, 40:341
 mephitis nigra, W. Va., 32:369; Tenn., 33:366; N. J., *distr.*, *hab.*, 34:231; Ohio, 36:101, *phys.*, 459; N. Y., *distr.*, *hab.*, 37:395
 mephitis varians, N. Mex., *distr.*, *hab.*, 38:501; Okla., 40:366
 mephitis, *see* *Mephitis*
 Mephitis taxus ancipidens, Fla., *foss.*, *tax.*, *den-tition*, 38:452
 meridianus, *see* *Meriones*

- Meriones apicalis (= Hydromys chrysogaster), 40:339
 calurus, syn., 35:243
 crassus, comp., 35:243
 crassus charon, Iraq, distr., hab., 37:417
 erythrourus, comp., 35:243
 lybicus syrius, Iraq, distr., hab., 37:417
 meridianus, comp., 35:243
 musculus (= ? Calomys laucha laucha), 40:339
 persicus, syn., 35:243; Iraq, distr., 37:257, Iraq, distr., hab., 417
 rex, syn., 35:243
 shawii, comp., 35:243
 merriami, *see* Cratogeomys, Dipodomys, Eutamias, Perognathus, Pipistrellus, Reithrodontomys, Sorex
 Merychippus brevidontus, Nev., foss., 39:87
 cf. californicus, Nev., foss., 39:87
 Merycodus nevadensis, Nev., foss., 39:87
 mesamericana, *see* Didelphis
 Mesembriomys gouldi gouldi, 33:70
 gouldi rattoides, wt., 33:118
 Mesocricetus auratus, 32:204; hab., 35:545; phys., 36:135, 573; hab., 39:298; 40:558
 Mesocricetus (Cricetus) auratus, comp., 34:192
 Mesocricetus, *see* Hamster, golden
 mesoleucus, *see* Conepatus
 mesomelas, *see* Lupulella
 Mesoplodon sp., Alas., anat., meas., 34:249
 bidens (comp.), 34:242
 bowdoini, as fd., 32:490; Calif., New Zealand, anat., desc., meas., par., tax., 34:239
 densirostris (comp.), 34:245; Tex., distr., 36:573
 europaeus (comp.), 34:240
 grayi (comp.), 34:242
 hectori (comp.), 34:242
 layardi (comp.), 34:244
 mirus (comp.), 34:244
 pacificus, syn., 34:244
 stejnegeri, Alas., Calif., Ore., anat., desc., tax., 34:239
 Mesquita Maia, Luis C.:
 The survival of Brazilian mammals, 33:389
 Metabolism:
 Citellus, 36:543
 Dipodomys, 36:543; 40:357
 Eptesicus, 34:31
 Gerbillus, 40:357
 Lepus, 38:527
 Perognathus, 40:357
 Peromyscus, 35:553; 36:139
 Metachirus nudicaudatus, 40:343
 quica, Brazil, syn., 40:343
 ?Meterix, Nev., foss., 39:87
 Methods for:
 Analysis of data on movement, 34:352
 Analysis of data on trapping, 36:21
 Calculating home range, 34:451
 Population sampling, 36:368
 Study of burrows, 37:23
 Metzger, Brice:
 Notes on mammals of Perry County, Ohio, 36:101
 Partial albinism in Myotis sodalis, 37:546
 mewa, *see* Thomomys
 mexicana, *see* Chilonycteris, Choeronycteris, Cryptotis, Marmosa, Mazama, Micronycteris, Natalus, Neotoma, Tadarida
 mexicanum, *see* Coendou
 mexicanus, *see* Choeronycteris, Citellus, Dasylops, Macrotus, Microtus, Mus, Natalus, Noctilio, Nycticeius, Perognathus, Peromyscus, Reithrodontomys, Spermophilus
 Mexico, 32:120; 33:109, 371, 391
 Artibeus, 35:584; 37:283
 Baiomys, 36:298
 Bison, 34:150
 Chilonycteris, 35:584; 40:442
 Choeronycteris, 35:437
 Cratogeomys, 35:121
 Cryptotis, 34:116
 Desmodus, 35:584; 49:439
 Diphylla, 35:584
 Erethizon, 34:511
 Glossophaga, 34:584
 Lagenorhynchus, 34:498
 Leptonycteris, 38:454
 Liomys, 34:59
 Local list, 33:234; 35:66, 100, 114; 37:547; 38:1
 Macrotus, 40:442
 Mirounga, 35:211
 Mormoops, 40:442
 Myotis, 40:442
 Natalus, 35:584; 40:442
 Notiosorex, 34:116
 Odocoileus, 35:599
 Onychomys, 35:118
 Oryzomys, 35:258
 Phocoena, 39:22
 Physeter, 37:288
 Pipistrellus, 35:433
 Pizonyx, 35:81
 Potos, 40:350
 Pteronotus, 40:442
 Pygoderma, 39:584
 Reithrodontomys, 38:417, 521; 39:446
 Sigmodon, 34:116
 Spermophilus, 39:154
 Tadarida, 36:106; 38:463; 40:442
 Tamandua, 36:557
 Zalophus, 35:596
 Meyer, Roland K., *see* Beer, James R.
 Mice:
 Wild, 40:598
 Michigan, 32:218, 300, 327, 437; 33:246, 389
 Balaena, 34:253
 Balaenoptera, 34:253

- Blarina, 39:499
 Canis, 34:390
 Citellus, 35:105
 Clethrionomys, 39:149
 Erethizon, 38:526; 39:149
 Eutamias, 39:149
 Lepus, 39:149
 Local list, 31:358; 32:470
 Lynx, 36:132; 39:439
 Mephitis, 34:155
 Microtus, 31:26, 378
 Odobenus, 34:253
 Odocoileus, 31:5; 35:129; 37:231
 Ondatra, 31:453
 Peromyscus, 31:100, 319, 378; 35:448; 37:121, 122; 38:129; 39:149; 40:496
 Phyceter, 34:253
 Procyon, 35:439
 Scalopus, 39:583
 Sciurus, 31:454; 35:447; 36:293; 39:154
 Sorex, 35:35, 109; 39:149
 Sylvilagus, 38:136
 Synaptomys, 36:293
 Tamias, 31:350; 38:129
 Tamiasciurus, 39:149
 Taxidea, 34:380
 Ursus, 36:459
 Vulpes, 31:194
 Zapus, 36:301; 37:122; 39:149
 michiganensis, *see* Castor
 Micoureus griseus, Argentina, syn., 40:343
 Microchiroptera, 32:401
 Microdipodops megacephalus californicus, Calif., hab., 40:413
 megacephalus leucotis, Utah, desc., 39:276
 microdon, *see* Reithrodontomys, Stenoderma
 Microenvironment in:
 Citellus, 37:124
 Micromys minutus soricinus, England, hab., 35:161
 Micronycteris megalotis, Tamaulipas, distr., 40:9, 10, Quintana Roo, 237
 megalotis megalotis, 32:224
 megalotis mexicana, 33:235; Mexico, 35:67; Mexico, distr., wt., 38:3
 megalotis microtis, Panama, 36:232
 (Lampronnycteris) platyceps, Panama, hab., 36:232
 microps, *see* Dipodomys
 micropus, *see* Chilonatalus, Natalus, Neotoma
 Microsorex, 33:498
 hoi, Maine, hab., 34:384; Ohio, distr., 38:513; Prince Edward I., misc., 39:292; Alas., 40:607, 608
 hoi thompsoni, New Brunswick, hab., 36:21
 hoi washingtoni, Mont., Wash., 33:398
 hoi winnemana, Ky., distr., 37:438
 Microtini:
 phylogeny, 39:551
 Microtus, anat., 31:434; Mo., 32:299; as fd., 33:365, Colo., 399, 502; comp., 34:191; hab., 35:12; Calif., 36:206, Wis., phys., 564; anat., 37:446; as fd., 38:135, 281, 468; as fd., 39:523; sex criteria, 40:64, general, 137, Calif., 253, 403
 agrestis, misc., 31:248; Great Britain, 32:356; 33:72; England, anat., hab., wt., 34:503; England, 36:209, England, anat., 493; nomen., 40:573, 576
 agrestis hirtus, England, hab., wt., 35:161
 californicus, hab., 31:96; anat., 36:356; Calif., hab., anat., phys., 37:213, Calif., pelage, 249; Calif., hab., 38:157, 444, Calif., adap., nests, hab., 530; Calif., hab., 40:174
 californicus mariposae, physiol., 32:304
 chrotorrhinus, Ontario, 32:472; Me., hab., 34:382
 chrotorrhinus chrotorrhinus, 32:206
 economus macfarlani, Alas., thermal conductivity, 38:78
 longicaudus, 32:226; Colo., distr., 37:80; Calif., hab., 38:446, N. Mex., distr., hab., 499; N. Mex., 40:336, Alas., 608
 longicaudus mordax, Wyo., habitat, 31:351; Wyo., habitat, 32:118, Colo., prey, 282; N. Mex., 33:251; Colo., distr., hab., 34:238; Wyo., hab., 40:378
 macfarlani, Alas., phys., 36:362
 mexicanus mexicanus, Mexico, tax., hab., 35:77
 mexicanus mogollonensis, Colo., distr., hab., 37:436
 miurus, Alas., 39:157; Alas., 40:608
 miurus oreas, Alas., 32:95, fd., 97, par., wt., 98; Alas., 33:479
 miurus paneaki, Alas., 31:466
 montanus, Nev., misc., 31:248; 32:202, 226; Ore., gen., 36:458; Colo., distr., 37:80; Wash., misc., 40:457
 montanus canescens, 32:353
 montanus fuscus, Colo., 32:283; Colo., distr., hab., 34:238; Colo., hab., 36:221
 montanus nanus, Wyo., habitat, 32:118; Wyo., hab., 40:378
 montebelli, Japan, dis., hab., pop., 34:345
 mordax, Colo., hab., 36:221
 ochrogaster, hab., 31:320, Ky., habitat, meas., 360; Kan., 35:45; Iowa, distr., 36:121; Ind., par., 38:282, Ill., hab., 522; hab., 40:429
 ochrogaster ochrogaster, Tenn., habitat, 33:370; Ind., distr., hab., 37:407
 ochrogaster ohionensis, Ky., 33:399; Ohio, ecol., reprod. cycle, recognition, 38:44
 oeconomus, St. Lawrence, 39:157, Alas., 574; Alas., 40:608
 oeconomus macfarlani, Alas., 31:466; Alas., 33:479; Alas., phys. wt., 35:376
 oeconomus operarius, Alas., fd., 32:94, reprod., 95

- oregoni, British Columbia, 33:498; Ore., gen., 40:137
- pennsylvanicus, N. Y., habitat, 31:100, Ontario, 138, Ontario, anat., 195, N. Y., misc., 248, Mont., habitat, 460; 32:121, 216, 459, Ontario, 462, hab., 463, pop., pred., N. Y., 33:182, nest, 188, Wis., 434, prey, 436, 437; comp., 34:449, Md., anat., hab., 479; N. Y., anat., tax., 35:587; N. Y., wt., phys., 36:533; Colo., distr., 37:80, Ontario, hab., 119, S. Dak., wt., hab., 120, Ontario, hab., 121, hab., 297, hab., 427; Ohio, ecol., reprod. cycle, recognition, 38:44, Colo., as fd., 135, comp., 162, as fd., 281, ecol., 395, as fd., 468; Wis., misc., 39:109, comp., Wis., misc., 288, Hudson Bay, misc., 291, Prince Edward I., misc., 292, N. Y., hab., 416, anat., 542; 40:333, Wis., hab., 428, nomen., 573, 576, zygodactyly, 595, 597, Alas., 608
- pennsylvanicus aphorodemus, comp., 32:353; Manitoba, distr., 38:107
- *pennsylvanicus arcticus, N. W. Terr., orig. desc., 32:353
- pennsylvanicus drummondii, Manitoba, misc., 31:21; N. W. Terr., meas., comp., 32:353; Manitoba, ecol., pop., 38:87
- pennsylvanicus fontigenus, Quebec, hab., 36:21
- pennsylvanicus modestus, dis., 31:194; Utah, 32:114, Wyo., hab., 118
- pennsylvanicus pennsylvanicus, Mich., hab., 31:26, S. C., 86, Ontario, dis., 357, 358, Mich., 359, misc., 378; 32:206, N. Y., 343, W. Va., 370, Mich., 471; Ky., 33:398; N. Y., phys., 34:130, Ontario, par., 137, distr., hab., meas., wt., 233; N. Y., hab., 35:103; Ohio, 36:101; wt., hab., gen., 37:298, N. Y., distr., hab., 395, Ind., hab., 407
- pennsylvanicus pullatus, Wyo., hab., 40:378
- pinetorum, Kan., 35:45
- provectus, R. I., anat., tax., 35:587
- richardsoni, Colo., distr., 37:80
- richardsoni macropus, Wyo., habitat, 31:351, Mont., habitat, 460; Utah, 32:114, Wyo., hab., 118; Utah, comp., distr., 40:53, Wyo., hab., 378
- *richardsoni mylodontus, Utah, orig. desc., comp., distr., habitat, 40:54
- socialis, Iraq, distr., 37:257
- xanthognathus, Alas., distr., hab., 35:259; Manitoba, distr., 38:111; 40:608
- micrura, *see* Cryptotis
- middendorffi, *see* Ursus
- Migration of:
- Alces, 37:486
- Callorhinus, 34:86
- Choeronycteris, 35:436
- Delphinus, 37:311
- Dicrostonyx, 35:105
- Didelphis, 39:39
- Eptesicus, 36:242
- Eschrichtius, 35:596
- Globicephala, 37:311
- Grampus, 37:311
- Lagenorhynchus, 37:311
- Lasionycteris, 37:442
- Lasiurus, 31:349, 456; 34:256; 37:442
- Lemmus, 35:105
- Lutra, 35:443
- Odocoileus, 37:143
- Ovibos, 35:105
- Phocoenoides, 37:311
- Pipistrellus, 40:18
- Rangifer, 31:466; 35:104; 37:337
- Tadarida, 37:42
- migratorius, *see* Cricetulus
- Migratory movement:
- Tadarida, 40:544
- Mikita, John R., *see* Lange, Kenneth I.
- Miles, A. E. W., *see* Colyer, Sir Frank
- Miles, Virgil I., *see* Kinney, Alva R.
- Milk of:
- Odocoileus, 36:473
- Miller, Gerrit Smith, Jr.
- Biography, photo., 35:317
- Miller, Gerrit S., Jr., and David H. Johnson:
- Bibliography of Gerrit Smith Miller, Jr., 35:329
- Miller, Jerome S., *see* Quay, W. B.
- Miller, Lowell S.:
- Some mammal locality records from Iowa, 36:121
- Miller, Loye:
- Color change in the black bear, *Ursus americanus*, 36:460
- Miller, Milton A.:
- Size characteristics of the Sacramento Valley pocket gopher (*Thomomys bottae navus* Merriam), 33:442
- Miller, Richard S.:
- (Review) R. A. Beatty, Parthenogenesis and polyploidy in mammalian development, 38:536
- (Review) Hoffmeister and Mohr, Field book of Illinois mammals, 39:160
- The Munsell system of color notation, 39:278
- Rate of incisor growth in the mountain pocket gopher, 39:380
- A study of a wood mouse population in Wytham Woods, Berkshire, 39:477
- (Review) Stanley P. Young, The bobcat of North America, 40:255
- (Review) Kenya Wild Life Soc., First and second annual reports, 40:457
- (Review) W. H. Beck, A guide to Saskatchewan mammals, 40:624
- Miller, Richard S., *see* Hansen, Richard M.
- milleri, *see* Eumops, Paradoxurus

- Milton, Charles, and Joseph M. Axelrod:
 Calculi and other stones found in mammals, 32:139
- Mimomys (*Cosomys*) *primus*, Ida., foss., 39:246
- Mimon, Veracruz, distr., 40:9
 cozumelae, Quintana Roo, 40:237
- mimus, *see* *Pipistrellus*
- Mindanao:
 Cynocephalus, 31:269
 Tarsius, 31:260
- minidoka, *see* *Camelops*
- Minimum area method:
 For calculating home range, 31:35
- minimus, *see* *Chironectes*, *Eutamias*, *Lepus*, *Sigmodon*, *Tamias*
- Miniopterus *australis*, wt., 33:118
australis minor, syn., 38:128
 **australis shortridgei*, new name, 38:128
 **schreibersi pulcher*, Iraq, orig. desc., distr., anat., 37:257
schreibersi blepotis, wt., 33:118
schreibersi fuliginosus, Japan, distr., 37:272
- Mink, 31:85, 359, 457, 465; 32:43, 91, 104, 227, 282, 347; 33:218, 366; 34:231, 258; 35:496; 36:101; 37:114, 116, 407; 38:319; 39:140, 292, 521; 40:365, 375, 403, 594
 Black, 32:104
 Breeding, 40:247
 Everglades, 33:113
- Mink, *see* *Mustela*
- Minnesota, 32:1
Clethrionomys, 34:384; 40:405, 449
Cricetidae, 38:393
Eptesicus, 34:384; 35:434; 36:242; 37:31
Erethizon, 32:221
Felis, 34:390
Lasionycteris, 37:282
Lasiurus, 35:116; 36:130
Lepus, 31:249
Lutra, 39:438
Martes, 36:133
Muskrat, 34:389
Myocastor, 36:465
Myotis, 35:434
Napaeozapus, 34:384; 40:449
Odocoileus, 35:457
Onychomys, 38:269
Peromyscus, 40:449
Phenacomys, 35:260
Pipistrellus, 35:434; 40:524, 527
Procyon, 38:422
 Red fox, 34:125, 126, 231, 389
Sorex, 32:219; 40:449
Tamias, 40:444
Taxidea, 34:388
- minor, *see* *Lasiurus*, *Miniopterus*, *Mustela*, *Nasua*, *Noctilio*, *Sigmodon*, *Tupaia*
- minuta, *see* *Vampyressa*
- minutis, *see* *Sorex*
- minutus, *see* *Mormopterus*, *Sorex*
- mirabilis, *see* *Sorex*
- miradorensis, *see* *Eptesicus*
- Mirand, Edwin A., and Albert R. Shadle:
 Gross anatomy of the male reproductive system of the porcupine, 34:210
- Mirandaia *ribeiroi*, 33:503
- **Mirandatherium alipioi*, new name, foss., 33:503
- Miriguouina, *see* *P.*
- Mirounga *angustirostris*, Baja Calif., misc., 31:98; Calif., 32:20; Calif., 33:109, pop., 164, 169; Ore., anat., 35:129, Mexico, phys., hab., 211; 40:229
- mirus, *see* *Mesoplodon*
- Mississippi, 33:21
 Armadillo, 33:25
 Mus, 35:509
Pipistrellus, 40:527
- missoulensis, *see* *Felis*
- Missouri, 32:227, 296; 33:25, 491
 Armadillo, 33:25
Corynorhinus, 32:465
Lasiurus, 37:280
 Local list, 40:403
Mustela, 39:521
Myotis, 36:288
Odocoileus, 37:231
Pipistrellus, 40:18, 525
Procyon, 36:493
Scalopus, 40:181
- missouriensis, *see* *Castor*
- mitas, *see* *Cercocebus*
- Mitchell, Ormond G.:
Trypanosoma vespertilionis from some southern California bats, 37:443
 The reproductive cycle of the male Arctic ground squirrel, 40:45
- mitis, *see* *Cercopithecus*, *Marmosa*
- miurus, *see* *Microtus*
- mixtus, *see* *Taphozous*
- Mobility of:
Didelphis, 31:332
modestus, *see* *Microtus*
Moeritherium, comp., 34:192
mohavensis, *see* *Dipodomys*
 Mohr, C. O., *see* Hoffmeister, D. F.
- Moisan, Gaston:
 Late breeding in moose, *Alces alces*, 37:300
- Mole, 33:381; 40:176
 Anastasia Island, 34:134
 Blue, 32:103
 Brewer's, 31:138; 32:101, 368; 33:392
 Common, 34:230
 Eastern, 32:114; 33:364, 392; 37:407; 40:180, 403
 European, 37:438
 Hairy-tailed, 31:458; 35:107
 Prairie, 31:458; 36:101; 39:58, 583
 Southern California, 39:265

- Star-nosed, 31:83, 359; 32:343, 368; 36:288; 37:119, 223, 395
- Molerat, 39:580
- Palestine, 37:257
- mollipilosus, *see* Perognathus
- mollis, *see* Citellus
- Moloch, *see* Callicebus
- molossa, *see* Tadarida
- Molossidae, anat., 35:147
- Molossus, pel., 31:350
- bondae, Panama, hab., 36:232
- coibensis, Panama, hab., 36:232
- major, San Luis Potosí, distr., 40:9, 10, Honduras, 237, Bonaire, Curaçao, 238
- major verrillii, Haiti, distr., 36:109
- nigricans, Mexico, 32:219; Mexico, tax., anat., 35:70
- obscurus, 32:224
- rufus, Tamaulipas, distr., 40:9, 10, Quintana Roo, 237
- sinaloae, Mexico, distr., wt., 38:13
- Molt:
- Dicrostonyx, 40:205
- Dipodomys, 34:3, 6, 9, 11
- Erethizon, 36:84
- Herpestes, 33:339
- Microtus, 37:249
- Monachus, 40:228
- Mormoops, 39:344
- Myosorex, 39:494
- Myotis, 38:461
- Odocoileus, 32:276
- Peromyscus, 33:12, 18; 37:516
- Phoca, 35:218
- Pitymys, 36:52
- Sorex, 32:90; 36:214, 339
- Spermophilus, 39:92
- Sylvilagus, 39:246
- Tadarida, 38:461
- Thomomys, 37:201
- moluccensis, *see* Dobsonia
- mona, *see* Cercopithecus
- monachus, *see* Nasua
- Monachus schauinslandi, Hawaiian Is., hab., 40:226
- monax, *see* Marmota
- Mondé, *see* Nasua
- Mongoose, hab., 31:194; 33:335; 34:436
- Gold-spotted, 33:336
- Indian, 33:336; 36:62
- White-tailed, 31:186
- mongoz, *see* Lemur
- Monkey, 33:175; 35:415
- Black howler, 35:101
- Black white-fronted, 36:449
- Bonnet, 31:93
- Brown white-fronted, 36:449
- Golden, 33:258
- Howling, 40:317
- Kolb's, 31:186
- Mexican spider, 35:101
- Mona, 36:434
- Red howling, 33:114
- Reddish howling, 35:117
- Rhesus, 33:153
- White-faced, 34:267
- monoceros, *see* Monodon
- monochroua, *see* Neotoma
- Monodelphis americanus, 40:338
- brevicaudus, Paraguay, tax., 40:338
- wagneri, Paraguay, syn., 40:345
- Monodon monoceros, 33:332, Alas., 496
- Monogamy or polygamy among:
- Lynx, 31:330
- Monophyllus, 33:172, 256; Haiti, distr., 36:109
- Monosaulax cf. pansus, Nev., foss., 39:87
- Monson, Mildred, *see* Irving, Laurence
- Montagu, M. F. Ashley:
- A hybrid gibbon, 31:150
- Montana, 33:398
- Alces, 31:460
- Antilocapra, 31:192
- Beaver, 34:459
- Canis, 34:127
- Cervus, 36:145
- Citellus, 40:26
- Euderma, 31:197
- Felis, 36:476
- Gulo, 36:248
- Lepus, 37:94
- Local list, 38:182
- Martes, 34:74; 38:174
- Microtus, 31:460
- Mustela, 31:99; 35:418, 496, 593, 594; 39:307
- Ochotona, 39:307
- Odocoileus, 36:473, 474, 476; 38:247
- Pipstoneomys, 37:264
- Sorex, 31:460; 36:214
- Synaptomys, 31:460
- Taxidea, 31:90, 91
- Thomomys, 32:315
- montana, *see* Taxidea
- montanus, *see* Microtus, Reithrodontomys
- montebelli, *see* Microtus
- Montgomery, David H., *see* Roest, Aryan I.
- monticola, *see* Sorex, Thomomys
- Montserrat:
- Noctilio leporinus, 32:224
- Moody, Paul A.:
- Serological evidence on the relationships of the musk ox, 39:554
- Moon phases:
- Relation to Odocoileus, 31:426
- Moore, J. E.:
- The gray fox in Alberta, 33:253
- Moore, Joseph Curtis:
- The status of the manatee in the Everglades National Park, with notes on its natural history, 32:22

- Additional incident of crow attack on rabbit, 32:223
- Bottle-nosed dolphins support remains of young, 36:466
- Opossum taking refuge under water, 36:559
- Newborn young of a captive manatee, 38:137
- Moore, Joseph Curtis, and Ralph S. Palmer:
More piked whales from southern North Atlantic, 36:429
- moorei, *see* Thomomys
- Moose, 31:359, 460, 462, 466; 32:82, 116, 210, 472; 33:154, 434, 480; 34:396; 35:105; 36:145; 37:119, 300, 458, 486; 39:128, 412, 449; 40:380, 455
- Alaskan, 33:247
- mordax, *see* Microtus, Rattus
- Morejohn, G. Victor, and Walter E. Howard:
Molt in the pocket gopher, *Thomomys bottae*, 37:201
- morenoi, *see* Glossophaga
- moricandi, *see* Plectrochoerus
- Morio, *see* Sciurus
- Mormoops, Haiti, distr., 36:109; 38:172; 40:442
- blainvillei, 32:229
- blainvilli, Bahamas, foss., 38:165
- megaphylla, Ariz., hab., distr., 36:290; Tex., pel., 39:513; Tex., distr., 40:9, 11, Curaçao, 238
- megaphylla megaphylla, Mexico, dist., 38:3
- megaphylla senicula, 33:235; Mexico, 35:67; Tex., distr., hab., 37:440; Tex., pel., 39:344
- Mormopterus minutus, Cuba, anat., hab., meas., syn., 34:383
- Moropus, 32:467
- Morphologic comparisons, 40:572
- Morphological adaptations of:
Horse, 40:481
- Morris, R. F.:
Population studies on some small forest mammals in eastern Canada, 36:21
- Morris, William A.:
The chipmunk as a predator of the adult yellow swallowtail butterfly, 34:510
- Morrison, Peter R.:
Observations on body temperature in a hedgehog, 38:254
- Morrison, Peter R., *see* Strecker, Robert L.
- Morrison, Peter R., Fred A. Riper, and Robert L. Strecker:
Growth and the development of temperature regulation in the tundra redback vole, 35:376
- Morrison, Peter R., and William J. Tietz:
Cooling and thermal conductivity in three small Alaskan mammals, 38:78
- Morrison-Scott, T. C. S.:
The technical names of the fallow deer and the Virginia deer, 32:125
- Morrison-Scott, T. C. S., *see* Ellerman, J. R.
- morroensis, *see* Dipodomys
- Morse, Richard C., *see* Glass, Bryan P.
- Mortality of:
Apodemus, 39:481
Bison, 35:453
Callorhinus, 34:92
Castor, 35:452
Eptesicus, 36:242
Erethizon, 32:221; 38:526
Lepus, 37:94; 40:76
Microtus, 34:504; 36:209
Myotis, 38:32
Odobenus, 35:203
Odocoileus, 32:276
Ondatra, 37:494
Peromyscus, 32:300; 40:58
Procyon, 32:218
Rattus, 31:157
Short-tailed shrew, 40:244
Sorex, 38:162
Sylvilagus, 39:121
Tadarida, 31:402
Tamias, 40:561
Urocyon, 39:84
- moschata, *see* Dasypsecta
- moschatus, *see* Nesotragus, Oribos
- Mossman, Archie S.:
Light penetration in relation to small mammal abundance, 36:564
- Mossman, Archie S., and W. Kim Clark:
Winter records of bats in Alaska, 39:585
- Mossman, H. W.:
The genital system and the fetal membranes as criteria for mammalian phylogeny and taxonomy, 34:289
- Motions of the running of:
Cheetah, 40:481
Horse, 40:481
- Mounds of:
Dipodomys, 38:333
- Mountain beaver, 39:223
- Mountain lion, 39:360; 40:403
- Mouse, 33:153; 35:448, 449
- Albino, 33:142
- Anastasia, Cotton, 34:133
- Bailey pocket, 40:145
- Baird pocket, 35:73
- Beach, 34:135
- Big-eared, 37:189
- Big-eared rock, 35:75
- Big jumping, 34:238
- Black-eared, 35:75
- Boyle white-footed, 35:515
- Brush, 35:75; 38:498
- C57 black, 33:142
- California, 40:174
- Carolinian jumping, 36:140

Cotton, 31:86, 314; 33:1, 368, 381
 Dark kangaroo, 39:276
 Deer, 32:54, 60, 105, 283, 338, 367, 471;
 33:50, 145, 250, 367; 34:44, 238; 35:42,
 74, 75, 553; 36:21, 206; 37:74, 121, 516;
 38:210, 416, 497, 523; 39:238, 390; 40:
 133, 593, 605
 Eastern harvest, 31:85, 314; 32:105; 33:367
 Field, 37:213, 297
 Florida gopher, 34:135
 Florida pine, 36:138
 Fulvous harvest, 35:74; 39:306
 Gambel white-footed, 35:515
 Gilbert white-footed, 35:515
 Golden, 31:86, 316; 32:107; 33:4, 367; 34:
 516; 35:16, 177; 36:297; 37:427
 Gopher, 35:260
 Grasshopper, 32:54; 35:118; 36:121; 38:
 269, 498
 Gray-cheeked rock, 35:75
 Harvest, 32:293, 367; 33:388; 35:169, 177,
 430; 36:121; 37:427; 38:497, 521; 39:
 242, 446; 40:174
 Hispid pocket, 40:397
 House, 31:86, 359, 403; 32:60, 109, 283,
 370; 33:148; 34:154, 168, 234, 502; 35:
 77, 177, 509; 36:101, 299, 460, 493; 37:
 407, 427; 38:113, 361, 499; 40:174, 253,
 379, 397
 Japanese field, 37:272
 Japanese wood, 37:272
 Jumping, 31:194, 453; 32:227, 283, 348,
 351; 33:250, 370, 479; 34:265; 35:42;
 36:121, 221; 37:299; 38:114, 272; 40:397
 Laboratory, 33:80, 487; 34:391
 Lemming, 36:121; 37:407, 413
 Little pocket, 37:451; 39:276
 Long-tailed field, 37:257
 Long-tailed meadow, 34:238
 MacFarlane meadow, 36:362
 Marsupial, 39:46
 Meadow, 32:115; 34:233; 35:587; 36:101,
 206; 37:119, 249, 395, 427; 38:44, 499;
 40:174
 Meadow jumping, 31:22, 86, 359, 461; 32:
 122, 370, 471; 34:234; 35:121, 233, 592;
 36:101, 301; 37:119, 122, 395
 Mexican white-footed, 35:102
 Mole, 36:465
 Montane meadow, 34:238
 Nelson pocket, 35:453
 Northern pine, 36:52
 Oldfield, 31:85; 35:56
 Pigmy, 38:520; 40:146
 Pine, 34:233, 262; 35:45; 37:427
 Piñon, 38:498
 Pocket, 32:293; 35:95, 386, 453, 592; 37:
 451; 38:60, 496; 40:412
 Prairie deer, 31:20, 100; 32:76; 40:497, 602
 Pygmy, 35:75; 36:298

Red-backed, 32:348; 34:233, 238, 384; 35:
 579; 36:121, 221, 566; 37:119, 189
 Red tree, 32:348
 Richardson's meadow, 40:53
 Rock, 38:498
 Rocky mountain jumping, 40:379
 Rufescent harvest, 35:74
 Silky pocket, 40:397
 Spiny pocket, 34:59; 35:73, 101
 Striped field, 37:1
 Volcano, 35:76
 Volcano harvest, 35:74
 Western harvest, 35:45, 73; 39:306
 White-footed, 31:86, 138, 318; 32:76, 106,
 123, 197, 293, 324, 348, 370; 33:367,
 389; 34:154, 232; 35:44, 589; 36:42,
 101; 37:122, 189, 358, 395, 407, 427,
 513; 38:129, 211, 498; 40:213, 254
 White-footed deer, 34:155
 Wood, 32:106; 34:505; 37:177, 367; 39:
 239, 242, 477; 40:254, 591
 Woodland deer, 31:359; 40:497
 Woodland jumping, 31:86, 138; 32:109,
 370, 471; 34:384; 36:21; 37:119
 Movements of:
 Alces, 35:105
 Alopex, 35:105
 Antrozous, 36:379
 Apodemus, 39:486, 490
 Armadillo, 33:27
 Beaver, 38:269
 Canis, 31:169; 35:105
 Castor, 34:459
 Citellus, 35:105; 37:189
 Clethrionomys, 32:326; 40:135
 Corynorhinus, 36:379; 37:48
 Cystophora, 35:105
 Dicrostonyx, 35:105
 Didelphis, 31:332; 35:105
 Dipodomys, 38:345
 Eptesicus, 36:242, 379; 37:48; 39:257
 Eumops, 36:407
 Eutamias, 37:189
 Halichoerus, 38:297
 Hippopotamus, 34:305
 Homo, 34:356
 Isodon, 39:53
 Kogia, 36:263
 Lemmus, 35:105
 Lutra, 32:9
 Mirounga, 32:20
 Myotis, 36:379; 37:48
 Odocoileus, 38:249
 Ondatra, 32:187
 Oryzomys, 31:316
 Peromyscus, 31:315; 37:189, 358; 40:133
 Phoca, 35:105
 Pipistrellus, 37:48
 Potorous, 39:52
 Rattus, 31:154; 34:354; 39:190, 450
 Sigmodon, 31:316

- Sorex, 37:189
 Timber wolf, 31:169
 Urocyon, 34:125; 37:346
 Vulpes, 34:125; 37:351
 Zalophus, 32:19
 muiri, *see* Ochotona
 Muishond, *see* African
 mulatta, *see* Macacus
 Mule:
 Calculi in, 32:145
 Mule deer, 35:457
 Mullally, Don P.:
 Hibernation in the golden-mantled ground squirrel, *Citellus lateralis bernardinus*, 34:65
 mülleri, *see* Rattus
 Mumford, Russell E.:
 Hoary bat skull in an Indiana cave, 34:121
 Status of *Nycticeius humeralis* in Indiana, 34:121
 Myotis occultus and Myotis yumanensis breeding in New Mexico, 38:260
 Population turnover in wintering bats in Indiana, 39:253
 Mumford, Russell E., *see* Phillips, Richard E.
 Mumford, Russell E., and James B. Cope:
 Summer records of *Myotis sodalis* in Indiana, 39:586
 Mumford, Russell E., and Charles O. Handley, Jr.:
 Notes on the mammals of Jackson County, Indiana, 37:407
 mumfordi, *see* Myotis
 mungo, *see* Herpestes
 Munsell system, 39:278
 murica, *see* Mustela
 muricus, *see* Mustela
 Muridae, anat., tax., 35:425; tax., 36:165
 Murie, Adolph:
 Coyote food habits on a southwestern cattle range, 32:291
 murinus, *see* Desmodus, Suncus
 Muroidea, anat., 37:295
 Murray, Keith:
 Some problems of applied small mammal sampling in western North America, 38:441
 Mus, Mo., 32:299; 33:85, 256; Colo., hab., 34:502; as fd., 39:524
 angouya, syn., 40:347
 anguya, syn., 40:347
 araneus, 40:338
 auritus, 40:339, syn., 348
 bimaculatus, 40:339
 buccinatus (= *Oryzomys buccinatus*), 40:339
 capito (= *Oryzomys capito*), 40:339
 cephalotes, 40:339
 Laucha (= *Calomys laucha laucha*), 40:339
 longicaudatus, 40:339
 Mexicanus, 40:339
 musculus, as fd., 31:267, Malaya habitat, 344, Mich., 359, hab., misc., 403; 32:109, Colo., 283, physiol., 306, W. Va., 370, 459; 33:153, as fd., 347; Ill., par., 34:153, New Caledonia, hab., distr., 168, phys., 391, Ga., hab., 393, Md., 484; N. Y., hab., 35:105, Tenn., hab., 177, Miss., hab., anat., phys., 509; hab., 36:299, anat., 493, Wis., phys., 460; Ind., distr., 37:407, N. C., hab., 427; Ga., ecol., 38:72, Manitoba, distr., 113, as prey, 281, 468, Calif., hab., 449, N. Mex., distr., hab., 499; Ark., misc., 39:220, Prince Edward I., misc., 292, comp., 306; Calif., hab., 40:174, Calif., 253, Wyo., hab., 379, anat., 397, Wis., hab., 428, Tex., 447, as prey, 546, Ariz., 607
 musculus brevirostris, Mexico, wt., hab., 35:77; Fla., 40:589
 musculus domesticus, Manitoba, distr., 38:113
 musculus musculus, S. C., 31:86; N. J., hab., 34:234; Ohio, hab., 36:101
 nasutus, 40:339
 nigripes (= *Oryzomys nigripes*), 40:339
 pachycephalus, Chile, syn., 40:348
 physodes (= *Reithrodon physodes*), 40:339, syn., 348
 Pilorides fulvus, syn., 40:349
 pyrrhogaster, syn., 40:348
 rufus, 40:339
 rutilans (= *Oxymycteris rutilans*), 40:339
 sylvaticus alpinus, syn., 33:260
 Musacchia, X. J.:
 Cannibalism and other observations of captive ground squirrels, 35:445
 Observations on a newborn litter of *Citellus undulatus*, 39:594
 Musacchia, X. J., *see* Wilber, Charles G.
 Musacchia, X. J., and Rodger D. Hamilton:
 Notes on hibernation and awakening in Arctic ground squirrels, 40:201
 Musacchia, Xavier J., and Charles G. Wilber:
 Studies on the biochemistry of the Arctic ground squirrel, 33:356
 Musacchia, X. J., C. G. Wilber, and T. W. Gorrski:
 Hematological studies on mammals from Alaska, 36:362
 muscinus, *see* Hipposideros
 Muscles of:
 Rattus, 31:288
 musculus, *see* Baiomys, Meriones, Mus
 Musgrove, William F., and Donald F. Hoffmeister:
 A northwestern record of the hog-nosed skunk, *Conepatus mesoleucus*, 38:414
 Muskox, 35:105, 456; 36:254; 39:398, 554
 Muskrat, 31:54, 86, 97, 359, 453; 32:98, 108, 173, 227, 283, 343, 348, 360, 370, 471; 33:105, 114, 248, 370, 479; 34:234, 238,

- 262, 479; 36:101, 138, 493; 37:395, 407;
38:111, 499; 39:153; 40:379
Common, 31:180
Northwestern, 36:362
Round-tailed, 31:460; 37:448
Virginia, 31:180
Mustela, comp., 34:294
barbara, 40:341
erminea, Wis., 31:146, Mich., 359; 32:43,
Mich., 471; Alas., 33:478; comp., 34:385;
Manitoba, ecol., 38:95; Alas., 39:576;
Ore., gen., 40:138
erminea arctica, Alas., 31:465; 32:91
erminea cicognani, Pa., 34:385; Md., distr.,
pel., 37:113, N. Y., distr., hab., 395;
N. Y., meas., 40:614
erminea lepta, 32:227, Colo., 281
erminea murica, Wyo., as fd., 31:356; Utah,
32:227; Utah, distr., 38:411
erminea muricus, Nev., distr., hab., 35:430;
Utah, distr., 36:568; Utah, 38:411, N.
Mex., distr., hab., 500; Wyo., hab., 40:
375
erminea richardsoni, British Columbia, fd.,
34:258; Manitoba, distr., 38:103; Prince
Edward I., misc., 39:292
erminea richardsonii, Alas., phys., 36:362
erminea stabilis, England, 35:161
frenata, Wis., 31:146; 32:43, Calif., 54, 226,
Ore., 347, Mich., 471; Utah, hab., 34:
131, Calif., 332; Ore., hab., 36:567; Ind.,
distr., 37:407; Mont., misc., 39:307; pre-
dation on *Citellus*, 40:36, Calif., hab.,
174
frenata leucoparia, Guerrero, desc., 39:358
frenata neomexicana, Kan., distr., 36:292;
N. Mex., distr., hab., 38:500
frenata nevadensis, Colo., ecol., fd., 32:281;
Utah, behav., 33:492; Colo., distr., fd.,
hab., 34:237; Utah, distr., 38:411; Wyo.,
hab., 40:375
frenata noveboracensis, S. C., 31:84; Ky.,
32:104, W. Va., 369; Quebec, meas., 33:
253, Tenn., 366; N. J., distr., hab., 34:
231, Pa., comp., 385
frenata olivacea, S. C., 31:84; Fla., 40:590
frenata peninsulae, Fla., 31:313
frenata xanthogenys, Calif., fd., 38:517
*gazini, Ida., foss., orig. desc., 39:245
Guianensis, syn., 40:351
Guiqui (= *Galictis cuja*), 40:342
lanata (= *Nasua nasua*), 40:342
laniger, syn., 40:351
minor, syn., 40:351
nigripes, Mont., 31:99, Okla., 460; Ariz.,
33:251; Nebr., distr., 34:385; Colo.,
Mont., Nebr., N. Mex., N. D., S. D.,
Tex., Utah, Wyo., distr., 35:418, S. D.,
distr., wt., 443, Mont., distr., 593, S. D.,
distr., 594
nivalis mosanensis, Korea, fd., 38:391
nivalis nivalis, hab., 35:161
quiqui, 40:342
rixosa, Mont., distr., 35:594; Wis., phys.,
36:564; Hudson Bay, misc., 39:291
rixosa allegheniensis, Wis., distr., 31:146;
N. Y., 32:225; Pa., 33:251, numbers,
252, pel., 253; Pa., 34:385; Ohio, 36:101
rixosa campestris, 32:225; Nebr., distr., 37:
271; Nebr., 39:147
rixosa rixosa, Alas., 31:465; 32:225; Mani-
toba, distr., 38:103
vison, Mich., 31:359; anat., 32:43, 44, Ore.,
347; Mont., wt., anat., phys., 35:496;
British Columbia, hab., 37:114, Norway,
distr., 116; Mont., aging, 38:319, N. D.,
age ratio, 413; British Columbia, 39:140,
Prince Edward I., misc., 292, Mo., fd.,
521; anat., 40:396, 403
vison energumenos, British Columbia, fd.,
34:258; Wyo., hab., 40:375
vison evergladensis, abundance, 33:113,
type loc., 114
vison ingens, Alas., 31:465; Alas., 32:91
vison letifera, Okla., 40:365
vison lutensis, S. C., 31:85; Fla., 40:590
vison mink, S. C., 31:85; Tenn., 33:366;
N. J., distr., hab., 34:231; Ohio, 36:101;
Ind., distr., hab., 37:407
vison vison, Ky., 32:104
zorilla, Africa, nomen., 34:379
Mustelidae, tax., 37:11
Mutations in:
Geomys, 32:338
Mouse, 40:597
Red foxes, 40:515
Mylagaulidae, tax., 36:165
Mylagaulus, Nev., foss., 39:87
Mylodon, see *Microtus*
Myocastor, 40:595
corypus, Calif., distr., 34:512; Nev., distr.,
35:579; Minn., distr., 36:465
Myogalinae, 32:40
myops, see *Erethizon*
Myosorex cafer, Africa, rev., map, 39:325,
Africa, pel., 494
varius, Africa, rev., map, 39:325
Myosuros, see *Didelphis*
Myotis, pel., 31:350; thermoregulation, 32:
393; Alas., 33:478; Ohio, 36:101; as fd.,
38:30; 40:403
austroriparius, comp., 35:112; Ark., distr.,
hab., 36:288; Fla., ecol., 38:15, Ky.,
distr., 515; dis., 39:262; Fla., sex ratio,
40:16
austroriparius austroriparius, Fla., distr.,
hab., 38:259
austroriparius gatesi, Okla., 40:197
californicus, Calif., 33:275; Calif., distr.,
hab., phys., par., 35:539; dis., 39:262
californicus californicus, Calif., 34:256;
Calif., par., 36:457

californicus caurinus, Calif., 32:366
 californicus stephensi, N. A., anat., 36:96,
 Utah, distr., 126, Calif., par., 457
 Cave, 39:434
 evotis, as fd., 31:96; Ore., 32:346
 evotis evotis, Calif., 34:256; Utah, distr.,
 36:126; Wyo., hab., 40:374
 fortidens, Mexico, distr., 38:12
 griseus, Okla., distr., 36:128, 289; Fla.,
 hab., 38:259; anat., 39:452; Okla., 40:
 198, 241
 Hairy-winged, 34:237
 keeni, as fd., 31:96
 keeni, Minn., hab., 35:434; hab., 37:48;
 Fla., distr., hab., 38:259, longev., 407
 keeni septentrionalis, S. C., 31:84; Fla.,
 wt., distr., 36:567; Ind., distr., hab.,
 meas., wt., 37:543; Fla., distr., hab., 38:
 259; S. D., distr., 39:150; Okla., 40:199
 lucifugus, Pa., hab., 31:96, 267, Ky., hab.,
 350, Ky., as fd., 457; Mich., 32:471; 33:
 112, Calif., 275; Ontario, par., 34:139;
 wt., hab., 36:399; hab., 37:48; N. Y.,
 foraging, 38:121, Conn., maternal be-
 havior, 122, Iowa, homing, 154, longev.,
 407, hypothermia, 423; Prince Edward
 I., misc., 39:292, Alas., 574, 585; Mass.,
 Ill., sex ratio, 40:16, Md., feeding effi-
 ciency, 149, Iceland, distr., 246, anat.,
 394, 551, 553
 lucifugus carissima, Wyo., phys., wt., anat.,
 35:434; Utah, distr., 36:126; Wyo., hab.,
 40:373
 lucifugus lucifugus, S. C., 31:84, Mich.,
 359; Ky., 32:103; Ohio, Pa., hab., wt.,
 34:122; N. Y., anat., gen., phys., 35:111,
 N. Y., wt., phys., anat., 432; Ohio, hab.,
 36:452; N. Y., anat., 37:58, N. Y., distr.,
 hab., 395, Ind., distr., hab., 407, N.
 J., hab., 440, Ohio, hab., 441, Ind., distr.,
 hab., meas., wt., 543; sex ratio, mortality,
 phys., 38:32; N. Y., misc., 39:293; Okla.,
 40:196
 macrodactylus, Japan, distr., 37:272
 nigricans, 32:224; Curaçao, 40:238
 nigricans extremus, Mexico, wt., par., hab.,
 35:101
 nigricans nesopolus, Bonaire, 40:238
 nigricans nigricans, Panama, hab., 36:232
 occultus, N. Mex., hab., 38:260
 salodorensis, foss., nomen., 36:129
 simus, 40:152
 sodalis, S. C., 31:84, N. C., 98, Ky., hab.,
 350, Ky., as fd., 457; 33:111; Okla.,
 distr., 36:128, Wis., distr., 567; hab., 37:
 48, Ky., gen., 546; Fla., desc., 38:259;
 Ind., distr., 39:586; Okla., 40:200, 550,
 551
 subulatus, Calif., 33:275; Calif., hab., 35:
 539; hab., 37:48
 subulatus leibi, Ky., 32:103, 40:201

subulatus leibii, N. C., 31:97, Va., 197; W.
 Va., hab., 36:130, Mo., distr., 288; N.
 Y., distr., hab., 37:441
 subulatus melanorhinus, N. A., anat., 36:96,
 126, 457; Okla., 40:200
 thysanodes, Ore., 32:346; Calif., 33:275;
 N. Mex., distr., 38:492
 thysanodes thysanodes, Ida., distr., meas.,
 34:122; N. A., anat., 36:96, Utah, distr.,
 126, Calif., par., 457; Calif., distr., 37:
 545
 velifer, temp., 32:390, 391, 395; Tex., 36:
 120; hab., 37:48; dis., 39:262; Mexico,
 40:442, spleen, 548, 550
 velifer incautus, Okla., distr., 36:96, 128,
 379; Tex., color, molt, pel., 38:463; Tex.,
 hab., 39:434, Tex., pel., 513; Okla., 40:
 199, Kan., hab., 440, Tex., 442
 velifer velifer, 33:237; Mexico, hab., 35:69
 volans, Calif., 33:275
 volans interior, Colo., distr., 34:237; Wyo.,
 phys., wt., anat., 35:434; Wyo., hab.,
 40:373
 yumanensis, Ore., 32:346, 395, illus., 396,
 illus., 397, 398, 399, 400; Calif., 33:275;
 N. Mex., hab., 38:260, N. Mex., distr.,
 493; N. Mex., hab., 40:441
 yumanensis sociabilis, N. A., anat., 36:96,
 Calif., par., 457; Calif., par., 37:443
 yumanensis yumanensis, Utah, distr., 36:
 126; Okla., 40:197
 Myrmecophaga, 33:422
 jubata, Brazil, 33:390
 pentadactyla, syn., 40:351
 Striata, syn., 40:351

N

Nakamura, Mitsuru:
 Tularemia in the jumping mouse, 31:194
 nana, *see* Didelphys
 nanus, *see* Artibeus, MacroGLOSSUS, Microtus,
 Sorex
 Napaeozapus, 33:497
 cf. insignis, 32:352
 insignis, N. Y., 31:138; Md., 33:250; Minn.,
 distr., 34:384; Ontario, hab., 37:119; N.
 Y., hab., 38:272; Minn., distr., 40:449
 insignis frutectanus, Mich., 32:471
 insignis insignis, W. Va., 32:370; N. Y.,
 hab., 35:103; New Brunswick, hab., 36:
 21; N. H., hab., wt., 37:196; Prince
 Edward I., misc., 39:291
 insignis roanensis, S. C., 31:86; Ky., meas.,
 32:109, W. Va., 370
 narica, *see* Nasua
 Narwhal, 33:332, 496
 Nasalis, 33:258
 nasica, *see* Viverra
 naso, *see* Rhynchonycteris
 Nasset, E. S.:
 Gastric secretion in the beaver (*Castor*

- canadensis), 34:204
Nasua annulata, syn., 40:351
candace dichromatica, Venezuela, syn., 40:352
canina (= *Procyon cancrivorus cancrivorus*), 40:341, syn., 353
coati, French Guiana, syn., 40:351
fusca, syn., 40:351
henselii, Brazil, syn., 40:352
henselii cinerascens, Argentina, syn., 40:352
minor (= *Nasua nasua nasua*), 40:341
monachus, syn., 40:351
Mondé (= *Nasua nasua nasua*), 40:341
narica, Okla., wt., nest., 33:108; Panama, fd., 34:267; Ariz., distr., anat., hab., wt., 35:48; Tex., distr., 40:9, 11
narica molaris, Mexico, 35:70; Guerrero, desc., 39:354
narica narica, Mexico, 35:102
narica pallida, Ariz., 32:362; Ariz., distr., 38:123
narica yucatanica, Panama, hab., 38:263
nasua, tax., 40:341, 351
nasua aricana, Brazil, syn., 40:352
nasua spadicea, Brazil, tax., 40:352
nelsoni, Quintana Roo, 40:237
obfuscata, Brazil, syn., 40:351
phaeocephala, Venezuela, syn., 40:352
pusillus, French Guiana, syn., 40:351
rufa, syn., 40:351
sociabilis, Brazil, syn., 40:351
socialis, Brazil, syn., 40:351
socialis Aurea, syn., 40:352
solitaria, Brazil, syn., 40:351
solitarius, Brazil, syn., 40:351
spadicea (= *Nasua nasua spadicea*), 40:341
Squash, 40:341
vittata, British Guiana, syn., 40:352
Viverra, 40:351
vulgaris, syn., 40:352
nasua, see *Nasua*
nasuta, see *Perameles*
nasutus, see *Mus*, *Peromyscus*
natalensis, see *Cephalophus*
Natalidae, 31:436; anat., 35:147
Natality rate:
Peromyscus, 37:513
Sylvilagus, 39:121
Natalus, tax., 31:442; 32:229; 33:172, 176; 40:442
brevimanus, tax., 31:443
(*Chilonatalus*) *brevimanus*, Nicaragua, 40:238
dominicensis, tax., 31:442
lepidus, tax., 31:443; Bahamas, misc., 38:167
macer, tax., 31:443
major, tax., 31:442
mexicanus, Mexico, distr., 35:584; Tamaulipas, distr., 40:9, 10
mexicanus mexicanus, tax., 31:442; Mexico, distr., 38:11
mexicanus saturatus, Mexico, 31:436, tax., 442; Panama, hab., 36:232; San Luis Potosí, misc., 39:293
micropus, tax., 31:443
primus, tax., 31:442
stramineus, tax., 31:437, 442
tumidifrons, tax., 31:443; Bahamas, misc., 38:166
tumidirostris, tax., 31:442; Curaçao, 40:238
tumidirostris continensis, Venezuela, 40:238
natator, see *Oryzomys*
natunae, see *Nycticebus*
navigator, see *Sorex*
navus, see *Thomomys*
Neal, Bobby J., and Ralph D. Kirkpatrick:
Anomalous canine tooth development in an Arizona peccary, 38:420
Nebraska:
Citellus, 31:158
Dama, 36:47
Glaucomys, 35:429
Gulo, 37:445
Lasiurus, 35:429; 39:147
Lynx, 35:429; 39:148
Mustela, 34:385; 35:418; 37:271; 39:147
Nebraskomys, 38:43
Nycticeius, 40:246
Ondatra, 37:501
Pipistrellus, 40:524
Procyon, 37:170
Sciurus, 39:148
Sylvilagus, 35:429; 37:271; 39:148
Tamias, 35:429
Taxidea, 34:388
Urocyon, 39:148
Zapus, 31:453
**Nebraskomys*, new genus, Nebr., 38:43
**mcgrewi*, Nebr., orig. desc., foss., 38:43
Neff, Don J.:
A seventy-year history of a Colorado beaver colony, 40:381
Negus, N. C.:
Fluctuation in the population of *Neotoma cinerea* (woodrat) in Jackson Hole, Wyoming, 31:196
Habitat adaptability of *Phenacomys* in Wyoming, 31:351
Negus, Norman C.:
Breeding of three-year-old females in the Jackson Hole Wildlife Park buffalo herd, 31:463
Pelage stages in the cottontail rabbit, 39:246
Negus, Norman C., see Findley, James S.
Negus, Norman C., and James S. Findley:
Mammals of Jackson Hole, Wyoming, 40:371
Neill, Wilfred T.:
Hoary bat in a squirrel's nest, 33:113

- A Florida specimen of Le Conte's lump-nosed bat, 34:382
- Two erythristic raccoons from Florida, 34:500
- Neill, Wilfred T., *see* Allen, E. Ross
- Neill, Wilfred T., and James M. Boyles:
Notes on the Florida pine mouse, *Pitymys parvulus* Howell, 36:138
- Neill, Wilfred T., and Ripley P. Bullen:
Muskrat remains from a prehistoric Indian site in Jackson County, Florida, 36:138
- Nelson, A. L., *see* Martin, Alexander
- nelsoni*, *see* *Ammospermophilus*, *Cervus*, *Citellus*, *Cryptotis*, *Nasua*, *Perognathus*, *Sciurus*
- nemestrina*, *see* *Macacus*
- nemoralis*, *see* *Pitymys*
- Neofiber*, 33:87
- alleni*, Ga., 31:460; 33:88
- alleni nigrescens*, Fla., descr., hab., wt., 37:448
- leonardi*, 33:88
- neohibernicus*, *see* *Pteropus*
- Neomeris phocaenoides*, tax., hab., 39:32
- Neomys*, 32:41
- fodiens*, Great Britain, 32:354, 355
- Neotoma*, 33:104; as fd., 35:59, 111; anat., 40:398, 602
- albigula*, Tex., gen., hab., pel., 35:239; N. Mex., distr., hab., 38:499; Ariz., 40:607
- albigula albigula*, comp., 34:181, 182; Ariz., N. Mex., 40:449
- albigula melas*, Tex., gen., hab., pel., 35:239
- albigula warreni*, Tex., distr., 40:448
- alleni elattura*, Mexico, tax., anat., 35:77
- angustapalata*, Tamaulipas, distr., 40:6
- cinerea*, Wyo., misc., 31:196; Utah, 32:114, Wyo., 119; Calif., fd., 34:320; Calif., hab., 37:189; Utah, breeding, captiv., 38:472; Ore., gen., 40:138, N. Mex., 336, 593
- cinerea acraia*, Utah, misc., 39:277
- cinerea occidentalis*, Ore., 32:348
- cinerea orolestes*, Colo., 32:282; Colo., distr., 34:238; Wyo., hab., 40:377
- cinerea pulla*, Calif., dentition, 38:227
- ferruginea*, Mexico, 32:120
- floridana*, comp., 34:181; Kan., 35:46; map, distr., 38:197; Okla., hab., 39:237; 40:403, 594
- floridana baileyi*, comp., 34:181
- floridana floridana*, S. C., 31:86, Fla. habitat, wt., 361, Fla., hab., 421; Fla., ecol., hab., 33:459, fd., 460, wt., 462; Fla., anat., hab., fd., meas., comp., pel., phys., wt., 34:180; Ga., distr., gen., hab., 36:572; Fla., 40:589
- floridana haematoreia*, S. C., 31:86; Ga., distr., gen., hab., 36:572
- floridana illinoensis*, Tenn., hab., nests, 33:369; distr., 40:404
- floridana osagensis*, Okla., 34:118
- floridana rubida*, comp., 34:181
- **floridana smalli*, Fla., orig. desc., tax., anat., gen., 36:113
- fuscipes*, 33:54; anat., 36:356; Calif., hab., 37:189, 371; Calif., hab., 38:444; Calif., hab., 40:174, Calif., 253
- fuscipes annectans*, comp., 34:182
- fuscipes fuscipes*, Ore., 32:348
- fuscipes macrotis*, comp., 34:181, 182
- fuscipes monochroua*, Ore., hab., 31:290
- fuscipes streatoris*, physiol., 32:306
- haematoreia*, distr., map, 38:197
- (*Hodomys*) *vetulus*, 33:97
- illinoensis*, distr., map, 38:197
- lepida*, Calif., habitat, 32:53; Calif., hab., 38:448, Utah, captiv., breeding growth, distr., hab., par., 472
- lepida sanrafaeli*, Utah, 32:113
- magister*, Pa., habitat, 31:198; Ky., 32:107, W. Va., 370; comp., 34:182; Ga., hab., distr., 36:572; distr., map, 38:197
- mexicana fallax*, N. Mex., distr., hab., 38:499
- micropus*, Tex., par., 34:270
- micropus canescens*, N. Mex., distr., hab., 38:498; 40:449
- micropus micropus*, comp., 34:181
- pennsylvanica*, distr., map, 38:197
- rubida*, distr., map, 38:197
- smalli*, distr., map, 38:197
- torquata*, 33:97; Mexico, distr., 35:77
- Neotomodon alstoni alstoni*, Mexico, anat., hab., distr., 35:76
- nereis*, *see* *Enhydra*
- Nervous system of:
 Trichechus, 34:200
- nesophila*, *see* *Martes*
- Nesophontes*, Haiti, distr., 36:109
- nesopolus*, *see* *Myotis*
- Nesotragus moschatus akeleyi*, Africa, 31:188
- Nesslinger, Carlita L.:
 Ossification centers and skeletal development in the postnatal Virginia opossum, 37:382
- Nest of:
 Artibeus, 34:267
- Blarina*, 32:115
- Citellus*, 34:342; 35:586; 40:32
- Clethrionomys*, 33:244
- Cryptotis*, 32:115; 33:241; 34:230; 35:252; 40:243
- Geomys*, 36:143
- Glaucomys*, 31:314; 33:244; 34:232; 36:101
- Microtus*, 33:185; 34:233, 480, 503; 37:120; 38:530
- Mus*, 36:101
- Nasua*, 33:108
- Neotoma*, 31:290; 32:348; 33:369; 34:180
- Oryzomys*, 32:122; 33:368

- Peromyscus*, 32:107; 33:244, 367, 368; 34:130, 505; 35:17; 36:101, 277; 39:188
Pitymys, 36:52, 138
Potorous, 39:56
Rattus, 36:259; 38:531
Reithrodontomys, 38:530
Sciurus, 31:313; 36:101
Sigmodon, 33:369; 38:416
Sorex, 32:115; 35:109; 37:277; 38:530
Sylvilagus, 31:323; 33:370; 39:121
Synaptomys, 32:108
Tamias, 37:23
Zapus, 32:228; 35:121; 36:101
Nestoritherium sinense, 32:467
 sivalense, 32:467
 Netherlands Antilles:
 Leptonycteris, 38:454
neumanni, *see* Papiro, *Raphicerus*
Neirotichus gibbsi, anat., classification, 32:36
 Nevada, 33:273
 Antrozous, 31:350
 Bassariscus, 35:577, 578; 39:87
 Castor, 35:578
 Cervus, 35:578
 Coyote, 34:226
 Cynodesmus, 39:87
 Erethizon, 34:259
 Euderma, 31:197
 Hypotherium, 39:87
 Kit fox, 34:226
 Lasiurus, 35:578
 Lepus, 35:578
 Liodontia, 39:87
 Merychippus, 39:87
 Merycodus, 39:87
 ? *Meterix*, 39:87
 Microtus, 31:248
 Monosaulax, 39:87
 Mustela, 35:430
 Mylagaulus, 39:87
 Myocastor, 35:579
 Odocoileus, 36:308; 39:156
 Peromyscus, 35:450
 Phenacomys, 35:577
 Procyon, 35:578
 Sciurus, 35:577, 578
 Sorex, 35:430
 Thomomys, 38:267
 Ursus, 35:577, 578
nevadensis, *see* *Mustela*, *Taxidea*
nevadensis, *see* *Merycodus*
 Newborn of:
 Balaenoptera, 39:593
 Citellus, 39:594
 New Brunswick:
 Blarina, 36:21
 Clethrionomys, 36:21
 Microsorex, 36:21
 Napaeozapus, 36:21
 Peromyscus, 36:21
 Sorex, 36:21; 39:292; 40:609
 Newby, Fletcher E., *see* Hawley, Vernon D.
 Newby, Fletcher E., and Philip L. Wright:
 Distribution and status of the wolverine in
 Montana, 36:248
 New Caledonia:
 Mus, 34:168
 Rattus, 34:168
 New England:
 European fox, 40:514
 Newey, J. Paul, *see* Durrant, Stephen D.
 Newfoundland:
 Cystophora, 31:450
 Red fox, 40:515
 Ursus, 37:538
 Vulpes, 36:291
 New Guinea, 32:211
 Dobsonia, 40:390
 Nyctimene, 40:391
 Pteropus, 40:390
 Rousettus, 40:390
 Saonycteris, 40:391
 New Hampshire, 33:398
 Bobcat, 32:356
 Lepus, 35:122
 Lynx, 31:327
 Napaeozapus, 37:196
 Odocoileus, 36:553; 38:421; 39:269
 Peromyscus, 33:398
 Sorex, 37:277
 Tamiasciurus, 35:252; 39:596
 New Jersey, 32:121
 Claucomys, 34:507
 Local list, 34:227
 Lynx, 36:290
 Myotis, 37:440
 Peromyscus, 34:505; 37:513
 Pipistrellus, 40:525
 Pitymys, 36:52
 Sorex, 37:110, 277; 40:437
 New, John G.:
 Dyes for studying the movements of small
 mammals, 39:416
 Population structure in *Blarina* at Ithaca,
 New York, 40:243
 Causes of mortality in short-tailed shrews,
 40:244
 New, John G., *see* Berbehenn, Kile R.
 Newman, Coleman, *see* Fitch, Henry S.
 New Mexico, 33:22, 250, 375, 391
 Armadillo, 33:22
 Baiomys, 40:146
 Citellus, 40:336
 Coyote, 34:223
 Dipodomys, 38:330
 Dwarf shrew, 33:250
 Euderma, 31:197
 Eutamias, 40:336
 Fur bearers, 34:221
 Lepus, 40:336
 Local list, 38:256, 490
 Lutra, 35:443

- Lynx, 31:327
 Marmota, 40:336
 Microtus, 40:336
 Mustela, 35:418
 Myotis, 38:260; 40:441
 Neotoma, 40:336, 449
 Perognathus, 35:453; 40:145, 611
 Peromyscus, 40:611
 Pipistrellus, 40:533
 Reithrodontomys, 39:306
 Sigmodon, 40:146
 Sorex, 38:513; 40:336
 Tadarida, 38:463; 39:293, 516
 Tamiasciurus, 40:336
 Thomomys, 40:331, 336
 Ursus, 36:460
- New name:
- **Desmodus magnus*, orig. desc., 40:534
 - Lepus americanus setzeri*, subst. name, 40:145
 - **Microtus richardsoni mylodonotus*, orig. desc., 40:54
 - **Pipistrellus hesperus oklahomae*, orig. desc., 40:531
 - Sigmodon planifrons setzeri*, subst. name, 40:447
- New South Wales:
- Rattus, 39:301
- New World:
- Red fox, 40:513
- New York, 32:225, 227, 341, 462, 465; 33:185, 457
- Blarina, 31:138; 35:103; 39:417; 40:243
- Capreolus, 38:422
- Castor, 31:40; 35:197, 452; 38:268
- Clethrionomys, 31:138; 35:103, 579; 36:566; 37:298
- Condylura, 37:223
- Didelphis, 35:103; 37:382
- Eptesicus, 35:103
- Erethizon, 31:94; 34:210
- Lasiurus, 36:453, 455
- Lepus, 35:122
- Local list, 37:395
- Lynx, 31:327
- Mammals of conifer plantations, 40:253
- Martes, 39:589
- Microtus, 31:100, 248; 34:130; 35:103, 587; 36:533; 39:417
- Mus, 35:103; 39:417
- Myotis, 35:111, 432; 37:58; 38:121; 39:293
- Napaeozapus, 31:138; 35:103; 38:272
- Odocoileus, 40:115
- Ondatra, 34:262
- Peromyscus, 31:100; 35:103; 37:516; 38:210
- Pipistrellus, 40:524
- Pitymys, 35:103; 36:52
- Sciurus, 35:103; 39:376
- Short-tailed shrew, 40:244
- Sorex, 31:100, 138; 35:579; 39:417
- Tamias, 34:448; 35:103
- Tamiasciurus, 35:103; 39:445
- Urocyon, 34:125
- Vulpes, 34:125
- Zapus, 35:103
- New Zealand:
- Mesopodion, 34:242
- nexa, *see* Lutra
- Nicaragua:
- Artibeus, 40:238
- Natalus, 40:238
- Nice, Constance, *see* Nice, Margaret M.
- Nice, Margaret M., Constance Nice, and Dorothea Ewers:
- Comparison of behavior development in snowshoe hares and red squirrels, 37:64
- Nichols, J. T.:
- Additional data on the occurrence of Dall's porpoise, 31:99
- Nichols, John T.:
- Food habits and behavior of the gray squirrel, 39:376
- Nicholson, A. J.:
- A record of the spotted bat (*Euderma maculata*) for Montana, 31:197
- Food of a beaked whale, 35:124
- Nicholson, A. J., *see* Wilke, Ford
- Nicholson, Arnold J., and Dwain W. Warner:
- The rodents of New Caledonia, 34:168
- Nichter, Richard:
- The effect of variation in humidity and water intake on activity of *Dipodomys*, 38:502
- niger, *see* Canis, *Cynopithecus*, *Hippotragus*, *Sciurus*
- nigeriae, *see* Papio
- nigra, *see* Felis, *Mephitis*
- nigratus, *see* *Urosciurus*
- nigrescens, *see* *Baiomys*
- nigricans, *see* *Molossus*, *Myotis*
- nigripes, *see* *Mus*, *Mustela*, *Oryzomys*
- nigrovittatus, *see* *Callosciurus*
- **Nimravides thinobates*, Colo., Tex., Okla., foss., orig. desc., 39:368
- nippon, *see* *Cervus*
- nitens, *see* *Lutra*
- nitratoides, *see* *Dipodomys*
- nivalis, *see* *Leptoncyteris*, *Mustela*
- nivarius, *see* *Evotomys*
- Noctilio labialis labialis, syn., 40:152
- (*Dirias*) labialis minor, Panama, hab., 36:232, 390
- labialis minor, syn., 40:152
- leporinus leporinus, 32:224
- leporinus mexicanus, Panama, hab., 36:232, 390; Mexico, distr., 38:2
- rufescens (= *Noctilio leporinus rufescens*), 40:340
- rufipes, 40:341
- noctivagans, *see* *Lasioncyteris*
- Noctula noctula, 33:79

- noctula, *see* *Nyctalus*
 nocturna, *see* *Pithecia*
 Nocturnal mammals:
 Perognathus, 35:73
 Nomenclature of:
 Canis, 32:126
 Chilonycteris, 40:4
 Dama, 32:126
 Ictonyx, 34:114
 Myotis, 36:128
 Nycterobius, 36:128
 Nyctinomus, 36:128
 Odocoileus, 32:126
 Paleonycteris, 36:128
 Paradoxonycteris, 36:128
 Paraphyllophora, 36:128
 Pseudorhinolophus, 36:128
 Revilliodia, 36:128
 Rhinolophus, 36:128
 Samonycteris, 36:128
 Spilogale, 34:114, 378
 Stehlinia, 36:128
 Taxidea, 32:126
 Viverra, 34:114
 Zorilla, 34:114, 378
norfolcensis, *see* *Nyctinomus*
 Norris, Kenneth S., *see* Brown, David H.
 see Reeder, William G.
 Norris, Kenneth S., and William N. McFarland:
 A new harbor porpoise of the genus *Phocoena* from the Gulf of California, 39:22
 Norris-Elye, L. T. S.:
 Behaviour of a newly-born silver-haired bat, 32:221
 The black bear as a predator of man, 32:222
 North America:
 Antrozous, 36:96
 Blarina, 37:236
 Citellus, 35:357
 Corynorhinus, 36:96
 Cynomys, 35:357
 Erethizon, 36:84
 Eutamias, 35:357
 Glaucomys, 35:357
 Marmota, 35:357
 Myotis, 36:96
 Odocoileus, 36:493
 Pipistrellus, 36:96
 Red fox, 40:514
 Sciurus, 35:357
 Tadarida, 36:96
 Tamias, 35:357
 Tamiasciurus, 35:357
 North Atlantic:
 Grampus, 35:123
 North Borneo:
 Breeding season, 39:429
 North Carolina, 33:107, 333
 Cystophora, 35:258
 Glaucomys, 37:122
 Lasiurus, 36:453
 Local list, 37:427
 Myotis, 31:97, 98
 Pipistrellus, 31:98; 40:527
 Red fox, 40:514
 Ziphius, 39:440
 North Dakota, 32:469; 33:493
 Canis, 31:354
 Glaucomys, 32:470
 Mustela, 35:418; 38:412
 Sciurus, 37:525
 Taxidea, 31:354; 34:388
 Urocyon, 31:197
 Northern fur seal, 34:86
 North Pacific Ocean:
 Callorhinus, 34:86
 Northwest Territories, 33:500
 Alopex, 36:254
 Canis, 36:254
 Citellus, 36:254
 Dicrostonyx, 36:254
 Lemmus, 36:254
 Lepus, 36:254
 Microtus, 32:353, 360
 Ovibos, 36:254
 Rangifer, 36:254
 Ursus, 36:254
norvegicus, *see* *Rattus*
 Norway:
 Mustela, 37:116
nosophora, *see* *Marmota*
notatus, *see* *Callosciurus*
notinus, *see* *Bassariscus*
Notiomys megalonyx, Chile, distr., 36:465
Notiosorex crawfordi, Mexico, 32:120; Colo., distr., as fd., 35:110; Calif., distr., anat., 36:561; Okla., anat., distr., 37:278; Ariz., 40:607
 crawfordi crawfordi, Ark., 33:105, meas., 106; Okla., distr., meas., anat., as fd., 34:117; Calif., distr., hab., 37:108
 crawfordi evotis, 32:121; Mexico, distr., as fd., 34:116
 Nova Hispanica, *see* *Felis*
 Nova Scotia:
 Martes, 40:451
 Red fox, 40:515
noveboracensis, *see* *Mustela*, *Peromyscus*
novemcinctus, *see* *Dasypus*
nubilus, *see* *Canis*
nubiterrae, *see* *Peromyscus*
nudicaudatus, *see* *Phalanger*, *Tylomys*
Nudipes, *see* *Peromyscus*
nudus, *see* *Canis*
 Nuevo León:
 Local list, 40:10
 Number of:
 Armadillo, 33:27
 Blarina, 33:186
 Manatee, 32:23

- Microtus*, 33:186
Mustela, 33:252
 Timber wolf, 31:167
 Nursery of:
 Myotis, 35:539; 37:48
 Nursing:
 Callorhinus, 34:421
 Neotoma, 34:182
Nutria, 34:512; 35:578; 36:465
 Nutrition of:
 Odocoileus, 31:15
nuttalli, see *Peromyscus*, *Sylvilagus*
Nyala, 31:189
Nyctalus noctula, birth, 31:274, 277, 278;
 anat., 31:295, anat., 438
Nyctereutes, 33:421
Nycterobius, foss., nomen., 36:128
nycthemera, see *Hystrix*
Nycticebus coucang, longev., 38:279
 coucang bancanus, 33:116
 coucang borneanus, 33:116
 coucang brachycephalus, tax., 33:115,
 meas., 116
 coucang hilleri, 33:116
 coucang natunae, 33:116
 malaianus, 33:115
Nycticeius cubanus, 32:233
 humeralis, S. C., 31:84; Ind., distr., 34:
 121; Ind., distr., 37:282, Ind., distr., hab.,
 meas., wt., 543
 humeralis humeralis, 32:233; Neb., hab.,
 40:246
 humeralis mexicanus, 32:233
 **humeralis subtropicalis*, orig. desc., 32:233
Nyctiellus, 32:229
 lepidus, syn., 31:437, 443
Nyctimene aello celaeno, New Guinea, bacu-
 lum, 40:391
 albiventer papuanus, New Guinea, bacu-
 lum, 40:391
 major geminus, New Guinea, baculum, 40:
 391
 robinsoni, wt., 33:118
Nyctinomus brasiliensis, syn., 36:106
 helveticus, foss., nomen., 36:128
 loriae, wt., 33:118
 norfolkensis, wt., 33:118
 stehlini, foss., nomen., 36:128
Nyctitherium, Colo., foss., distr., 35:581
Nyctophilus bifax, wt., 33:118

O

- oaxacae*, see *Dipodomys*
obesula, see *Isodon*
obesulus, see *Isodon*
obesus, see *Odobaeus*
obfuscata, see *Nasua*
obliquidens, see *Lagenorhynchus*
obscura, see *Cryptotis*
obscurus, see *Clethrionomys*, *Evotomys*, *Mo-*
 lossus, *Pipistrellus*, *Reithrodon*, *Sorex*

- Observations of:
 Bobcats, 32:356
 Tamias, 40:556
obtusa, see *Phylloncyteris*
occidentalis, see *Bison*, *Canis*, *Cervus*, *Cleth-*
 rionomys, *Equus*, *Evotomys*, *Neotoma*
 Occlusion of teeth:
 Liomys, 34:59
occultus, see *Myotis*
 Occurrence of:
 Balaena, 34:253
 Balaenoptera, 34:253
 Callorhinus, 37:83
 Dall's porpoise, 31:99
 Equus, 38:278
 Kogia, 36:263
 Lagenorhynchus, 37:128
 Lasiurus, 36:455; 37:111
 Lynx, 38:414
 Manatee, 31:98
 Mesoplodon, 36:573
 Mustela, 36:568
 Myocastor, 36:465
 Myotis, 31:97
 Notiosorex, 36:561; 37:108
 Odobenus, 34:253
 Peromyscus, 36:569
 Physeter, 34:253
 Pitymys, 37:121
 Tadarida, 36:458
 Thomomys, 38:267
Ocelot, 32:116, 210, 363
ochoterenae, see *Balantiopteryx*
Ochotona collaris, Alas., 33:479; Alas., distr.,
 39:448; Alas., 40:608
 princeps, Calif., habitat, 31:4; anat., 33:
 104; Ore., distr., fd., hab., par., wt., 34:
 131; Colo., hab., gen., 35:450; Colo.,
 distr., 37:80; Mont., hab., 39:307, Colo.,
 hab., 599; Ore., gen., 40:138
 princeps figginsi, Colo., 32:283; Colo.,
 distr., hab., 34:239
 princeps muiri, gest. per., 31:356
 princeps schisticeps, 32:169
 princeps uinta, 32:169
 princeps ventorum, Wyo., hab., 40:379
ochracea, see *Marmota*
ochraceous, see *Eutamias*
ochraventer, see *Peromyscus*
ochrogaster, see *Microtus*
ochrourus, see *Odocoileus*
Octodontidae, tax., 36:165
ocythous, see *Urocyon*
Odobaenus obesus, misc., 31:162
Odobenus, Mich., foss., 34:253; Me., distr.,
 35:444
 rosmarus, comp., 34:254
 rosmarus divergens, Alas., anat., 35:203
Odocoileus, 32:84, nomen., 126; as fd., 35:
 59; N. A., anat., 36:493; Ida., Mass.,

- Mich., Mo., anat., gen., 37:231; as fd., 38:126; as fd., 39:592
 acapulcensis, Guerrero, desc., 39:364
 *brachyodontus, Kan., orig. desc., foss., anat., 34:376
 campestris, Brazil, 33:390
 cascensis, comp., 34:377
 couesi, Ariz., 32:270
 hemionus, Colo., hab., 31:193; 32:140, 349; 33:434, Wyo., 474; Wyo., hab., 34:397; Minn., distr., 35:457; Mont., hab., 36:476; Ariz., hab., 37:458; Calif., anat., 38:423; British Columbia, 39:140; Ariz., misc., 39:155; Utah, antler abnormalities, genetics, phys., 40:96, Iowa, distr., 148, Okla., 367
 hemionus californicus, Calif., 40:253
 hemionus columbianus, 32:277, Ore., 349; Calif., hab., 37:143, 165, Iowa, distr., 457; Wash., reprod., 38:116
 hemionus crooki, Mexico, anat., 35:599
 hemionus eremicus, Ariz., anat., wt., 36:145
 hemionus hemionus, Colo., distr., 34:239, Ida., hab., 515; anat., 35:486; Utah, anat., wt., 36:202, Utah, anat., gen., 308, Mont., wt., phys., 473, 474; Iowa, distr., 37:457; Mont., hab., 38:247, comp., 277; Utah, Nev., anat., 39:156, comp., 272; Ida., anat., 40:252, Wyo., hab., 380
 paludosus, Brazil, 33:390
 rothschildi, Panama, hab., 34:267
 speleus, nomen., 32:126
 texanus, 32:272
 virginiana, nomen., 32:126
 virginianus, Mich., 31:359; 32:139, 271, W. Va., 371, Mich., 471; W. Va., 33:254, Tenn., introd., 371, Wis., 429, 433, prey, 435; N. J., hab., 34:234, Tex., par., 270, comp., 377; Mich., hab., 35:129, Wis., anat., 456; N. H., wt., phys., 36:553; Ontario, 37:119, Ind., distr., 407, Me., dis., 552; Ala., reprod., hab., 38:420, N. H., reprod., 421; Me., N. H., anat., 39:269, Prince Edward I., 292, Md., anat., 309; N. Y., histology, anat., phys., communication, 40:114, Iowa, 148, Pa., anat., 236, anat., 396, 403
 virginianus borealis, wt., 31:5; Me., hab., fecundity, 32:267; morph., 33:73; N. Y., distr., 37:395; comp., 38:277; 40:252
 virginianus carminis, Mexico, anat., 35:599
 virginianus hiltonensis, S. C., 31:87
 virginianus macrourus, Colo., distr., 35:269; Colo., 40:251
 virginianus mexicanus, Mexico, 35:78
 virginianus ochrourus, Wash., Ida., abnormalities, 38:277; 40:252, Wyo., hab., 380
 virginianus osceola, Ala., breeding, gest., wt., 40:109
 virginianus seminolus, Fla., 40:590
 virginianus taurinsulae, S. C., 31:87
 virginianus texanus, Tex., reprod., 32:411; Okla., fd., 40:367
 virginianus venatorius, S. C., 31:87
 virginianus virginianus, S. C., 31:87
 Ohio, 36:101
 Odor, *see* Scent of
 Odum, Eugene P.:
 An eleven year history of a Sigmodon population, 36:368
 Odum, Eugene P., *see* Gentry, John B.
see Schwartz, Albert
 oeconomus, *see* Microtus
 Oelrich, Thomas M.:
 Additional mammals from the Rexroad fauna, 34:373
 Oestrus cycle in:
 Lynx, 31:328
 ogallalae, *see* Bassariscus
 Ogilvie, Stanley:
 Chokecherry toxic to an antelope, 36:146
 *Ogmodontomys sawrockensis, Neb., orig. desc., foss., 38:39
 Ognev, Sergey Ivanovich, obit., 34:414
 Ohio, 32:115, 464
 Blarina, 37:543
 Citellus, 40:145
 Corynorhinus, 35:430
 Eptesicus, 37:441
 Local list., 36:101
 Lutra, 37:284
 Microtus, 38:44
 Myotis, 34:122; 36:452; 37:441
 Parascalops, 31:458
 Pipistrellus, 40:525, 528
 Procyon, 35:440
 Sciurus, 32:111; 36:493
 Sorex, 38:513
 Sylvilagus, 39:246; 40:250
 Taxidea, 34:388
 Zapus, 35:121, 233
 ohioensis, *see* Castoroides
 ohionensis, *see* Microtus, Tamias
 Okapi, 38:279
 Okapia johnstoni, longev., 38:279
 Oklahoma, 33:21, 98, 106, 108, 492
 Antrozous, 34:118; 36:379
 Armadillo, 33:24
 Bison, 38:139
 Corynorhinus, 36:128, 379
 Cynomys, 36:69
 Eptesicus, 36:128, 379
 Geomys, 32:338
 Lasiurus, 34:118; 39:587
 Local list, 34:118; 39:238; 40:362
 Mephitis, 34:155
 Mustela, 31:460
 Myotis, 36:128, 379; 38:465; 39:515; 40:194
 Nasua, 33:108

- Nimravides, 39:368
 Notiosorex, 34:117, 118; 37:278
 Onychomys, 34:118
 Peromyscus, 34:190
 Pipistrellus, 36:128; 40:526, 529, 531, 532, 533
 Reithrodontomys, 34:118; 40:450
 Tadarida, 36:128; 37:42; 38:463; 39:435
 Urocyon, 40:450
 oklahomae, *see* Pipistrellus
 Olds, J. M.:
 Notes on the hood seal (*Cystophora cristata*), 31:450
 Old World:
 Red fox, 40:513
 olivacea, *see* Mustela
 olivaceus, *see* Cynocephalus
 olivascens, *see* Sciurus
 Olive, John R.:
 An extension of range of the hairy-tailed mole, *Parascalops breweri* (Bachman), 31:458
 olivieri, *see* Crocidura
 Olsen, Stanley J.:
 The lower dentition of *Mephitis taxus* *ancipidens* from the Florida Miocene, 38:452
 The bog lemming from the Pleistocene of Florida, 39:537
 olympus, *see* Marmota
 onca, *see* Felis
 Onchocerca, moose parasite, 39:449
 Ondatra, 33:89; as *fd.*, 39:524, 592; *anat.*, 40:399
 zibethica, Mich., 31:359; Ore., 32:348, Mich., 471; *behav.*, *fd.*, 33:114; Fla., *distr.*, *foss.*, 36:138, Md., *anat.*, 493; Prince Edward I., *misc.*, 39:292; 40:595
 zibethica alba, N. W. Terr., *wts.*, *meas.*, 32:360
 zibethica cinnamomina, *meas.*, 32:362
 zibethica macrodon, *comp.*, 34:262, Md., *hab.*, 479
 zibethica osoyoosensis, Ida., *hab.*, 31:97; Colo., 32:283, *meas.*, 362; Colo., *distr.*, 34:238; Wyo., *hab.*, 40:379
 zibethica spatulata, Alas., *feeding hab.*, 32:98, *meas.*, 361; *anat.*, 33:105, Alas., 479; Alas., *phys.*, 36:362
 zibethica zibethica, S. C., 31:86, Me., *anat.*, 180, Ontario, *dis.*, 358, Mich., *hab.*, 453; Ky., 32:108, 173, 206, W. Va., N. Y., 343, W. Va., 370; *par.*, 33:248, Tenn., *habitat*, 370; N. J., *distr.*, *hab.*, 34:234, N. Y., *gen.*, 262; Ohio, 36:101
 zibethicus, Ind., *distr.*, *hab.*, 37:407
 zibethicus albus, Manitoba, *distr.*, 38:111
 zibethicus cinnamominus, Nebr., *anat.*, *meas.*, 37:501
 zibethicus osoyoosensis, Ida., *hab.*, *phys.*, *wt.*, 37:494; N. Mex., *distr.*, *hab.*, 38:499
 zibethicus spatulus, 32:360
 zibethicus zibethicus, N. Y., 32:343; N. Y., *distr.*, *hab.*, 37:395
 Ontario, 33:248, 260
 Alces, 37:119; 39:128
 Blarina, 31:138; 36:36; 37:274; 40:437
 Bobcat, 34:129
 Canis, 31:169
 Clethrionomys, 32:82, 325, 327, 329, 462; 37:119
 Delphinapterus, 34:253
 Didelphis, 35:105; 37:431
 Felis, 36:290; 37:119
 Glaucomyss, 37:119
 Lasionycteris, 31:358
 Local list, 34:137; 38:257
 Lynx, 35:129
 Marmota, 31:358
 Microtus, 31:138, 195, 357, 358; 37:119, 121
 Napaeozapus, 37:119
 Odocoileus, 37:119
 Ondatra, 31:358
 Parascalops, 31:138
 Peromyscus, 31:138, 358; 32:462; 38:212
 Phenacomys, 37:121
 Phoca, 34:253
 Phocoena, 34:253
 Pipistrellus, 40:18, 524, 527
 Pitymys, 31:138, 358
 Porcupine, 34:129
 Rattus, 31:358
 Red fox, 40:514, 515
 Sciurus, 36:296
 Sorex, 37:119; 40:438
 Tamias, 31:138, 347, 358; 37:119
 Taxidea, 34:388
 Urocyon, 34:126
 Ursus, 37:119
 Vulpes, 34:126
 Zapus, 31:357, 358; 37:119
 ontarionensis, *see* Zapus
 Onychomys, as *fd.*, 35:111; as *fd.*, 39:529; *anat.*, 40:398
 leucogaster, Okla., as *fd.*, 34:118; Minn., *desc.*, 38:269, Ariz., *distr.*, 521
 leucogaster breviauritus, Iowa, *distr.*, 36:121
 leucogaster longipes, Mexico, *hab.*, *anat.*, 35:118
 leucogaster pallescens, Utah, 32:113; N. Mex., *distr.*, *hab.*, 38:498
 torridus, Calif., 32:54; Ariz., *distr.*, 38:521
 operarius, *see* Microtus, Tamias
 Opossum, 31:83, 94, 313; 32:342, 464; 33:105, 363, 464; 34:135, 230; 35:39, 66, 105, 406, 581; 36:101, 284, 559; 37:382, 407, 431; 39:39; 40:174, 253
 American, 33:154
 Australian, 33:154
 Black-eared, 35:100

- Four-eyed, 35:100
 Virginia, 32:101, 368; 40:403
 White-eared woolly, 35:10
 opossum, *see* Philander
 Oral cavity:
 Cynomys, 34:15
 Orang-utan, 33:259
 orbitus, *see* Lagurus
 Orca, comp., 34:248
 ordi, *see* Dipodomys
 ordii, *see* Dipodomys
 Oreamnos, Alas., 33:480; serology, 39:556,
 relationships, 557
 americanus, 33:434; British Columbia, 39:
 140
 oreas, *see* Microtus, Peromyscus
 Oregon, 33:273
 Aplodontia, 34:396; 39:233
 Dipodomys, 37:449
 Local list, 32:345; 40:128
 Mesoplodon, 34:242
 Microtus, 36:458
 Mirounga, 35:129
 Mustela, 36:567
 Neotoma, 31:290
 Ochotona, 34:132
 Phenacomys, 34:391
 Tadarida, 36:458
 Ziphius, 34:251
 oregonensis, *see* Leptarctus
 oregoni, *see* Microtus
 Oreotragus oreotragus schillingsi, Africa, 31:
 188
 orientalis, *see* Phalanger
 Orientation of:
 Corynorhinus, 36:379
 Myotis, 36:379
 origenes, *see* Martes
 orinomus, *see* Bassaricyon
 ornatus, *see* Sorex
 Ornithorhynchus, as fd., 39:529
 anatinus, longev., 38:279; hab., 39:582
 orolestes, *see* Neotoma
 Orr, Howard D.:
 Activity of white-footed mice in relation to
 environment, 40:213
 Orr, Robert T.:
 Additional records of Ursus californicus,
 31:362
 Early records of Californian mammals, 31:
 362
 Unusual behavior and occurrence of a
 hoary bat, 31:456
 Notes on the seasonal occurrence of red
 bats in San Francisco, 31:457
 Beaked whale (Mesoplodon) from Cali-
 fornia, with comments on taxonomy, 34:
 239
 (Review) Ralph S. Palmer, The mammal
 guide, 36:147
 The distribution of Myotis thysanodes in
 California, 37:545
 Keeping bats in captivity, 39:339
 (Review) Victor B. Scheffer, Seals, sea
 lions and walruses, 39:601
 Sharks as enemies of sea otters, 40:617
 Oryctolagus, 33:154; comp., 34:294
 cuniculus, gest. per., 31:357; 33:153, 486;
 reingestion, 38:481; Tasmania, ecol., 39:
 48; England, reprod., 40:86, hab., 92,
 anat., 396
 Oryx beisa beisa, Africa, 31:189
 oryx, *see* Taurotragus
 Oryzomys, 33:173; Curacao, 40:238, anat.,
 398
 alfaroi, Tamaulipas, distr., 40:6
 alfaroi dilutior, Mexico, distr., 35:258
 buccinatus, Paraguay, tax., 40:339
 capito, 40:339
 couesi, Mexico, 32:120; 33:97; Tex., distr.,
 40:9, 10, Honduras, 237
 couesi aztecus, Mexico, anat., tax., wt., 35:
 76
 cozumelae, Quintana Roo, 40:237
 devius, Panama, 34:508
 fulvescens, Nuevo León, 40:10
 laticeps, 40:339
 melanotis, Tamaulipas, 40:10
 nigripes, 40:339
 nigripes longicaudatus, 40:339
 palustris, N. J., 32:121, Pa., 121, nest, 122;
 W. Va., 33:254; N. J., distr., hab., 34:
 232, Md., hab., anat., 479; Ark., misc.,
 39:220; Fla., 40:588
 palustris coloratus, Fla., 32:77
 palustris natator, Fla., habitat, hab., 31:
 316, Fla., hab., 421; 33:4; Fla., hab.,
 34:135
 palustris palustris, S. C., 31:86; 32:206;
 Tenn., hab., nests, fd., 33:368; Tenn.,
 phys., anat., wt., 35:263; Ky., distr., 38:
 141
 palustris texensis, possibly in Tenn., 33:
 369; Ark., distr., hab., 36:298
 ratticeps paraganus, Paraguay, syn., 40:348
 ratticeps tropicus, Brazil, syn., 40:347
 osagensis, *see* Neotoma
 Osborn, Dale J.:
 Techniques of sexing beaver, Castor cana-
 densis, 36:141
 Age classes, reproduction, and sex ratios of
 Wyoming beaver, 38:27
 osborni, *see* Hypohippus
 osceola, *see* Odocoileus
 Os clitoridis:
 Citellus, 35:357
 Cynomys, 35:357
 Eutamias, 35:357
 Glaucomys, 35:357
 Marmota, 35:357
 Tamias, 35:357
 Tamiasciurus, 35:357

- Os genitale of:
 Hamster, 32:204
 Tamiasciurus, 33:457
 osgoodi, *see* Citellus, Peromyscus
 osoyoosensis, *see* Fiber, Ondatra
 Ossification centers:
 Didelphis, 37:382
 Ostenson, Burton T., *see* Johnson, Murray L.
 Osteogenesis of:
 Cricetus, 31:121
 Osteology:
 Castor, 35:197
 Mustela, 38:319
 Octodontidae, 38:351
 Trichechus, 38:195
 Otaria jubata, Galapagos Is., hab., 37:287, distr., 549
 Otariidae, tax., 37:11
 othus, *see* Lepus
 Otocyon megalotis virgatus, Africa, 31:186
 Otomys tropicalis, pel., 39:448
 Ototylomys phyllotis guatemalae, Mexico, wt., anat., phys., 35:102
 Otter, 31:85, 359; 32:44, 227; 34:231, 255; 35:443; 40:375
 Florida, 31:313
 River, 31:466; 32:1, 209; 33:366; 35:125; 37:284; 39:438, 576, 591
 Sea, 32:10, 209; 33:43, 387; 35:595; 37:375; 40:147
 Ovarian cycle:
 Oryzomys, 35:263
 Ovarian follicles of:
 Herpestes, 34:443
 Microtus, 37:213
 Ovaries of:
 Castor, 37:506
 Gulo, 36:346
 Herpestes, 34:442
 Trichechus, 34:202
 Ovibos, serology, 39:554, relationships, 557
 moschatus, Arctic, hab., distr., 35:105; Alas., anat., phys., 456; N. W. Terr., distr., 36:254; Canada, distr., 39:398
 Ovis, as fd., 35:60; serology, 39:556, relationships, 557
 canadensis, Colo., hab., 31:193, Ariz., hab., 463; 33:434
 canadensis auduboni, 32:209
 canadensis canadensis, Okla., 40:369, Wyo., hab., 380
 *catclawensis, Ariz., orig. desc., foss., 37:105
 dalli, 33:434
 dalli dalli, Alas., 31:466
 Ovulation in:
 Corynorhinus, 33:296
 Herpestes, 34:442
 Microtus, 37:213
 Mink, 33:218
 Peromyscus, 33:6; 34:46
 Procyon, 35:440
 Owen, Oliver S.:
 Merriam's life zone concept and the distribution of certain small mammals in central New York, 35:579
 Owl pellets:
 Dipodomys, 38:135
 Microtus, 38:135
 Mus, 38:135
 Neotoma, 38:135
 Perognathus, 38:135
 Peromyscus, 38:135
 Rattus, 38:135
 Reithrodontomys, 38:135
 Sylvilagus, 38:135
 Oxymycteris rutilans, 40:339
 oxyotis, *see* Loxodonta
 oxythous, *see* Urocyon
- P
- P. Mirigouina, 40:338
 Paca, 35:102
 paca, *see* Cuniculus
 pachycephalus, *see* Mus
 Pacific Northwest:
 Long-tailed shrews, 40:575
 Pacific Ocean:
 Eschrichtius, 35:444
 pacificus, *see* Antrozous, Mesopiodon, Sorex
 Packard, Robert L.:
 Release, dispersal, and reproduction of fallow deer in Nebraska, 36:471
 Carnivorous behavior in the Mexican ground squirrel, 39:154
 First record of the pigmy mouse in New Mexico, 40:146
 Packard, Robert L., *see* Jones, J. Knox, Jr.
 Packard, Ross L.:
 An observation on quadruplets in the red bat, 37:279
 Paikea, syn., 34:244
 pajeros, *see* Felis
 paleacea, *see* Echimyis, Loncheris
 Paleontology:
 Mustela, 39:245
 Paleomycteris, foss., nomen., 36:128
 pallescens, *see* Corynorhinus, Lynx, Onychomys
 palliata, *see* Alouatta
 pallida, *see* Nasua
 pallidior, *see* Perameles
 pallidus, *see* Antrozous, Corynorhinus, Lagurus, Zapus
 palmarium, *see* Artibeus, Funambulus
 palmarius, *see* Peromyscus
 Palmer, Ralph S.:
 The whitetail deer of Tomhegan Camps, Maine, with added notes on fecundity, 32:267
 (Review) A. Starker Leopold and F. Fraser Darling, Wildlife in Alaska, 35:463
 Palmer, Ralph S., *see* Moore, Joseph Curtis

- paludicola, *see* *Sylvilagus*
 paludosus, *see* *Odocoileus*
 palustris, *see* *Oryzomys*, *Sorex*, *Sylvilagus*
 pampa, *see* *Felis*
 pampanus, *see* *Reithrodon*
 Panama:
 Alouatta, 40:317
 Artibeus, 34:267; 36:235
 Bradypus, 34:268
 Cabassous, 34:268
 Carollia, 36:234
 Cebus, 34:267; 40:329
 Chilonycteris, 36:233
 Coendou, 34:267
 Dasypus, 34:267; 40:329
 Dasypus, 34:268
 Desmodus, 36:235
 Eumops, 36:235
 Glossophaga, 36:234
 Lonchorhina, 36:234
 Macrophyllum, 36:234
 Mazama, 34:267
 Micronycteris, 36:233
 Molossus, 36:235
 Myotis, 36:235
 Nasua, 34:267; 38:263
 Natalus, 36:235
 Noctilio, 36:232, 390
 Odocoileus, 34:267
 Oryzomys, 34:508
 Peromyscus, 34:508
 Phyllotomus, 36:234; 40:439
 Reithrodontomys, 34:508
 Rhynchonycteris, 36:232
 Saccoteryx, 34:266; 36:232
 Sciurus, 40:329
 Scotinomys, 34:508
 Sigmodon, 34:508, 509
 Syntheosciurus, 34:509
 Tadarida, 36:235
 Tapirella, 34:267
 Uroderma, 36:234
 panamensis, *see* *Chironectes*, *Icticyon*, *Speothos*
 panamintinus, *see* *Dipodomys*
 Pancreatic histology:
 Delphinapterus, 38:185
 Pancreatic weight:
 Delphinapterus, 38:185
 paneaki, *see* *Microtus*
 Pangolin:
 Black-bellied, 37:531
 Giant, 37:531
 Tri-cusped, 37:531
 pannietensis, *see* *Dobsonia*
 Pan satyrus, anat., phys., 36:78
 pansus, *see* *Monosaulax*
 Panther, 31:279; 32:227
 Panthera leo massaica, Africa, 31:187
 leo melanochaitus, Africa, 31:186
 pardus suahelica, Africa, 31:187
 tigris, longev., 38:279
 uncia, dis., 31:462; longev., 38:279
 Panuska, Joseph Allen:
 Weight patterns and hibernation in *Tamias striatus*, 40:554
 Panuska, Joseph A., and Nelson J. Wade:
 The burrow of *Tamias striatus*, 37:23
 Field observations on *Tamias striatus* in Wisconsin, 38:192
 Hibernation in *Mesocricetus auratus*, 39:298
 Papio anubis, nomen., 40:143
 anubis anubis, Africa, 31:186
 anubis doguera, syn., 40:144
 anubis heuglini, syn., 40:144
 anubis neumanni, syn., 40:144
 anubis tessellatus, syn., 40:144
 hamadryas, 31:150
 langheldi, 31:150
 nigeriae, syn., 40:143
 papio, nomen., 40:144
 sphinx, 31:150
 ursinus ursinus, Africa, 31:186
 papio, *see* *Papio*
 papuana, *see* *Saconycteris*
 papuanus, *see* *Nyctimene*, *Pipistrellus*, *Pteropus*
 *Paradipoides stovalli, orig. descr., 33:99
 Paradiso, John L.:
 The common blackfish in Virginia coastal waters, 39:440
 Paradoxonycteris soricodon, foss., nomen., 36:128
 Paradoxurus hermaphroditus conisbeeii, new name, 33:399
 hermaphroditus fuscus, name substituted, 33:399
 hermaphroditus milleri, name substituted, 33:399
 Paraechinus aethiopicus, comp., 38:255
 paraganus, *see* *Oryzomys*
 Paraguay:
 Dasypus, 40:350
 Didelphis, 40:345
 Lasiurus, 36:130
 Marmosa, 40:343
 Pygoderma, 39:585
 Vampyrops, 36:130
 paraguayensis, *see* *Cebus*
 Paramyidae, tax., 36:165
 Paramys delicatus, dentition, 38:233
 Paraphyllophora robusta, foss., nomen., 36:128
 Parascalops, 32:36; captivity, 33:392; pel., 35:186; 40:190
 breweri, Ontario, 31:138, Ohio, distr., 458; Ky., hab., 32:101, W. Va., 368, Ontario, 472; Mass., wt., hab., 35:107
 Parasite relationships, 40:572
 Parasites of:
 Alces, 31:462; 39:139, 449

- Ammospermophilus, 40:446
 Antrozous, 36:457; 37:443
 Arctic foxes, 33:47
 Asellia, 36:123
 Berardius, 34:120
 Blarina, 31:138; 34:137
 Callorhinus, 35:258
 Canis, 34:138, 270
 Castor, 34:205
 Choeronycteris, 36:457
 Citellus, 32:93; 34:155, 163
 Clethrionomys, 32:94; 33:495
 Corynorhinus, 36:457; 37:443
 Cow, 34:270
 Dasypus, 34:270
 Didelphis, 33:467
 Dipodomys, 38:489
 Dogs, 33:47; 34:154
 Domesite goat, 34:270
 Eptesicus, 34:138; 36:457; 37:443
 Eumops, 36:407, 457
 Hemiechinus, 36:123
 Herpestes, 33:350; 36:62
 Lasionycteris, 31:358
 Lasiurus, 35:253
 Lepus, 34:138, 269; 35:458; 38:485; 40:250
 Lynx, 35:458; 39:439
 Manis, 37:531
 Marmota, 31:358; 38:282
 Martes, 38:412
 Mephitis, 34:138, 155, 157, 270; 38:282
 Mesoplodon, 34:240
 Microtus, 31:139, 140, 357, 358; 32:95, 98; 34:137; 38:282
 Mus, 34:154
 Muskrat, 34:154
 Myotis, 34:139; 35:539; 36:457; 37:443; 38:30; 39:295
 Neotoma, 31:290; 34:270; 38:476
 New Guinea mammals, 32:213
 Ochotona, 34:133
 Odocoileus, 34:270
 Ondatra, 33:248
 Panthera, 31:462
 Peromyscus, 31:141, 358; 34:139, 154, 155; 33:244; 35:26, 589; 38:282
 Pipistrellus, 36:123, 457
 Pitymys, 31:139, 140, 358; 36:52; 38:282
 Potamochoerus, 36:147
 Procyon, 32:218; 34:123, 155; 38:282
 Raccoon, 35:459
 Rangifer, 37:337
 Rattus, 31:358; 33:38; 36:259; 37:181
 Scalopus, 33:394; 38:281
 Sciurus, 34:154, 155; 38:282
 Sigmodon, 32:78; 34:155
 Sorex, 31:140
 Sylvilagus, 34:270; 35:392; 38:282; 40:88
 Synaptomys, 38:282
 Tadarida, 36:236, 457
 Tamias, 31:358
 Tamiasciurus, 38:282
 Taphozous, 36:123
 Tapirella, 34:268
 Taxidea, 34:155
 Tayassu, 34:270
 Urocyon, 31:78
 Vulpes, 32:124; 34:138; 37:351
 Zapus, 31:357, 358
 pardalis, *see* Felis
 pardus, *see* Panthera
 Parental behavior of:
 Dolphin, 32:253
 Parental care:
 Manatee, 32:26
 Parke, Wesley W.:
 Bronchial diverticula in *Blarina brevicauda*, 37:236
 Parke, Wesley N., *see* Penner, Lawrence R.
 Parker, Harry C.:
 Two new records of the spotted bat in California, 33:480
 Parmalee, Paul W.:
 Evidence of the fisher in central Illinois, 39:153
 Parmalee, Paul W., and Donald F. Hoffmeister:
 Archaeozoological evidence of the spotted skunk in Illinois, 38:261
 Parmalee, Paul W., and Karl W. Jacobson:
 Vertebrate remains from a Missouri cave, 40:401
 parnelli, *see* Chilonycteris
 parnellii, *see* Chilonycteris
 parryi, *see* Citellus, Colobotis
 particeps, *see* Didelphis
 Partnerships:
 Badger-coyote, 31:354
 Parturition in:
 Aplodontia, 37:87
 Bats, 31:274
 Corynorhinus, 33:304
 Giraffa, 36:574
 Mephitis, 37:112
 Microtus, 34:130
 Myotis, 35:111
 Odocoileus, 38:116
 Peromyscus, 33:9
 Stenella, 32:253
 Tursiops, 32:251
 parva, *see* Cryptotis
 parvidens, *see* Spermophilus, Sturnira
 parvula, *see* Rhogeessa
 parvulus, *see* Pitymys
 parvus, *see* Bassariscus, Perognathus, Scalopus
 pascalis, *see* Thomomys
 Patagonum, *see* Dasyprocta
 patagonum, *see* Dolichotis
 Patten, Bernard C., Jr., and Marie A. Patten:
 Swimming ability of the little brown bat, 37:440
 Patten, Marie A., *see* Patten, Bernard C.

pattersonianus, *see* Taurotragus

Paula Couto, Carlos de:

A new name for *Mirandaia ribeiroi* Paula Couto, 1952, 33:503

On two mounted skeletons of *Megalocnus rodens*, 37:423

paulus, *see* Baiomys

pauperrimus, *see* Lagurus

Pearson, Anita K., *see* Pearson, Oliver P.

Pearson, Oliver P.:

Keeping shrews in captivity, 31:351

Additions to the fauna of Santa Cruz Island, California, with description of a new subspecies of *Reithrodontomys megalotis*, 32:366

Notes on a pregnant sea otter, 33:387

A traffic survey of *Microtus-Reithrodontomys* runways, 40:169

Pearson, Oliver P., and Paul H. Baldwin:

Reproduction and age structure of a monogoose population in Hawaii, 34:436

Pearson, Oliver P., Mary K. Koford, and Anita K. Pearson:

Reproduction of the lump-nosed bat (*Corynorhinus rafinesquei*) in California, 33:273

Pearson, Paul G.:

Observations concerning the life history and ecology of the woodrat, *Neotoma floridana floridana* (Ord), 33:459

Pearson, Roger, *see* Svihla, Arthur

pearyi, *see* Rangifer

Pecari, Ariz., prey, 32:292

angulatus, anat., 37:246

tajacu humeralis, Guerrero, desc., 39:363

tajacu sonoriensis, Ariz., dent., 38:420

Peccary, 32:292; 33:390; 37:246; 38:420; 40:401

Collared, 35:102

pectoralis, *see* Peromyscus, *Reithrodontomys*

Pedetes cafer surdaster, Africa, 31:187

Pedetidae, tax., 36:165

Pelage change of:

Myosorex, 39:494

Neotoma, 34:183

Peromyscus, 37:516; 39:184

Rattus, 39:303

Sylvilagus, 39:246

Pelage of:

Bassariscus, 35:57

Bats, 39:513

Citellus, 36:273

Coati, 35:52

Corynorhinus, 34:383

Cryptotis, 34:230

Dicrostonyx, 40:205

Erethizon, 36:84

Geomys, 36:143

Lagurus, 36:270

Martes, 34:82

Mustela, 33:253

Myotis, 35:111; 38:463

Neotoma, 36:113; 38:201

Rattus, 34:178

Scalopus, 34:134

Synaptomys, 34:233; 36:1, 293

Tadarida, 38:461

Talpidae, 35:186

Tamiasciurus, 36:136

pellax, *see* Rattus

Pelvis of:

Citellus, 36:356

Dipodomys, 36:356

Herpestes, 34:444

Lemmus, 36:356

Microtus, 36:356

Neotoma, 36:356

Peromyscus, 36:356

Thomomys, 36:356

Trichechus, 34:200

Pengelly, W. Leslie:

Recent records of wolverines in Idaho, 32:224

penicillatus, *see* Perognathus

peninsulæ, *see* Apodemus, *Mustela*, *Phalanger*

pennanti, *see* Martes

Penner, Lawrence R.:

Dirofilaria scapiceps from snowshoe hare in Connecticut, 35:458

A note on *Macracanthorhynchus ingens* in a Connecticut raccoon, 35:459

Penner, Lawrence R., *see* Kelly, Arthur

Penner, Lawrence R., and Wesley N. Parke:
Note on the mange in the bobcat, *Lynx rufus*, 35:458

Penney, J. T.:

Distribution and bibliography of the mammals of South Carolina, 31:81

Pennsylvania, 32:121; 33:245, 251

Blarina, 31:281

Didelphis, 35:581

Marmota, 31:196

Mustela, 34:385

Myotis, 31:97; 34:122

Neotoma, 31:198

Peromyscus, 31:100; 40:213

Pipistrellus, 40:525

Red fox, 40:514

Scalopus, 31:281

Sciurus, 32:111; 39:532

Sylvilagus, 31:325; 36:303

Tamiasciurus, 36:136

Urocyon, 37:90

Ursus, 35:28

Vulpes, 37:90

pennsylvanica, *see* Neotoma

pennsylvanicus, *see* Microtus

pentadactyla, *see* Myrmecophaga

Peradectes, Colo., foss., distr., 35:581

Perameles gunnii, Tasmania, 39:47

nasuta pallidior, wt., 33:117

Peratherium, Colo., foss., distr., 35:581

- peregrinus, *see* Pseudocheirus
 perforatus, *see* Taphozous
 pergracilis, *see* Cryptotis
 Perognathus, as fd., 35:59, 111; as fd., 39:528; metabolism, 40:357, 602
 apache caryi, Utah, 32:113; N. Mex., distr., 38:496
 baileyi, Ariz., distr., 38:521
 baileyi baileyi, N. Mex., distr., 40:145
 californicus, Calif., 32:54; hab., 35:386; Calif., hab., 38:444
 fallax, hab., 35:386
 fallax fallax, 40:414
 fasciatus callistus, Utah, distr., hab., 37:451
 flavus, Mexico, 32:120; N. Mex., distr., hab., 38:496, Ariz., distr., 521; anat., 40:397
 flavus mexicanus, 32:121; Mexico, hab., tax., 35:73
 formosus, hab., 35:386; Utah, anat., hab., 38:207
 hispidus, Okla., hab., 39:237; anat., 40:397
 inornatus, Calif., 32:54; Calif., 40:613
 inornatus inornatus, physiol., 32:303
 intermedius, N. Mex., distr., hab., 38:496
 longimembris, hab., 35:386; Utah, pel., 37:451; temp., aestivation, hibernation, 38:60, Utah, anat., hab., 207
 longimembris gulosus, Utah, 39:276
 merriami, N. Mex., 40:611
 merriami gilvus, hab., 35:453
 nelsoni canescens, N. Mex., distr., 35:453
 parvus, 32:226; Calif., hab., 35:592; anat., hab., Utah, 39:207, Wash., misc., 300, Calif., hab., 446
 parvus mollipilosus, Calif., hab., 40:412
 *parvus yakimensis, Wash., anat., tax., distr., gen., orig. desc., 35:95
 penicillatus, Ariz., distr., 38:521
 penicillatus eremicus, hab., 35:453
 Peromyscus, misc., 31:94, 358, dis., 414, misc., 433; 32:54, 60, 68, 69, Mo., 299; 33:85, 154, 184, as fd., 365, Colo., 399; sp., Ontario, par., 34:139; hab., 35:8, as fd., 59, 111; Wis., phys., 36:564; Mich., distr., 37:121, as fd., 351; as fd., 39:523, 529; as fd., 40:39, Calif., 253, anat., 398, 403, dental patterns, 600
 boylei, Calif., 32:197; fd., 33:50, hab., 51; Calif., phys., pop., 34:44, Okla., Tex., anat., meas., 189, Calif., fd., 320; Calif., hab., 38:444; anat., 39:599; Tamaulipas, distr., 40:6, N. Mex., 611, Calif., 613
 boylei attwateri, Okla., Tex., comp., 33:377; Okla., 34:118
 boylei boylei, phys., 32:303; Calif., melanism, 38:417
 boylei levipes, Mexico, comp., distr., habitat, 33:371
 boylei rowleyi, N. Mex., Ariz., comp., 33:375; N. Mex., distr., hab., 38:498
 boylei spicilegus, Mexico, comp., 33:375
 boylli, Calif., hab., 36:206
 boylli boylli, Calif., misc., 31:320; Calif., hab., 35:515
 boylli levipes, Mexico, 35:75
 californicus, Calif., hab., 38:444; Calif., hab., 40:174, 179
 comanche, anat., 39:598; 40:612
 crinitus auripectus, Utah, 32:113
 difficilis felipensis, Mexico, hab., 35:75
 eremicus, 33:13
 eremicus eremicus, Nev., distr., 35:450
 floridanus, Fla., distr., hab., 34:135; Fla., hab., phys., 35:260; Fla., 40:600, 601, 602
 gossypinus, hab., 31:319; life history, reprod., 33:6; Tex., hab., 35:526; Ark., misc., 39:220; Tex., flooding, pop., mort., 40:57, Fla., 600, 601
 *gossypinus allapaticola, Fla., orig. descr., distr., 33:383
 gossypinus gossypinus, S. C., 31:86, Fla., habitat, hab., 314; reprod., 33:1; Fla., hab., 34:134; Fla., 40:587
 gossypinus megacephalus, Tenn., nests, habitat, 33:368; Okla., 34:118, Tex., distr., 516
 gossypinus palmarius, 33:2, Fla., comp., 382
 gossypinus restrictus, Fla., comp., 33:383
 *gossypinus telmaphilus, Fla., orig. descr., distr., 33:384
 leucopus, Ontario, 31:138, misc., 256; 32:441, 454; 33:2, 17, 58, 60, 97, Mich., 389; Ill., par., 34:154, Wis., as fd., 262; hab., 35:19, Kan., 44, Tenn., hab., 177, Tex., hab., 526, Ill., par., 589; Mich., 37:122, N. C., hab., phys., 427, N. J., hab., phys., pop., 513; Va., N. Y., meas., 38:211; Ind., par., 282; Ark., misc., 39:219, Okla., hab., 237, Ark., hab., 390, N. Y., hab., 416; flooding, 40:57, Quintana Roo, 237, N. Y., pop., 254, anat., 398, hab., 449, red light effect, 593, 600, as fd., 614, cage, 618
 leucopus leucopus, S. C., 31:86, Ky., habitat, 360; Tenn., habitat, albinism, 33:367; Okla., 34:118; Ill., ecol., distr., pop., 38:54
 leucopus noveboracensis, S. C., 31:86, N. Y., hab., 100, as fd., 267, Mich., hab., 319; Ky., meas., 32:106, reprod., 107, 123, Mich., physiol., 300, pop., 323, W. Va., 370; 33:103, fd., consumption, Ill., 206, nest, 244, Md., 250, N. H., 398; comp., 34:185, N. J., anat., distr., meas., wt., hab., 232, N. J., fd., hab., 505; N. Y., hab., 35:103, Kan., anat., 367; Ohio, hab., 36:101; N. Y., distr., hab., 37:395, Ind., distr., hab., 407, N. Y., pel., wt., 516; Ill., ecol., distr., pop., 38:54, Mich., hab., 129; Pa., hab., 40:214

- leucopus tornillo, N. Mex., distr., hab., 38:498
- maniculatus, Calif., hab., misc., 31:434, 435; Calif., 32:54, 197, Mexico, 120, 226, Ontario, pop., home range, 327, 338, Ore., 348, 441; 33:2, 15, 17, fd., 50, hab., 51, gland, 103, Md., 250, British Columbia, 498; Calif., phys., pop., 34:44, Wis., hab., 262; Calif., Kan., 35:42, Calif., phys., 118, Calif., phys., wt., 553; phys., 36:139, Calif., hab., 206, Colo., hab., 462, Calif., distr., hab., 569; Calif., hab., 37:189, Calif., hab., 358; Manitoba, ecol., 38:95, Tex., distr., 416, Calif., hab., 446, Ariz., distr., 521, Ill., distr., 522, Colo., hab., 523; Mich., 39:149, Ark., misc., 219, Okla., hab., 237, Wis., misc., 288, Prince Edward I., misc., 292, Wash., misc., 300, Ark., hab., 390; Calif., hab., 40:179, anat., 398, Tex., 447, Wash., misc., 457, Mich., hab., 496, nomen., 576, 593, 602, 606, N. Mex., 611
- maniculatus abietorum, New Brunswick, hab., 36:21
- maniculatus artemisiae, Wyo., par., 34:155; Wyo., hab., 40:377, Wyo., hab., 415
- maniculatus austerus, food consumption, 33:206; nomen., 40:572
- maniculatus bairdi, Mich., environmental relations, phys., 32:300, 448; 33:5, reprod., 15, mid-ventral gland, 103, 145, food consumption, 206, Tenn., 367; Ky., distr., hab., meas., phys., 34:130, phys., 507; hab., pel., misc., 39:177; Wis., hab., 40:428, Mich., hab., 497, ecol., behav., 510, 620
- maniculatus bairdii, Manitoba, hab., 31:20, N. Y., Pa., misc., 100; N. Y., hab., 35:103, phys., anat., 449; Ill., ecol., distr., pop., 38:54, N. Y., Kan., meas., 210, Mich., hab., 449
- maniculatus blandus, phys., 32:301; 33:104; phys., 34:507; phys., anat., 35:449
- maniculatus fulvus, Mexico, tax., gen., 35:74
- maniculatus gambeli, phys., 32:304; nomen., 40:572; Calif., hab., 35:515
- maniculatus gracilis, N. Y., hab., 31:100, Mich., 359, 378; Ontario, pop., phys., 32:309, 462, Mich., 471; 33:104, 145, 260, N. H., 398; N. Y., hab., 35:103, Mich., gen., 448; N. Y., meas., 38:210; hab., pel., misc., 39:177; Wis., hab., 40:428, Minn., 449, Mich., hab., 497, ecol., behav., 510, nomen., 573
- maniculatus labecula, Mexico, tax., hab., 35:75
- maniculatus maniculatus, Ontario, tax., 38:212
- maniculatus nubiterrae, Ky., meas., 32:105, reprod., 106; Va., tax., 38:212
- maniculatus oreas, Wash., gen., 35:448; nomen., 40:572, 573, 576
- maniculatus osgoodi, Utah, 32:113; Colo., hab., 40:415, 603, 605
- maniculatus rubidus, Ore., pop., movements, reprod., 40:133
- maniculatus rufinus, Colo., prey, 32:282; N. Mex., 33:251; Colo., distr., hab., 34:238; Colo., hab., 36:42; N. Mex., distr., hab., 38:497; 40:603
- maniculatus santacruzae, Calif., 32:367
- maniculatus sonoriensis, anat., 36:356, Calif., 571; Calif., hab., wt., 37:74
- mekisturus, 33:97
- melanophrys, 33:97; 40:600
- melanophrys melanophrys, Mexico, anat., hab., 35:75
- melanotis, Mexico, hab., 35:75
- mexicanus teapensis, Mexico, wt., phys., anat., tax., 35:102
- nasutus, N. Mex., distr., hab., 38:498; anat., 39:598
- nudipes, Panama, 34:508
- nuttalli, Ky., 32:107; 33:4, 243; Tex., distr., 34:516; Ky., hab., anat., phys., map, par., range, nests, breeding hab., 35:16, Tenn., hab., 177, Tex., hab., 526; Tenn., hab., 36:297; N. C., hab., 37:427; Ark., hab., 39:219, 390; Tex., flooding populations, mortality, 40:57, 600, 601, N. Mex., 611, meas., 612
- nuttalli aureolus, S. C., 31:86, Fla., habitat, 316; 32:107; 33:4, Tenn., habitat, nest, comp., 367, 368; Fla., 40:587
- nuttalli flammeus, comp., 33:368
- nuttalli lewisi, 32:107; comp., 33:368
- nuttalli nuttalli, S. C., 31:86; Ky., Va., comp., hab., yg., 32:107
- ochraverter, Tamaulipas, distr., 40:6
- pectoralis, Tex., anat., meas., 34:189; anat., 39:599; Tamaulipas, distr., 40:6
- *pectoralis collinus, Mexico, orig. descr., distr., comp., meas., 33:372
- pectoralis eremicoides, Mexico, comp., 33:373
- pectoralis laceianus, Tex., comp., distr., 33:373, 377
- pectoralis pectoralis, Mexico, comp., 33:373
- polionotus, 33:2; Ga., ecol., pop., 38:72
- polionotus albifrons, S. C., distr., anat., gen., hab., 35:561
- *polionotus colemani, S. C., distr., anat., gen., hab., orig. descr., 35:566
- polionotus leucocephalus, 33:104; phys., 34:507
- *polionotus lucubranus, S. C., distr., anat., gen., hab., orig. descr., 35:564
- polionotus phasma, Fla., hab., distr., 34:135; 40:587, Fla., 600, 601, 602
- polionotus polionotus, S. C., 31:85; S. C.,

- distr., anat., gen., hab., 35:561
polionotus rhoadsi, S. C., distr., anat., gen., hab., 35:561
polionotus subgriseus, S. C., distr., anat., gen., hab., 35:561
truei, Calif., hab., 37:189, Calif., hab., 358; Calif., hab., 38:444, N. Mex., distr., hab., 498, dentition, 522; anat., 39:598; Calif., hab., 40:179
truei gilberti, phys., 32:303; Calif., hab., 35:515
truei truei, Utah, 32:113
yucatanica, Quintana Roo, 40:237
Peromyscus macrotis macrotis, Mexico, wt., distr., 35:100
macrotis phaea, 32:224
perotis, see *Eumops*
perpallidus, see *Thomomys*
persicus, see *Meriones*
personata, see *Chilonycteris*
personatus, see *Geomys*, *Sorex*
perspicillata, see *Carollia*
 Peru:
Dusicyon, 37:284
Inia, 39:1
Sciurus, 40:346
Sotalia, 39:1
Petaurista petaurista rufipes, syn., 32:234
petaurista sodyi, new name, 32:234
petaurista, see *Petaurista*
Petaurus, comp., 34:293
breviceps longicaudatus, wt., 33:117
 Peterson, Arthur Ward:
 Backward swimming of the muskrat, 31:453
 Peterson, George D.:
Suncus murinus, a recent introduction to Guam, 37:278
 Peterson, Liven A., and Elihu D. Berg:
 Black-footed ferrets used as ceremonial objects by Montana Indians, 35:593
 Peterson, R. L., R. O. Stanfield, E. H. McEwen, and A. C. Brooks:
 Early records of the red and the gray fox in Ontario, 34:126
 Peterson, Randolph L.:
 (Review) Th. Haltenorth, Die Wildkatzen der Alten Welt. Eine Übersicht über die Untergattung *Felis*, 35:271
Phenacomys eaten by speckled trout, 37:121
 Peterson, Randolph L., see de Vos, A.
 Peterson, Randolph L., and S. C. Downing:
 Distributional records of the opossum in Ontario, 37:431
 Petrides, George A.:
 Notes on age determination in squirrels, 32:111
 Age ratios in raccoons, 40:249
 Petrides, George A., B. O. Thomas, and Richard B. Davis:
 Breeding of the ocelot in Texas, 32:116
Petrogale inornata godmani, wt., 33:118
Petromuridae, tax., 36:165
Petromys, Africa, tax., 38:351
 Pettus, D., and R. M. Robinson:
 Records of the deer mouse on the gulf coastal plain, 38:416
 Pfeiffer, E. W.:
 Animals trapped in mountain beaver (*Apodontia rufa*) runways, and the mountain beaver in captivity, 34:396
 Notes on reproduction in the kangaroo rat, *Dipodomys*, 37:449
 The bobcat as a laboratory animal for courses in zoology, 37:548
 Electrocardiogram of the bobcat, 37:549
 The reproductive cycle of the female mountain beaver, 39:223
 Pfitzer, Donald W., see Conaway, Clinton H.
Phacochoerus aethiopicus longev., 38:279
africanus massaicus, Africa, 31:187
africanus sundevallii, Africa, 31:187
phaea, see *Peromyscus*
phaeocephala, see *Nasua*
Phalanger maculatus nudicaudatus, wt., 33:118
orientalis peninsulae, wt., 33:118
phasma, see *Peromyscus*
Phenacolemur, Colo., foss., distr., 35:581
Phenacomys, Ontario, hab., 37:121; anat., 40:399
albipes, Ore., distr., meas., 34:391
intermedius, British Columbia, 33:498
intermedius celsus, Nev., distr., hab., 35:577
intermedius intermedius, Wyo., habitat, 31:351; Colo., 32:283; Colo., habitat, 33:399; Colo., hab., 34:238; Colo., hab., wt., 35:450; Colo., hab., 36:221; Wyo., hab., 40:377
intermedius mackenzii, Manitoba, distr., 38:105
intermedius ungava, Minn., syn., distr., 35:260
longicaudus, Ore., 32:348; 33:104; anat., 39:542
 Rocky Mountain, 34:238; 36:221
 Sierran, 35:577
Philander opossum, Tamaulipas, distr., 40:9, 10
opossum frenata, Brazil, tax., 40:338
opossum pallidus, Mexico, hab., 35:100
 Phillips, Richard E., and Russell E. Mumford:
 A record of *Myotis austroriparius* for Kentucky, 38:515
 Phillips, Richard Stuart:
 Notes on a captive short-tailed shrew, 37:543
phillipsi, see *Dipodomys*
Phiomysidae, tax., 36:165
Phloeomys cumingi longev., 38:279
Phoca, 32:15

- fasciata, Japan, hab., wt., pel., phys., 35:218
 groenlandica, Ontario, foss., 34:253; Labrador, hab., 254; Labrador, hab., 35:105; Japan, hab., wt., phys., 218, Va., distr., 258
 hispida, misc., 31:162; Labrador, hab., pop., 34:254
 vitulina, Calif., hab., 32:19; Labrador, distr., hab., 34:254; Japan, hab., wt., phys., 35:218
 vitulina geronimensis, 33:160
 vitulina richardi, hab., 40:229
Phocaena phocaena, 32:251
phocaenoides, *see* *Neomeris*
Phocaena, Ontario, foss., 34:253
 brachycium, tax., syn., 39:32
 communis, misc., 31:164
 dioptrica, tax., distr., 39:32
 lineata, tax., syn., 39:32
 **sinus*, Mexico, orig. descr., tax., 39:24
 spinipinnis, tax., distr., 39:32
 storni, distr., syn., 39:32
 tuberculifera, tax., hab., 39:32
 vomerina, Alas., wt., hab., 35:122; Calif., desc., 38:265; tax., hab., 39:32; Calif., anat., 40:452
phocaena, *see* *Phocaena*
Phocoenoides dalli, misc., 31:99; Japan, anat., hab., fd., tax., 34:488; Calif., hab., 37:311; Calif., distr., 38:126; Japan, hab., 39:442
 truei, Japan, anat., distr., fd., hab., meas., tax., 34:488; Japan, hab., 39:442
Phodotes, 40:238
 tumidirostris, syn., 31:437, 442
 Photographs:
 Microtus, 40:173
 Reithrodontomys, 40:173
Phyllonycteris major, 33:255
 obtusa, 33:255
 poeyi, 33:255
 (*Reithronycteris*) *aphylla*, 33:257
 sezekorni, 33:255
Phyllostomidae, anat., 35:147
Phyllostomus frenatus (= *Artibeus lituratus lituratus*), 40:340
 hastatus, Panama, hab., 40:439
 hastatus panamensis, Panama, hab., 36:234
 lineatus (= *Vampyrops lineatus*), 40:340
 lituratus (= *Artibeus lituratus lituratus*), 40:340
 spiculatus (= *Sturnira lilium lilium*), 40:340
Phyllotis sublimis, Chile, distr., 36:465
phyllotis, *see* *Idionycteris*, *Ototylomys*
 Phylogeny:
 Lemmini, 39:551
 Microtini, 39:551
physalus, *see* *Balaenoptera*
Physeter, comp., 34:248, Mich., foss., 253; Mexico, distr., 37:288
 catodon, 32:404, 409; 33:332
 Physiology of:
 Capreolus, 40:101
 Cervus, 40:101
 Citellus, 31:304; 33:356; 40:354
 Dipodomys, 34:1; 40:358
 Myotis, 38:32
 Odocoileus, 40:98, 126
 Peromyscus, 32:300
 physodes, *see* *Mus*, *Reithrodon*
 Phytobezoars, 32:151
picata, *see* *Dactylopsila*
pichiy, *see* *Zaedyus*
 Pickard, Rawson J., *see* Kelly, Arthur J.
 Pickwell, Gayle, obit., 31:376
pictus, *see* *Liomys*, *Lycaon*
 Pierce, Robert A., *see* Gale, Larry R.
 Pig, African bush, 36:147
pigra, *see* *Didelphis*
Pika, 31:4, 356; 32:169, 283; 33:104, 479; genitalia, 32:170; 34:132, 239; 35:450; 39:307, 448, 599; 40:138, 379
 Pike, Gordon C.:
 Two records of *Berardius bairdi* from the coast of British Columbia, 34:98
pileatus, *see* *Hylobates*
Pilorides, *see* *Mus*
pilosus, *see* *Dasypus*
 Pimental, David:
 Biology of the Indian mongoose in Puerto Rico, 36:62
pinetis, *see* *Sylvilagus*
pinetorum, *see* *Microtus*, *Pitymys*
Pinnipeds, population, 33:160
 **Pipistoneomys bisulcatus*, Mont., foss., orig. descr., 37:264
pipilans, *see* *Tamias*
 Pipistrel:
 Eastern, 37:395, 407; 40:521
 Oklahoma, 40:531
 Texas, 40:531
Pipistrelle, 32:103
 Eastern, 33:365; 40:16
Pipistrellus, pel., 31:350; 40:521, 531
 hesperus, Calif., hab., 31:456; Calif., hab., 35:539; 40:531
 hesperus hesperus, Utah, distr., 36:126
 hesperus maximus, Ariz., hab., 33:491; Ariz., N. Mex., Tex., 40:533
 hesperus merriami, Calif., 34:256; N. A. anat., 36:96, Calif., par. 457; Calif., 40:534
 hesperus oklahomae, tax., Okla., 40:531, Okla., Tex., Colo., N. Mex., 533
 kuhlii kuhlii, Iraq, hab., phys., par., 36:123
 minus, as prey, 40:545
 papuanus, wt., 33:118
 subflavus, N. C., 31:98, N. Y., as fd., 456, Ky., 457; Mexico, hab., 35:433; Mass., wt., hab., 36:399; hab., 37:48, Ind.,

- distr., hab., 407; Fla., distr., hab., 38:259; anat., 39:452; W. Va., Mo., Ala., Ga., Ontario, Quebec, Ark., sex ratio, banding, hibernation, survival, migr., 40:16, 521, 522, 531
- subflavus clarus, Tex., tax., 40:523, Coahuila, 528
- subflavus floridanus, 40:522, tax., 528, Ga., Fla., 529, Fla., 530
- subflavus obscurus, Ky., 32:103; Minn., hab., 35:434; N. Y., distr., hab., 37:395, Ind., distr., hab., meas., wt., 543; syn., 40:522
- subflavus subflavus, S. C., 31:84, Fla., 313; Ky., 32:103; Tenn., 33:365, Ill., age, 491; Ohio, 36:101, Okla., distr., 128; Ind., distr., hab., meas., wt., 37:543; Fla., anat., 39:437; tax., 40:522, Ontario, Quebec, Minn., Wis., N. Y., Vt., Mass., Conn., Nebr., Ill., Ind., 524, Ohio, Pa., N. J., Kan., Mo., Ky., W. Va., 525, Md., Va., Okla., Ark., 526, Tenn., N. C., La., Miss., Ala., Ga., Fla., Tamaulipas, Ontario, Quebec, Minn., Wis., Me., Iowa, 527, Ill., Ind., Ohio, 528, 529
- subflavus veraecrucis, 40:523, [sic] syn., tax., Veracruz, Honduras, syn., 530
- Pirlot, P. L.:
Albinism among wild African rodents, 39:448
- Pithecanthropus erectus, 33:260
- Pithecia adusta (= Pithecia pithecia), 40:338
- nocturna (= Pithecia pithecia), 40:338
- rufiventris, 40:338
- Stenorhina (= Aotus trivirgatus azarae), 40:338
- Pitts, Walter H., *see* Edwards, Robert L.
- Pituitary in:
Microtus, 37:446
- Pituitary weights:
Rattus, 37:475
- Pitymys nemoralis, Okla., 34:118; Okla., hab., 39:242
- parvulus, Fla., hab., 36:138
- pinetorum, Ontario, 31:138; Va., gen., 34:262; N. C., hab., 37:427; as fd., 38:281, Ind., par., 282; anat., 39:550
- pinetorum auricularis, Ky., habitat, 31:360; Tenn., 33:370
- pinetorum carbonarius, Ky., distr., 37:121
- pinetorum nemoralis, Tex., distr., 34:516
- pinetorum pinetorum, S. C., 31:86
- pinetorum scalopsoides, Ontario, dis., 31:358; Ky., 32:108; N. J., distr., hab., meas., wt., 34:233; N. Y., hab., 35:103; N. Y., N. J., Mass., wt., gen., hab., phys., par., 36:52
- Pizonyx vivesi, Mexico, distr., hab., anat., par., 35:81
- Placenta of:
Enhydra, 33:387
- Placentation in:
Peromyscus, 35:449
Rattus, 36:516
- plagiodon, *see* Stenella
- planifrons, *see* Sigmodon
- planirostris, *see* Artibeus, Thomomys
- Plate:
Bison horn core, 40:570
Desmodus, 40:535
- Platelet counts:
Myotis, 40:551
Tadarida, 40:551
- platensis, *see* Lutra
- platyceps, *see* Micronycteris
- Platycerobison, 32:230
- platyceros, *see* Rucervus
- Platypus, 38:279; 39:582
- Play of:
Alouatta, 40:328
Blarina, 39:500
Dolphins, 32:260; 33:326
Felis, 38:515
Globicephala, 33:325
Lagenorhynchus, 37:311
Lutra, 34:231
Tursiops, 37:311
- Plectrochoerus moricandi, Brazil, syn., 40:349
- Pleistocene, 32:229, 239
- Pleopotamys minor, Ida., foss., 39:246
- plesius, *see* Citellus
- plicata, *see* Balantiopteryx
- Pliohippus, S. D., foss., hab., 37:459
- Pliozapus solus, 32:352
- Plural captures:
Thomomys, 40:578, table, 579, 580, fig., 581, fig., 583, 584
- Po-Chedley, Donald S.:
A method for staining the scales of coarse hairs, 32:232
- Po-Chedley, Donald S., and Albert R. Shadle:
Pelage of the porcupine Erethizon dorsatum dorsatum, 36:84
- Pocket gopher, 31:288, 314, 320, 348, 362; 32:54, 84; 33:61, 442, 485; 34:394; 38:523; 40:331
- Botta, 32:54
Dallas, 40:578, 580
Northern, 34:238; 40:377
- Pocket gopher burrows, 40:577
- Pocket mouse:
California, 32:54
San Joaquin, 32:54
Spiny, 34:59
- poeyi, *see* Phyllonycteris
- pogonias, *see* Cercopithecus
- Poisoning of:
Antilocapra, 36:146
Coyote, 34:223
Fur animals, 34:223
Peromyscus, 37:358
Rattus, 33:352

- Polecat, 34:378
 polionotus, *see* *Peromyscus*
 Pollack, E. Michael:
 Breeding habits of the bobcat in north-eastern United States, 31:327
 Observations on New England bobcats, 32:356
 pollicaris, *see* *Hystrix*
 Polydactyly in:
 Pipistrellus, 39:437
 Polygamy among:
 Callorhinus, 34:425
 Pomerantz, E., *see* Teeri, A. E.
 Pongo pygmaeus, 33:259
 Poorbaugh, John, *see* Findley, James S.
 Population cycles:
 Mammals, 31:247
 Population density of:
 Microtus, 39:110
 Ondatra, 37:494
 Sylvilagus, 39:123
 Population dynamics, 33:139
 Population fluctuations:
 Martes, 38:179
 Neotoma, 31:196
 Population of:
 Alces, 37:119; 39:140
 Antrozous, 35:539; 36:379
 Apodemus, 32:451, 456; 35:161; 37:1; 38:374, 382, 387; 39:485
 Bassariscus, 35:56
 Blarina, 33:185; 36:21, 36, 101; 40:243, 254, 428, 437
 Brachyphylla, 39:150
 Callorhinus, 36:493
 Castor, 34:41, 261, 471
 Citellus, Mich., 32:437; 37:123; 40:38, 428
 Clethrionomys, 31:22; Alas., 32:94, 325, 450, 451, 456; 35:161; 36:21; 38:87; 40:135, 428
 Corynorhinus, 33:278, 316; 36:379
 Cryptotis, 35:183
 Didelphis, 36:101; 38:334
 Eptesicus, 36:101, 379; 35:539; 39:253
 Eutamias, 40:136
 Fur bearers, 34:220
 Glaucomys, 36:101
 Halichoerus, 38:297
 Herpestes, 33:337
 Hippopotamus, 34:302
 Homo, 36:493
 Inia, 39:4
 Isodon, 39:46, 53
 Lasiurus, 36:101
 Lepus, 36:121
 Macrotus, 35:539
 Marmota, 36:101
 Martes, 37:521; 39:589
 Mephitis, 36:101
 Micromys, 35:161
 Microsorex, 36:21
 Microtus, 31:21; Wyo., 32:97, 119; 33:185; 34:349, 481; 35:161; 36:21, 101, 121, 493; 38:87; 39:109; 40:428
 Mouse, 32:450
 Mus, 31:403; 35:183; 36:101, 493; 38:72; 40:428
 Mustela, 32:290; 35:161; 36:101
 Myotis, 35:539; 36:101, 379
 Napaeozapus, 36:21
 Nasua, 35:48
 Neotoma, 31:196; 36:572
 Neotomodon, 35:76
 Odocoileus, 36:101, 493; 37:119, 143
 Ondatra, 36:101, 493
 Peromyscus, 31:20; 32:327, 462; 34:54; 35:183, 526; 36:21, 101, 571; 37:121; 38:54, 72; 40:57, 133, 254, 428
 Phenacomys, 35:450
 Phoca, 34:255
 Pinnipeds, 33:160
 Pipistrellus, 36:101
 Pitymys, 36:52
 Potorous, 39:53
 Predators, 34:220
 Procyon, 36:101
 Rangifer, 32:329; 39:563
 Rattus, 31:298; 32:460; 36:101, 493; 37:475; 38:270
 Reithrodontomys, 35:73, 183
 Scalopus, 36:101
 Sciurus, 36:493
 Sigmodon, 35:183; 36:368
 Small mammals, 31:17; 32:113; 34:229, 236
 Sorex, 31:22, 459; 35:161; 36:21; 38:87, 256; 39:149; 40:428, 437
 Sotalia, 39:4
 Spilogale, 36:121
 Sylvilagus, 35:392; 36:101, 144; 39:122
 Tadarida, 36:236; 37:42
 Tamias, 34:455; 36:101
 Thomomys, 31:23
 Urocyon, 36:101; 39:74
 Ursus, 37:119
 Vole, 32:450
 Vulpes, 32:296; 36:101
 Zalophus, 32:15
 Zapus, 36:101; 40:428
 Populations:
 Techniques for analysis, 32:318
 porcellus, *see* *Cavia*
 Porcupine, 31:94, 359, 466; 32:219, 221, 232, 293, 348, 471; 33:239, 433, 436, 437, 479, 486; 34:129, 210, 224, 237, 256, 259, 267, Colo., 511; 36:84, 463, Alas., 362; 37:395, 452; 38:133, 418; 40:43, 379, 593, 594
 Indian crested, 37:299
 Yellow-haired, 38:499, 526
 porcus, *see* *Potamochoerus*
 Porpoise, 31:165; 34:488

- Bottlenosed, 35:225
- Dall, 31:99; 34:490; 37:311; 38:126; 39:442
- Harbor, 32:251; 35:122; 38:265; 39:22; 40:452
- True's, 34:490; 39:442
- White-sided, 37:128
- Porter, Richard D.:
 - Belding ground squirrel in northwestern Utah, 31:198
- **porteri*, see Scalopus
- Possum:
 - Brush, 39:46
 - Ringtail, 39:46
- Postschizotherium chardini, 32:467
- Posture of:
 - Dipodomys, 32:162
- Potamochoerus porcus nyassae, Africa, par., anat., 36:147
- Potoroo, 39:45
- Potorous tridactylus apicalis, Tasmania, misc., 39:45
- Potos flavus, comp., 38:263, longev., 279; San Luis Potosi, distr., 40:9, 10
 - flavus aztecus, Mexico, syn., 40:350
 - flavus campechensis, Mexico, hab., tax., 35:102
 - flavus guerrensis, Guerrero, desc., 39:355
 - flavus isthmicus, syn., 40:152
 - flavus megalotus, syn., 40:152
 - flavus prehensilis, Mexico, tax., 40:341
- Pournelle, George H.:
 - Mammals of a north Florida swamp, 31:310
 - Two new mammal records from the vicinity of Welaka, Putnam County, Florida, 31:361
 - Reproduction and early postnatal development of the cotton mouse, Peromyscus gossypinus gossypinus, 33:1
 - Notes on the reproduction of a Baringo giraffe, 36:574
- Pournelle, George H., and B. A. Barrington:
 - Notes on mammals of Anastasia Island, St. Johns County, Florida, 34:133
- Prairie dog, 31:354; 32:282; 35:357; 38:494
 - Black-tailed, 36:69
 - Whitetail, 34:15
- Prakash, Ishwar:
 - Foods of the Indian false vampire, 40:545
- Prasad, M. R. N.:
 - The male genital tract of two genera of Indian squirrels, 35:471
- pratensis, see Steatomys
- Preble, Norman A.:
 - The hoary bat in eastern Kansas, 37:111
 - Notes on the life history of Napaeozapus, 37:196
- preblei, see Tamiasciurus
- Precocity in:
 - Microtus, 31:195
- Predation:
 - Alopex, 36:254
 - Armadillo, 33:34
 - Bear, 31:135
 - Black bear, 32:222
 - Blarina, 33:185
 - Callorhinus, 36:504
 - Canis, 32:291; 33:429, 434, 438, 470; 34:127, 128; 37:337
 - Citellus, 38:517
 - Dipodomys, 38:348
 - Domestic cat, 31:356
 - Dusicyon, 37:284
 - Felis, 37:119; 38:466
 - Fox, 34:389
 - Gray fox, 32:114
 - Herpestes, 36:62
 - Hippopotamus, 34:311
 - Indian false vampire, 40:545
 - Lepus, 38:517
 - Lynx, 34:129
 - Martes, 38:517
 - Mink, 31:457
 - Mongoose, 31:194
 - Mustela, 34:131, 237; 36:567
 - Phyllostomus, 36:232
 - Procyon, 34:501
 - Rattus, 38:466
 - Shrew, 33:185
 - Sorex, 38:513
 - Tamias, 34:510
 - Tamiasciurus, 32:348
 - Taxidea, 31:355
 - Thomomys, 38:517
- Predation on:
 - Ammospermophilus, 34:331
 - Baiomys, 32:120
 - Bats, 31:457
 - Blarina, 36:36
 - Citellus, 32:93, 120; 34:131; 39:528; 40:36, 43
 - Clethrionomys, 32:108; 37:119
 - Condylura, 37:119
 - Corynorhinus, 33:317
 - Cryptotis, 32:116, 120
 - Dicrostonyx, 32:93
 - Dipodomys, 33:493; 39:528
 - Eptesicus, 34:384
 - Erethizon, 34:129, 256
 - Fawns, 33:434
 - Glaucomys, 37:119
 - Lasiurus, 40:15
 - Lepus, 39:528
 - Liomys, 32:120
 - Microtus, 32:95, 121, 216; 33:185; 34:485; 37:119, 121; 39:523
 - Mole, 33:110
 - Molossus, 32:219
 - Mus, 39:524
 - Muskrat, 34:389
 - Mustela, 31:147, 356

- Myotis, 36:379
 Napaeozapus, 37:119
 Neotoma, 32:120
 Notiosorex, 32:120; 37:108
 Odocoileus, 33:429, 438; 39:592
 Ondatra, 39:524, 592
 Onychomys, 39:529
 Oryzomys, 32:120, 121; 34:485
 Perognathus, 32:120; 39:528
 Peromyscus, 32:120; 33:1; 39:523, 529
 Phenacomys, 37:121
 Pitymys, 32:108; 36:52
 Procyon, 32:343
 Rangifer, 37:337; 39:570
 Rattus, 38:466; 39:523
 Reithrodontomys, 32:120; 36:121; 39:523, 529
 Scalopus, 32:114
 Scapanus, 33:110
 Sciurus, 39:524, 592
 Sigmodon, 32:120; 39:523
 Sorex, 32:219; 37:119
 Sylvilagus, 31:322; 32:109, 223; 39:523, 528, 592
 Synaptomys, 39:523
 Tadarida, 36:236
 Tamias, 37:119
 Zapus, 37:119
 predator, *see* Satanellus
 Pre-European date:
 Red fox, 40:514
 Pregnancy in:
 Corynorhinus, 33:301
 Herpestes, 34:444
 Mus, 35:509
 Mustela, 32:282
 Peromyscus, 34:46, extra-uterine, 508; 37:513
 Phocaena, 32:264
 Rattus, 34:367; 35:119
 Stenella, 32:253
 Tursiops, 32:251
 prehensilis, *see* Coendou, Potos, Viverra
 Prenatal survival:
 Cricetidae, 38:392
 Presbytis aygula hosei, dent., 33:258
 Prescott, John H.:
 Rafting of jack rabbit on kelp, 40:443
 Presnall, Clifford C., and Alvin Wood:
 Coyote predation on sage grouse, 34:127
 Preston, F. W.:
 Mongoose luring guinea fowl, 31:194
 Pretoria:
 Rattus, 39:302
 prevosti, *see* Callosciurus
 Prey-predator relationships, 40:240
 Pribilof Islands:
 Callorhinus, 34:417
 primus, *see* Leptarctus, Natalus
 Prince Edward Island:
 Local list, 39:292
 princeps, *see* Ochotona, Zapus
 Priodontes maximus, French Guiana, tax., 40:340
 priscus, *see* Rhinolophus
 Procoileus edensis, comp., 34:377
 Procranioceras, 33:73
 Procyon, hab., 31:354; Bahamas, anat., 35:126
 carnivorus, comp., 34:373
 carnivorus carnivorus, French Guiana, tax., 40:341
 concolor, syn., 40:353
 lotor, Mich., 31:359; 32:218, Ohio, fd., 464, Mich., 472; Wis., hab., phys., wt., 34:122, comp., 374, Colo., fd., hab., 500; Md., phys., 35:439, Tex., hab., 406, Md., phys., Ohio, 440, Conn., par., 459, Nev., distr., 578; Mo., anat., 36:493; Nebr., hab., phys., 37:170, Ind., distr., hab., 407, Fla., tech., 548; misc., 38:261, Ind., par., 282; Prince Edward I., misc., 39:292; 40:241, 248, anat., 392, 396, 403
 lotor elucus, Fla., habitat, hab., 31:313; Fla., hab., distr., 34:134, Fla., gen., 500; Fla., gen., 37:120; Bahamas, misc., 38:164; Fla., 40:589
 lotor hernandezi, Mexico, hab., wt., 35:71; Guerrero, distr., 39:354
 lotor hirtus, Wis., wt., meas., 32:363, Minn., fd., hab., 422; Minn., wt., 37:445; Okla., wt., 40:364
 lotor litoreus, S. C., 31:84
 lotor lotor, S. C., 31:84; Ky., 32:103, N. Y., fd., 341, W. Va., 369; W. Va., 33:247, yg., meas., 248; Ill., Wis., par., 34:155, N. J., distr., fd., hab., 231; Mich., phys., 35:439; Ohio, hab., 36:101, phys., 283; N. Y., distr., hab., 37:395
 lotor maynardi, Bahamas, misc., 38:164; Bahamas, 40:248
 lotor mexicanus, N. Mex., distr., hab., 38:500
 lotor psora, Wash., hab., wt., misc., 31:444; Wash., par., 34:123
 lotor solutus, S. C., 31:84
 lotor varius, Tenn., fd., 33:366
 rexroadensis, Kan., foss., anat., 34:373
 Procyonidae, tax., 37:11
 Prodelphinus longirostris, Mexico, 39:23
 Productivity of:
 Urocyon, 39:74
 Proechimys cayennensis, 33:72
 longicaudus, 33:72
 progressus, *see* Leptarctus
 Promops centralis, comp., 40:6
 Pronghorn, 33:471; 38:423; 40:368, 380
 Pronolagus crassicaudatus, Africa, 39:580
 propinquus, *see* Eptesicus
 Proportions of:
 Peromyscus, 33:376
 Proteimnodon agilis, wt., 33:118

- Protoptychidae, tax., 36:165
 Protosiren, comp., 34:193
 provectus, *see* *Microtus*
 Provost, Ernest E., and Charles M. Kirkpatrick:
 Observations on the hoary bat in Indiana and Illinois, 33:110
 Pruitt, William O., Jr.:
 Mammals of the Chase S. Osborn Preserve, Sugar Island, Michigan, 32:470
 Aging in the masked shrew, *Sorex cinereus cinereus* Kerr, 35:35
 Notes on a litter of young masked shrews, 35:109
 Rutting behavior of the white-tail deer (*Odocoileus virginianus*), 35:129
 Notes on Colorado *Phenacomys* and pikas, 35:450
 Tooth reduction in the Tundra shrew, 38:121
 A method of live-trapping small taiga mammals in winter, 40:139
 (Review) Lois Crisler, Arctic wild, 40:256
 Pruitt, William O., Jr., and Charles V. Lucier:
 On the relative efficiency of two kinds of traps, 39:157
 Winter activity of red squirrels in interior Alaska, 39:443
 Prychodko, W.:
 A live trap for ground squirrels, 33:497
 (Review) E. Stresemann, *Exkursions-fauna von Deutschland*, Wirbeltiere, 38:284
 (Review) T. Haltenorth and W. Trense, Big game animals of the world and its trophies, 38:535
 Pryor, Lorenzo B.:
 Sarcoptic mange in wild foxes in Pennsylvania, 37:90
 Pseudalopex, 33:424
 pseudaxis, *see* *Cervus*
 Pseudocheirus peregrinus peregrinus, wt., 33:118
 Pseudochirus convolutor, Tasmania, 39:46
 Pseudorca crassidens, 33:255; Egypt, distr., 37:456
 Pseudorhinolophus egerkingensis, foss., nom., 36:128
 Pseudosciuridae, tax., 36:165
 psilotis, *see* *Chilonycteris*
 psora, *see* *Procyon*
 Pteronotus, 33:234
 davyi, 32:224; Tamaulipas, distr., 40:9, 10
 davyi fulvus, 33:235; Mexico, 35:67, Mexico, 100; Mexico, distr., hab., 38:3; San Luis Potosí, misc., 39:293; Mexico, 40:442
 Pteronura brasiliensis, 40:342
 Pteropus, 32:395, 396
 alecto gouldi, wt., 33:118
 conspicillatus, wt., 33:118
 macrodis epularius, New Guinea, baculum, 40:390
 neohibernicus papuanus, New Guinea, baculum, 40:390
 scapulatus, wt., 33:118
 tonganus, Tonga, hab., 40:440
 pueblensis, *see* *Cryptotis*
 Puerto Rico:
 Herpestes, 36:62
 Tadarida, 36:106
 pulcher, *see* *Scalopus*
 Pulick, Warren M.:
 Some porcupine records for the Colorado River, Nevada, 34:259
 pullatus, *see* *Microtus*
 Pullen, Barry E., *see* Findley, James S.
 Puma, 35:71; captive, 40:375, 616
 Chilean forest, 35:126
 pumilio, *see* *Rhinolophus*
 pumilus, *see* *Eptesicus*
 punctata, *see* *Dasyprocta*
 punctulatus, *see* *Sorex*
 pusilla, *see* *Didelphis*, *Marmosa*, *Vulpes*
 pusillus, *see* *Nasua*, *Sciurus*
 putorius, *see* *Spilogale*
 pygargus, *see* *Damaliscus*
 pygerythrus, *see* *Cercopithecus*
 pygmaeus, *see* *Evotomys*, *Pongo*, *Procyon*
 Pygmy mouse, 33:90
 Pygoderma bilabiatum, Brazil, distr., 39:584
 pyramidum, *see* *Gerbillus*
 pyrrhogaster, *see* *Mus*
 pyrrhonotus, *see* *Sciurus*

Q

- quadratus, *see* *Thomomys*
 quadrimaculatus, *see* *Eutamias*, *Gerbillus*
 quadrivittatus, *see* *Eutamias*
 Quadruplets in:
 Odocoileus, 32:271
 quagga, *see* *Hippotigris*
 quasje, *see* *Viverra*
 Quast, Jay C.:
 Rodent habitat preferences on foothill pastures in California, 35:515
 Quast, Jay C., and Walter E. Howard:
 Comparison of catch of two sizes of small-mammal live traps, 34:514
 Quay, W. B.:
 Observations on mammals of the Seward Peninsula, Alaska, 32:88
 (Review) S. I. Ognev, The mammals of Russia (USSR) and adjacent countries (The mammals of eastern Europe and northern Asia), 32:472
 Seasonal and sexual differences in the dorsal skin gland of the kangaroo rat (*Dipodomys*), 34:1
 Phenacomys alpinus in Lincoln County, Oregon, 34:391
 Distributional notes on small mammals in

- northern Manitoba, Canada, 36:123
 Histology and cytochemistry of skin gland areas in the caribou, Rangifer, 36:187
 Pancreatic weight and histology in the white whale, 38:185
 Microscopic structure and variation in the cutaneous glands of the deer, *Odocoileus virginianus*, 40:114
 Quay, W. B., and Jerome S. Miller:
 Occurrence of the red bat, *Lasiurus borealis*, in caves, 36:454
 Quebec, 33:253
 Alces, 37:300
 Eptesicus, 31:455
 Microtus, 36:21
 Pipistrellus, 40:18, 524, 527
 Red fox, 40:515
 Sorex, 36:21
 Tamias, 31:347
 *quebecensis, *see* Tamias querceti, *see* Glaucomys quica, *see* Didelphis, Metachirus
 Quick, Horace F.:
 Notes on the ecology of weasels in Gunnison County, Colorado, 32:281
 Some characteristics of wolverine fur, 33:492
 Occurrence of porcupine quills in carnivorous mammals, 34:256
 Quill removal:
 Erethizon, 36:463
 Quintana Roo:
 Local list, 40:237
 quiqui, *see* Mustela
 Quiring, D. P., and Charles F. Harlan:
 On the anatomy of the manatee, 34:192
 quoll, *see* Dasyurus
- ## R
- Rabb, George B.:
 Reproductive and vocal behavior in captive puma, 40:616
 Rabbit, 32:343; 33:153; 34:224; 40:253
 Antelope jack, 40:250
 Black-tailed jack, 32:113; 37:453; 40:63, 92, 442, 443
 Brush, 31:1; 32:349; 35:392; 40:92, 174, 177
 California jack, 31:357
 Cottontail, 31:86, 322, 356; 33:154, 370, 433, 437; 34:234, 270, 393; 35:46, 78, 429; 36:101, 303, 362, 415; 37:271, 300, 407; 38:136, 137, 234, 275, 494; 39:116, 148, 153, 246, 275; 40:92, 221, 250, 253, 396, 403, 443
 Domestic, 32:171; 33:486; 40:84, 92
 Eastern cottontail, 37:395
 English wild, 40:92
 European, 33:154; 39:48; 40:66, 396
 European wild, 31:357
 Jack, 33:68; 34:269; 40:92, 396
 Marsh, 31:86; 32:223; 34:135; 36:144; 40:87
 Pigmy, 31:1; 38:274
 Red, 32:109
 Snowshoe, 35:578
 Swamp, 31:87, 318; 33:370; 36:303; 37:300; 39:116, 118; 40:82
 Volcano, 35:78
 White-sided jack, 35:77
 White-tailed jack, 32:283; 36:122; 40:379
 Rabies, in bats, 39:70, 262
 Raccoon, 31:84, 313, 354, 359, 444, 448; 32:103, 218, 227, 267, 341, 363, 369, 422, 464; 33:247, 366; 34:122, 123, 134, 155, 221, 231, 500; 35:71, 126, 406, 439, 440, 459, 578; 36:101, 283, 493; 37:120, 170, 395, 407, 445, 548; 38:164, 261; 39:153; 40:241, 249, 364, 392, 403
 Bahama, 40:248
 Mexican, 38:500
 Raceries, J.:
 Some observations on the red howling monkey (*Alouatta seniculus*) in Venezuela, 33:114
 radcliffei, *see* Syncerus
 radiata, *see* Macaca, Macacus
 Radioactive tagging, 40:140
 Radiolabeling, 40:240
 rafinesquei, *see* Zapus, Corynorhinus
 rafinesquii, *see* Corynorhinus
 Rafting:
 Lepus, 40:443
 Rageot, R. H.:
 A new northernmost record of the yellow bat, *Dasypterus floridanus*, 36:456
 Predation on small mammals in the Dismal Swamp, Virginia, 38:281
 Rahm, U.:
 Notes on pangolins of the Ivory Coast, 37:531
 rajah, *see* Rattus
 Ramakrishna, P. A.:
 Parturition in certain Indian bats, 31:274
 Range extension of:
 Dipodomys, 39:299
 Range of:
 Antrozous, 36:126
 Apodemus, 37:257
 Bobcat, 32:357
 Canis, 34:389
 Cebus, 35:415
 Citellus, 36:136, 273, 296
 Clethrionomys, 36:121
 Corynorhinus, 36:128
 Cricetulus, 37:257
 Crocidura, 37:257
 Dasypterus, 37:440
 Delphinus, 36:467
 Didelphis, 37:431
 Eptesicus, 36:126, 128
 Lagurus, 36:270

- Lasionycteris*, 36:126
Lasiurus, 37:281
Lynx, 36:132
Martes, 36:133; 37:257
Meriones, 37:257
Microsorex, 37:438
Microtus, 37:257, 436
Mormoops, 37:440
Mustela, 36:292
Myotis, 36:126, 128; 37:441
Neotoma, 36:113
Odocoileus, 35:457; 37:457
Onychomys, 36:121
Otter, 32:2
Phocoena, 35:122
Pipistrellus, 36:128
Pizonyx, 35:81
Pseudorca, 37:456
Rattus, 35:119; 37:110
Reithrodontomys, 36:121
Sciurus, 36:121; 37:257
Sorex, 36:123; 37:110, 435, 436
Sylvilagus, 38:274
Synaptomys, 36:1, 121
Tadarida, 36:128
Tamias, 36:121, 136
Tamiasciurus, 35:90
 Wild rodents, 32:76
Rangifer, 32:82, 84; *Alas.*, 33:480; *Alas.*, anat., 36:187; as fd., 39:570; 40:127
 arcticus, Yukon Terr., 31:361; anat., 33:105, 434; Arctic, hab., 35:104; N. W. Terr., distr., 36:254; *Alas.*, dis., hab., par., 37:337, *Alas.*, phys., 375; British Columbia, 39:140, British Columbia, distr., 408
 arcticus arcticus, Manitoba, misc., 38:275
 arcticus stonei, *Alas.*, 31:466
 caboti, Labrador, Quebec, distr., hab., 39:561
 caribou, Mich., 31:359
 caribou caribou, Ontario, distr., abund., 32:329; distr., 39:561
 caribou sylvestris, Ontario, distr., abund., 32:329
 pearyi, Arctic, hab., 35:104
 tarandus, comp., 39:310
Raphicerus campestris capricornis, Africa, 31:188
 campestris neumanni, Africa, 31:188
 rapit, *see* *Rattus*
 raptor, *see* *Bassariscus*
Rasmussen, David I., and N. V. Chamberlain:
 A new Richardson's meadow mouse from Utah, 40:53
Rat, 32:171; 33:484; 36:516; 38:270
 Albino, 31:288; 33:486; 35:427; 37:378; 40:91
 Alexandrine, 33:352
 Alfaro's rice, 35:258
 Baird wood, 34:270
 Big Pine Key cotton, 35:260
 Black, 31:86, 293; 32:118, 370; 33:352; 35:177; 36:259; 37:110
 Brown, 31:154, 320; 32:76; 35:119; 36:493; 37:181; 40:591
 Bush, 39:45
 Bushy-tailed wood, 37:189; 40:138
 Climbing, 35:101
 Concolor, 34:168
 Cotton, 31:86, 317, 421; 32:77, 217; 33:4, 13, 369; 34:155, 180; 35:177; 36:368; 37:427; 38:416; 39:238
 Coues rice, 35:76
 Dusky-footed wood, 37:189
 File-tailed, 32:211
 Florida wood, 35:46
 Formosa, 33:486
 Fresno kangaroo, 32:54
 Fruit, 31:293
 Fulvous wood, 35:77
 Giant, 38:279
 Giant kangaroo, 32:54; 34:329
 Gopher, 32:109
 Hawaiian, 31:154
 Hispid cotton, 34:135; 35:76
 House, 31:359; 35:77
 Jungle, 32:211
 Kangaroo, 32:54, 76, 155, 293; 34:1, 264; 35:42, 570; 36:356, 463; 37:449; 38:330, 502; 39:241, 299; 40:397, 605
 Least cotton, 38:498
 Lesser climbing, 35:102
 Lesser spiny, 39:191
 Little Burmese, 39:190
 Long-nosed kangaroo, 39:45
 Long-tailed giant, 39:190
 Merriam kangaroo, 36:543; 37:124
 Mine, 32:109
 Mountain cotton, 35:76
 Müller's giant, 39:191
 Native, 32:211
 Norway, 31:86; 32:109, 117, 121, 370, 459, 471; 33:140, 143, 144, 146, 148, 150, 190, 352, 370; 34:168, 234, 352, 366; 35:177, 521; 36:45, 101; 37:177, 272, 395, 407; 38:499; 39:277, 304, 450
 Pacific kangaroo, 40:249
 Panamint kangaroo, 36:543
 Persian sand, 37:257, 417
 Polynesian, 33:352; 36:259
 Rajah spiny, 39:191
 Rice, 31:86, 316, 421; 32:77, 121; 33:4, 253, 368; 34:135, 232, 479; 35:263; 36:298; 39:153
 Ricefield, 39:190
 Roof, 31:86, 154, 293, 461; 32:211, 370; 34:135, 168, 365; 35:521; 37:255
 Sand, 37:417
 Short-nosed kangaroo, 32:54
 Spiny-haired, 32:211
 Tulare kangaroo, 32:54; 35:515

- Ward wood, 35:77
 Water, 32:211; 33:87
 White, 31:354; 40:358
 White-throated pack, 35:239
 Wood, 36:113; 37:371; 40:174
Ratel, 31:186
ratticeps, *see* *Hesperomys*, *Oryzomys*
rattoides, *see* *Mesembriomys*
Rattus, hab., 31:354; 33:17, 154, 177, 256, as
 fd., 347; as fd., 35:111; Tasmania, 39:
 49, as fd., 523
alticola inas, Malaya, hab., 31:344
argentiventer, Malaya, misc., 39:190
assimilis, New South Wales, hab., 39:301
assimilis coraci, wt., 33:118
berdmorei, dentition, 38:225
bowersi, Malaya, hab., habitat, 31:343
browni aitape, 32:211
canus malaisia, Malaya, hab., habitat, 31:
 343
concolor, 32:211
cremoriventer, Malaya, hab., habitat, 31:
 344
edwardsi, Malaya, hab., habitat, 31:343,
 344
exulans, New Caledonia, distr., hab., phys.,
 34:168; Marshall Is., hab., par., 36:259;
 Malaya, misc., 39:190
exulans concolor, Malaya, habitat, 31:344
ferreocanus, 31:343
fulvescens, Malaya, habitat, 31:344
gestri apex, wt., 33:118
gestri conatus, wt., 33:118
hawaiiensis, Hawaii, 31:154; Hawaii, hab.,
 33:352
jalorensis, Malaya, misc., 39:190
leucopus, wt., 33:118
listeri, dentition, 38:225
losea, 33:486
lutreolus velutinus, Tasmania, 39:49
mordax, 32:211
mülleri, Malaya, hab., habitat, 31:343, 344;
 Malaya, misc., 39:191
namaquensis, Pretoria, hab., anat., misc.,
 39:302
natalensis, comp., 39:302
norvegicus, S. C., 31:86, Hawaii, 154, as
 fd., 267, anat., 288, references, 293, hab.,
 320, Malaya, 345, Ontario, dis., 358,
 hab., 434; Ky., 32:109, 117, W. Va.,
 370, Md., 458, 459, 461, Mich., 471;
 Alas., par., 33:38, 140, 153, 190, var.,
 191, meas., 193, Hawaii, New Zealand,
 hab., 352, Tenn., 370, 486; New Cale-
 donia, distr., hab., phys., 34:168, Md.,
 hab., 352, Calif., meas., phys., wt., 365,
 Ga., 393; Germany, phys., hab., 35:119,
 Tenn., hab., 177, anat., 427, Ga., distr.,
 521; hab., 36:45, Ohio, 101, anat., 493,
 anat., phys., 516; hab., 37:177, Alas., dis.,
 par., wt., phys., 181, Japan, distr., 272,
 phys., 378, N. Y., distr., hab., 395, Ind.,
 distr., 407, Md., phys., pop., wt., 475;
 Calif., hab., 38:157, dentition, 227, as
 prey, 468, N. Mex., distr., hab., 499,
 Calif., adap., nests, hab., 531; Prince
 Edward I., misc., 39:292, Ga., pel., 304,
 England, hab., 450, anat., 452
norvegicus norvegicus, N. J., hab., 34:234;
 Utah, misc., 39:277
pellax, Malaya, 31:344
rajah, Malaya, hab., habitat, 31:344; Ma-
 laya, misc., 39:191
rapit cameroni, 31:344
rattus, Hawaii, hab., 31:154, Fla., hab.,
 dis., 293; 32:118; 33:13; New Caledonia,
 distr., hab., phys., pel., 34:168, Calif.,
 meas., phys., wt., 365; Ga., distr., 35:
 521; Marshall Is., hab., par., 36:259; Ky.,
 distr., 37:110, gen., 255; 38:225, denti-
 tion, Korea, distr., 389; comp., 39:304;
 as prey, 40:546
rattus alexandrinus, S. C., 31:86, Hawaii,
 hab., 154, Fla., hab., dis., 293, W. Va.,
 461; W. Va., 32:370; Hawaii, hab., 33:
 352; Fla., hab., 34:135, 178, Calif., 366;
 Mexico, tax., 35:77
rattus argentiventer, hab., habitat, 31:343
rattus diardi, habitat, 31:343
rattus doriae, 32:211
rattus frugivorus, Fla., hab., dis., 31:293;
 34:178
rattus jalorensis, hab., habitat, 31:343
rattus rattus, S. C., 31:86, Hawaii, hab.,
 154, Fla., hab., dis., 293, W. Va., 461;
 W. Va., 32:370; Hawaii, West Indies,
 New Zealand, hab., 33:352; 34:178,
 Calif., 366; Tenn., hab., 35:177
sabanus, Malaya, hab., habitat, 31:344;
 Malaya, misc., 39:191
surifer, Malaya, 31:344
surifer leonis, Malaya, 31:344
validus, 31:344
whiteheadi, Malaya, hab., habitat, 31:344;
 Malaya, misc., 39:191
rattus, *see* *Rattus*
Ratufa affinis, Malaya, hab., habitat, 31:342
bicolor, Malaya, hab., habitat, 31:342
indica maxima, India, anat., tax., 35:471
 Raun, Gerald G.:
 A new Texas locality for *Dipodomys ordi*,
 40:146
 Raun, Gerald G., *see* Hunsaker, Don
 Rausch, Robert:
 Notes on the distribution of some Arctic
 mammals, 31:464
 (Review) Lauri Siivonen, Suuri Nisäkäs-
 kirja, 40:151
 Rausch, Robert, *see* Wright, Philip L.
raviventris, *see* *Reithrodontomys*
 Ray, Clayton E.:
 Pre-Columbian horse from Yucatan, 38:278

Ray, Edward M., *see* De Vos, Antoon

Recognition:

Microtus, 38:44

Record of:

Artibeus, 37:283

Gulo, 36:569

Kogia, 36:263

Lasionycteris, 37:282

Martes, 37:287

Nycticeius, 37:282

rectipinna, *see* *Grampus*

Red fox, 34:125, Minn., fd., 389

Red illumination, 40:591

Redman, John P., and John A. Sealander:

Home ranges of deer mice in southern Arkansas, 39:390

Redunca arundinum arundinum, Africa, 31:188

fulvorumula chanleri, Africa, 31:188

redunca cottoni, Africa, 31:188

Reed, Charles A.:

Identity of the Pleistocene mole from Gibraltar, 35:583

(Review) E. L. DuBrul and Harry Sicher, The adaptive chin, 37:459

Observation on the burrowing rodent *Spalax* in Iraq, 39:386

Reed, Charles A., and Theodore Downs:

A fossorial mammal of unknown affinities from the Middle Miocene fauna of Nevada, 39:87

Reed, Edward B.:

January breeding of *Peromyscus* in north central Colorado, 36:462

Mammal remains in pellets of Colorado barn owls, 38:135

Reed, Erik K.:

The myth of Montezuma's bison and the type locality of the species, 33:390

Reedbuck, 31:188

Bohor, 31:188

Chanler's mountain, 31:188

Reeder, William G.:

Breeding record of the *coati mundi* in the United States, 32:362

Age variation in enamel patterns in the spiny pocket mouse, *Liomys pictus sonoranus*, 34:59

Reeder, William G., and Raymond B. Cowles: Aspects of thermoregulation in bats, 32:389

Reeder, William G., and Kenneth S. Norris: Distribution, type locality, and habits of the fish-eating bat, *Pizonyx vivesi*, 35:81

Reeves, Henry M., and Roger M. Williams: Reproduction, size, and mortality in the Rocky Mountain muskrat, 37:494

regalis, *see* *Vulpes*

reginae, *see* *Hipposideros*, *Hydromys*

Reilly, E. M., Jr.:

Malarrangement of teeth in *Clethrionomys gapperi*, 37:298

Reilly, E. M., Jr., *see* Palmer, Ralph S.

Reingestion:

Lepus, 38:481, 482; 40:250

Oryctolagus, 38:481

Sylvilagus, 38:482; 40:250

Reithrodon auritus marinus, Argentina, syn., 40:348

caurinus, Argentina, syn., 40:348

cuniculoides, Argentina, syn., 40:348

cuniculoides evae, Argentina, syn., 40:348

cuniculoides flammarum, Chile, syn., 40:348

cuniculoides obscurus, Chile, syn., 40:348

cuniculoides pampanus, Argentina, syn., 40:348

hatcheri, Argentina, syn., 40:348

physodes, Argentina, tax., 40:339

typicus, Uruguay, syn., 40:348

typicus currentium, Argentina, syn., 40:348

Reithrodontomys, misc., 31:101; 32:125; 33:243; Okla., as fd., 34:118; as fd., 35:59, 111; Calif., as prey, 38:517; as fd., 39:523, 529; anat., 40:398

australis vulcanius, Panama, 34:508

burti, Mexico, distr., 38:417

catalinae, Calif., comp., 32:367

chrysopsis chrysopsis, Mexico, tax., hab., 35:74

creper, Panama, 34:508

fulvescens, Mexico, 32:20; 33:97; Mexico, distr., 38:417; Ark., misc., 39:220, N. Mex., misc., 306

fulvescens canus, syn., 39:306

fulvescens fulvescens, 39:306

fulvescens infernalis, 33:97

fulvescens mustelinus, Mexico, tax., anat., 35:74

humulis, Tenn., hab., 35:177; N. C., hab., phys., 37:427; Ga., ecol., 38:72

humulis humulis, S. C., 31:85, Fla., habitat, 314; Ky., 32:105; Tenn., 33:367, Ala., growth, 388

humulis merriami, Tex., distr., 34:516

megalotis, Calif., 31:96; Kan., 35:45; Ill., distr., 38:522; Tamaulipas, distr., 40:6, Calif., hab., 174

megalotis aztecus, N. Mex., distr., hab., 38:497; Okla., distr., 40:450

megalotis dychei, Ark., distr., 35:430; Iowa, distr., hab., 36:121; comp., 40:450

megalotis limicola, Calif., comp., 32:367

megalotis longicaudus, phys., 32:304, Calif., comp., 367

megalotis megalotis, Utah, pel., 39:306

megalotis pectoralis, Wis., misc., 31:363

**megalotis santacruzae*, Calif., orig. desc., 32:366

megalotis saturatus, Mexico, 35:73

mexicanus, Michoacan, Mexico, distr., 38:521; Tamaulipas, distr., 40:6

- mexicanus mexicanus, Mexico, distr., 39:446
 microdon microdon, Mexico, distr., 39:446
 microdon wagneri, Mexico, distr., 39:446
 montanus, Ariz., distr., 38:521; Okla., hab., 39:242
 raviventris, Calif., hab., 38:157, Calif., adapt., nests, hab., 530
 sumichrasti sumichrasti, Mexico, tax., 35:74
 Reithronycteris, 33:172
 aphylla, 33:174, 255
 sezekorni, 33:255
 Remington, Jack D.:
 Food habits, growth, and behavior of two captive pine martens, 33:66
 Remington, Jack D., *see* Beidleman, Richard G.
 see Yeager, Lee E.
 repanda, *see* Lutra
 Reproduction of:
 Antilocapra, 31:192
 Aplodontia, 39:223
 Castor, 34:35; 37:506
 Cervus, 36:145
 Choloepus, 38:419
 Citellus, 34:67, 342; 38:414; 40:45, 445
 Clethrionomys, 32:94, 108; 38:392; 40:136
 Corynorhinus, 33:273
 Dicrostonyx, 37:447
 Didelphis, 31:333; 32:101
 Dipodomys, 34:1; 37:449; 38:330; 39:597
 Eptesicus, 39:260
 Erethizon, 32:219
 Eutamias, 40:136
 Felis, 32:116
 Gulo, 36:346
 Herpestes, 33:345; 34:443; 36:62
 Lemmus, 32:93
 Lepus, 40:63, 69, 442
 Lynx, 31:327
 Manatee, 32:26
 Martes, 34:76; 38:412
 Microtus, 32:95; 38:44, 108, 392
 Myotis, 35:434, 539
 Napaeozapus, 32:109
 Neofiber, 37:448
 Neotoma, 34:180
 Odocoileus, 32:267, 411; 38:116, 420, 421
 Ondatra, 31:180; 37:494
 Ornithorhynchus, 39:582
 Otter, 32:4
 Peromyscus, 32:106, 107; 33:1; 34:44, 130; 35:24, 260; 37:513; 38:392; 40:134
 Procyon, 32:218; 34:123; 35:439
 Rattus, 34:175, 367; 37:181
 Sciurus, 34:363
 Sorex, 32:90, 102; 36:214, 339; 40:437
 Sylvilagus, 32:109; 40:83, 443
 Synaptomys, 32:108
 Tadarida, 36:236
 Talpa, 37:438
 Tursiops, 32:251
 Urocyon, 37:346; 39:82
 Ursus, 35:29
 Vulpes, 35:504
 Reproductive behavior of:
 Callorhinus, 34:418
 Cynomys, 36:69
 Tamias, 34:454
 Reproductive cycle of:
 Lepus, 40:224
 Microtus, 37:213; 38:44
 Scalopus, 40:180
 Reproductive status of:
 Small mammals, 31:95
 Reproductive tract of:
 Corynorhinus, 33:281
 Enhydra, 33:387
 Erethizon, 34:210
 Funambulus, 35:471
 Herpestes, 34:439
 Perognathus, 38:207
 Ratufa, 35:471
 Trichechus, 34:202
 Resorption of embryos:
 Castor, 34:37
 Rattus, 36:516
 Respiration of:
 Balaena, 37:456
 Citellus, 40:203
 Mirounga, 35:211
 Monachus, 40:228
 Phoca, 40:229
 Respiratory rate, bats, 32:392
 Respiratory system of:
 Blarina, 37:236
 Response to weather:
 Peromyscus, 38:72
 restrictus, *see* Peromyscus
 reticulata, *see* Giraffa
 Reticulocyte counts:
 Myotis, 40:553
 Tadarida, 40:553
 Retrieving response of:
 Oryctolagus, 40:91
 Rattus, 40:91
 Rett, Egmont Z.:
 The northern elephant seal on San Miguel Island, California, 33:109
 Revilliodia, foss., nomen., 36:128
 Revision of:
 Martes, 34:84
 rex, *see* Calomys, Meriones
 rextroadensis, *see* Bassariscus, Procyon
 Reynolds, Hudson G.:
 Porcupine behavior in the desert-shrub type of Arizona, 38:418
 Rhabdogale, as synonym of Zorilla, 34:381
 rhesus, *see* Macacus
 Rhinoceros:
 Black, 31:189
 Indian, 38:279

- unicornis, longev., 38:279
- Rhinolophus, pel., 31:350
- ferrum-equinum, Britain, hab., 39:260
- lemansis, foss., nomen., 36:128
- megaphyllus, wt., 33:118
- priscus, foss., nomen., 36:128
- pumilio, foss., nomen., 36:128
- Rhinopithecus roxellanae, dent., 33:258, meas., 260
- Rhinopoma hardwickei, as prey, 40:546, 547
- kinneari, as prey, 40:546, 547
- Rhinosciurus laticaudatus, Malaya, hab., habitat, 31:342
- Rhizomyidae, tax., 36:165
- Rhizomys sumatrensis, Malaya, hab., habitat, 31:343
- rhoadsi, *see* Clethrionomys
- Rhode Island:
- Microtus, 35:587
- Tamias, 35:585
- Rhogeessa parvula tumida, Mexico, distr., 38:13
- tumida, Tamaulipas, distr., 40:9, 10
- Rhynchiscus, Veracruz, distr., 40:9
- Rhynchonycteris naso, Panama, hab., 36:232
- Rhynchotragus kirkii, Africa, 31:188
- Rhytina stelleri, comp., 34:393
- ribeiroi, *see* Mirandaia
- Rice, Dale W.:
- Status of *Myotis grisescens* in Florida, 36:289
- Myotis keenii* in Florida, 36:567
- Life history and ecology of *Myotis australis* in Florida, 38:15
- Sexual behavior of tassel-eared squirrels, 38:129
- richardi, *see* Phoca
- Richards, A. Glenn, *see* Beer, James R.
- Richards, Lawrence P.:
- Cuvier's beaked whale from Hawaii, 33:255
- Richardson, Frank:
- Nevada mammal records, 35:578
- richardsoni, *see* Citellus, Dicrostonyx, Microtus, Mustela, Sorex, Ursus
- Richmond, Neil D.:
- Field methods for collecting mammal ectoparasites, 32:123
- Richmond, Neil D., and Robert D. McDowell:
- The least weasel (*Mustela rixosa*) in Pennsylvania, 33:251
- Richmond, Neil D., and Harry R. Roslund:
- The woodrat, *Neotoma magister*, in Venango County, Pennsylvania, 31:198
- A mid-ventral dermal gland in *Peromyscus maniculatus*, 33:103
- Ridenhour, Richard L., *see* Cramblett, Howard M.
- Riedesel, M. L., and G. E. Folk, Jr.:
- Serum magnesium changes in cold-exposed mammals, 38:424
- Riese, Walther:
- (Review) Austin H. Riesen and Elaine F. Kinder, The postural development of infant chimpanzees, 34:275
- The brain of the chimpanzee at the time of birth (myelogenesis), 36:78
- Ringtail, 35:57, 70, 406, 442; 38:500, 516
- Ringworm in:
- Lepus, 37:94
- Rinker, George C.:
- (Review) Henry Cushier Raven, The anatomy of the gorilla, 33:119
- (Review) Malcolm E. Miller, Guide to the dissection of the dog, 34:271
- Rinker, George C., and Claude W. Hibbard:
- A new beaver, and associated vertebrates, from the Pleistocene of Oklahoma, 33:98
- *rinkeri, *see* Zapus
- Ritcey, R. W., and R. Y. Edwards:
- Live trapping mink in British Columbia, 37:114
- Parasites and diseases of the Wells Gray moose herd, 39:139
- Ritcey, Ralph W., *see* Edwards, R. York
- rixosa, *see* Mustela
- roanensis, *see* Napaeozapus
- Roberts, J. H., *see* Dalquest, W. W.
- see* Werner, H. J.
- Robertson, Ralph A., and Albert R. Shadle:
- Osteologic criteria of age in beavers, 35:197
- Robinette, W. Leslie:
- Unusual dentition in mule deer, 39:156
- Robinette, W. Leslie, and C. M. Aldous:
- "Parrot mouth" in Rocky Mountain mule deer, 36:308
- Robinette, W. Leslie, and Jay S. Gashwiler:
- Antlerless mule deer bucks, 36:202
- Robinette, W. Leslie, and D. A. Jones:
- Antler anomalies of mule deer, 40:96
- Robinette, W. Leslie, *see* Draney, Vergil
- see* Gashwiler, Jay S.
- Robinson, Paul F., *see* Wilbur, Charles G.
- Robinson, R. M., *see* Pettus, D.
- Robinson, Weldon B.:
- Some observations on coyote predation in Yellowstone National Park, 33:470
- Population trends of predators and fur animals in 1080 station areas, 34:220
- robinsoni, *see* Nyctimene
- robusta, *see* Paraphyllophora
- robustus, *see* Macropus
- Rodeck, Hugo G.:
- (Review) Ernest S. Booth, How to know the mammals, 32:474
- Rodeck, Hugo G., and Sydney Anderson:
- Sorex merriami* and *Microtus mexicanus* in Colorado, 37:436
- rodens, *see* Megalocnus
- Rodentia, tax., 36:165
- Roebuck, 40:101

Roest, A. I.:

Red-tailed hawk a mole predator, 33:110

Roest, A. I., R. M. Storm, and P. C. Dumas:
Cuvier's beaked whale (*Ziphius cavirostris*)
from Oregon, 34:251

Roest, Aryan I.:

Mammals of the Oregon Caves area, Josephine County, 32:345

Notes on pikas from the Oregon Cascades, 34:132

Roest, Aryan I., William Thurmond, and David H. Montgomery:

Notes on a female harbor porpoise, 40:452

Romer, Alfred Sherwood:

Bison crassicornis in the late Pleistocene of New England, 32:230

Romerolagus diazi, Mexico, 35:78

Rood, John P.:

Habits of the short-tailed shrew in captivity, 39:499

Notes on a captive mole, 39:583

roosevelti, *see* Cervus

Roosting habits of:

Artibeus, 34:267

Eptesicus, 39:258

Roosts of:

Choeronycteris, 35:536

Corynorhinus, 33:273

Dasypterus, 37:443

Eptesicus, 37:441

Eumops, 36:407

Lasiurus, 40:13

Myotis, 35:539; 37:441

Pipistrellus, 35:433

Rhynchonycteris, 36:232

Saccopteryx, 34:266; 36:232

Tadarida, 35:435; 36:236

Rorqual, lesser, 38:186; 39:593

Rosasco, M. Edwin:

Seasonal abundance of the tick *Dermacentor perumapertus* on the black-tailed jack rabbit, with notes on other ectoparasites, 38:485

Roslund, Harry R., *see* Richmond, Neil D.

rosmarus, *see* *Odobenus*

Ross, S., V. H. Denenberg, G. P. Frommer, and P. B. Sawin:

Genetic, physiological and behavioral background of reproduction in the rabbit. V. Nonretrieving of neonates, 40:91

Ross, Sherman, and Jacob Berg:

Stability of food dominance relationships in a flock of goats, 37:129

rostrata, *see* *Felis*, *Glossophaga*, *Viverra*

rostratus, *see* *Hyperoodon*, *Steno*

Roth, Charles E.:

Notes on maternal care in *Myotis lucifugus*, 38:122

Distribution of the porcupine in Connecticut, 38:133

rothschildi, *see* *Coendou*, *Giraffa*, *Odocoileus*

rotundus, *see* *Desmodus*

roulaleyni, *see* *Tragelaphus*

Rousettus amplexicaudatus brachyotis, New Guinea, baculum, 40:390
edulis, anat., 40:387

Rowan, Wm.:

Winter habits and numbers of timber wolves, 31:167

(Review) Frank Gilbert Roe, The North American buffalo: a critical study of the species in its wild state, 33:120

Rowan, Wm., and Lloyd B. Keith:

Monthly weights of snowshoe hares from north-central Alberta, 40:221

rowleyi, *see* *Peromyscus*

roxellanae, *see* *Rhinopithecus*

Royal, O. L., *see* Holding, B. F.

ruatanica, *see* *Dasyprocta*

rubida, *see* *Neotoma*

rubidus, *see* *Peromyscus*

rubiginosa, *see* *Chilonycteris*

rubricatus, *see* *Dicrostonyx*

Rucervus eldii platyceros, Siam, hab., 31:430

Rudd, Robert L.:

Notes on maintenance and behavior of shrews in captivity, 34:118

Age, sex and weight comparisons in three species of shrews, 36:323

Rudd, Robert L., *see* Johnston, Richard F.

rufa, *see* *Aplodontia*, *Nasua*

rufescens, *see* *Marmota*, *Noctilio*, *Tamias*, *Thomomys*

ruficaudus, *see* *Citellus*, *Eutamias*

rufigenis, *see* *Dremomys*

rufinus, *see* *Peromyscus*

rufipes, *see* *Noctilio*, *Petaurista*

rufiventer, *see* *Sciurus*

rufiventris, *see* *Pithecia*

rufocanus, *see* *Clethrionomys*, *Evotomys*

rufus, *see* *Canis*, *Lynx*, *Molossus*, *Mus*

Running of:

Cheetah, 40:481

Horse, 40:481

Runways of:

Citellus, 34:339

Geomys, 36:143

Microtus, 40:169

Pitymys, 36:138

Reithrodontomys, 40:169

Rupicapra rupicapra, colored pl., 40:152

rupicapra, *see* *Rupicapra*

Russell, Robert J.:

A multiple catch of *Cratogeomys*, 35:121

Artibeus lituratus in Morelos, Mexico, 37:283

Russell, Robert J., and Albert A. Alcorn:

Reithrodontomys burti in Sinaloa, 38:417

Russell, Robert J., and James S. Findley:

Swimming ability of the grasshopper mouse, 35:118

Russell, Robert J., Jr., *see* Davis, William B.

- Rustad, Orwin A.:
 Carnivorous behavior in the muskrat, 33:114
- Ruth, Ferdinand S.:
 Wolverine seen in Squaw Valley, California, 35:594
- Rutherford, William H.:
 Effects of a summer flash flood upon a beaver population, 34:261
 A record of the ringtail (*Bassariscus astutus*) in Colorado, 35:442
- rutila*, see *Hystrix*
rutilans, see *Mus*, *Oxymycteris*
rutilus, see *Clethrionomys*, *Evotomys*
- Rutting ground of:
 Alces, 37:458
- Rutting of:
Odocoileus, 35:129
Wapiti, 34:136
- Ryckman, Raymond E., and Chester C. Lindt:
 Aberrant *Citellus beecheyi* specimens from Orange County, California, 34:266
- Ryser, Fred A., see Morrison, Peter R.
 see Strecker, Robert L.
- Rytina, 34:193

S

- sabanus*, see *Rattus*
sabrinus, see *Glaucomys*
- Saccopteryx bilineata*, Panama, hab., 34:266;
 Mexico, wt., hab., 35:100; Mexico, distr., 38:1; Honduras, 40:237
bilineata bilineata, Panama, hab., 36:232
leptura, 32:224
 (*Peropteryx*) *macrotis macrotis*, Panama, hab., 36:232
- Saccostomus hildae*, 33:72
- Saconycteris crassa papuana*, New Guinea, baculum, 40:391
- sagulata*, see *Mellivora*
- Salinger, Herbert E.:
 Mating of muskrats, 31:97
- salinum*, see *Macrotherium*
salodorensis, see *Myotis*
- Salt licks, 31:426
- Salvin, S. B., see Adams, Lowell
- Samonycteris majori*, foss., nomen., 36:128
- Sanborn, Colin Campbell:
 Javier Ortiz de la Puente 1928-1952, obit., 34:285
 The Cuban free-tailed bat, *Mormopterus minutus* Miller, 34:383
 Supposed occurrence of the sheath-tailed bat in the Marshall Islands, 34:384
 Weights, measurements, and color of the Chilean forest puma, 35:126
- Sanborn, Colin Campbell, and A. Rush Watkins:
 Notes on the Malay tapir and other game animals in Siam, 31:430
- Sanderson, Glen C.:
 Small mammal population of a prairie grove, 31:17
 Mule deer record for Iowa, 37:457
- Sands, James L., and James S. Findley:
 The relationships of two subspecies of pocket gopher in central New Mexico, 40:331
- Sangamon time:
 Bison, 40:567
- Sanitation among:
 Blarina, 39:500
 Peromyscus, 35:25
 Tamias, 37:23
- San Luis Potosí:
 Local list, 37:547; 39:239; 40:10
- sanrafaeli*, see *Dipodomys*, *Neotoma*
santacruzae, see *Peromyscus*, *Reithrodontomys*, *Urocyon*
- Santa Lucia:
Dasyprocta, 40:349
- sapiens*, see *Homo*
- Sarcoptic mange in:
 Lynx, 35:458
 Urocyon, 37:90
 Vulpes, 37:90
- sartori*, see *Mazama*
- Saskatchewan:
 Red fox, 40:515
- Sassaby, 31:188
- Satanellus halluctus predator*, wt., 33:117
- Sather, J. Henry:
 Skull dimensions of the Great Plains muskrat, *Ondatra zibethicus cinnamominus*, 37:501
- saturatus*, see *Glaucomys*, *Natalus*, *Reithrodontomys*
- satyrus*, see *Pan*
- Saunders, Jack K., Jr.
 Fetus in yearling cow elk, *Cervus canadensis*, 36:145
- Saunders, W. E., memorial to, 31:119
- saurophila*, see *Tonatia*
- saussurei*, see *Sorex*
- Sawin, P. B., see Ross, S.
- sawrockensis*, see *Ogmodontomys*
- Scalopinae, 32:40
- scalopsoides*, see *Pitymys*
- Scalopus, Pa., hab., 31:281; 32:39
aquaticus, pred., 32:114; captiv., hab., 33:392; Ind., par., 38:281; anat., 39:58, 452, Mich., hab., 583; Ark., Ind., Mo., Wisc., reprod., 40:180, anat., 394, 403
aquaticus anastasiae, Fla., distr., pel., tax., 34:133; comp., 35:193
aquaticus aquaticus, S. C., 31:83; N. J., distr., hab., 34:230; anat., pel., 35:186
aquaticus australis, Fla., 33:382; anat., pel., 35:186; Fla., 40:586
aquaticus cryptus, Tex., pred., 32:115
aquaticus howelli, S. C., 31:83; comp., 33:

- 364; anat., pel., 35:186
aquaticus machrinoides, comp., 33:364; Mo., 40:186
aquaticus machrinus, Ohio, 31:458; Tenn., meas., comp., 33:364; anat., pel., 35:186; Ohio, hab., 36:101; Ind., distr., hab., 37:407; Wis., 40:186
aquaticus parvus, Fla., 33:382
**aquaticus porteri*, Fla., orig descr., comp., distr., 33:381
aquaticus pulcher, Tex., pred., 32:115; comp., 33:364; Okla., 34:118
bassi, Fla., comp., 33:381
scammoni, *see* *Globicephala*
 Scandinavia:
 Vulpes, 40:513
Scapanus, 32:40; 40:190
 latimanus, Calif., hab., 40:174
 latimanus occultus, Calif., hab., 39:265
 townsendi, prey, 33:110; Ore., pel., anat., 35:195
scapulatus, *see* *Pteropus*
 Scat identification:
 Canis, 33:431
 Vulpes, 33:431
 Scatology of:
 Canis, 32:291; 33:429
 Isodon, 39:56
 Mustela, 32:281
 Potorous, 39:56
 Pseudochirus, 39:57
 Sylvilagus, 39:120
 Trichosurus, 39:57
 Scats of:
 Castor, 34:471
 Mustela, 32:283
 Procyon, 40:392
 Ursus, 35:35
 Schaldach, William J., *see* Justice, Keith E.
 Schantz, Viola S.:
 A new badger from Montana, 31:90
 The gray fox in North Dakota, 31:197
 A new race of badger (*Taxidea*) from Kansas, 31:346
 A substitute name for *Taxidea taxus nevadensis* Schantz, 32:126
 Records of the least weasel, *Mustela rixosa*, in South Dakota, 32:225
 Additional records of the spotted skunk in South Dakota, 34:124
 Additional information on distribution and variation of eastern badgers, 34:388
 Clark P. Streater (1866 to 1952), obit., 34:414
 Lepus californicus melanotis record from southeastern South Dakota, 38:419
 Schantz, Viola S., and James H. Jenkins:
 Extension of range of the round-tailed muskrat, *Neofiber alleni*, 31:460
 Scharoun, Jack, *see* Benton, Allen H.
schauinslandi, *see* *Monachus*
 Scheffer, Victor B.:
 Growth of the testes and baculum in the fur seal, *Callorhinus ursinus*, 31:384
 Notes on the raccoon in southwest Washington, 31:444
 Measurements of sea otters from western Alaska, 32:10
 Otters diving to a depth of sixty feet, 34:255
 Body size with relation to population density in mammals, 36:493
 Long life of a river otter, 39:591
 Scheuler, Robert L.:
 Red fox food habits in a wilderness area, 32:462
 Schevill, William E.:
 Sight records of the gray grampus, *Grampus griseus* (Cuvier), 35:123
 Lagenorhynchus acutus off Cape Cod, 37:128
 Schevill, William E., *see* Lawrence, Barbara
 Schiller, Everett L.:
 Studies on the helminth fauna of Alaska. V. Notes on Adak rats (*Rattus norvegicus Berkenhout*) with special reference to helminth parasites, 33:38
 Unusual walrus mortality on St. Lawrence Islands, Alaska, 35:203
 Ecology and health of *Rattus* at Nome, Alaska, 37:181
schillingsi, *see* *Oreotragus*
schisticeps, *see* *Ochotona*
 Schooling of:
 Phocoenoides, 37:311
 Schoonover, Lyle J., and William H. Marshall:
 Food habits of the raccoon (*Procyon lotor hirtus*) in north-central Minnesota, 32:422
 Schorger, A. W.:
 Harvest mouse in Dane County, Wisconsin, 31:363
 Zapus with white tail tip, 32:362
 Large Wisconsin beaver, 34:260
 Abundance of deer mice in Tuscola County, Michigan, in 1854, 37:121
 Schramm, Peter:
 A new homing record for the little brown bat, 38:514
schreibersi, *see* *Miniopterus*
 Schultz, Adolph H.:
 (Review) W. C. Osman Hill, *Primates. Comparative anatomy and taxonomy*, 40:257
 Schwager, Harold, and Allen H. Benton:
 Myotis subulatus liebii in eastern New York, 37:441
 Schwartz, Albert:
 A new race of bat (*Nycticeius humeralis*) from southern Florida, 32:233

- Three new mammals from southern Florida, 33:381
- Observations on the Big Pine Key cotton rat, 35:260
- Oldfield mice, *Peromyscus polionotus*, of South Carolina, 35:561
- The status of the species of the *brasiliensis* group of the genus *Tadarida*, 36:106
- A record of the smoky shrew, *Sorex f. fumus* Miller, in South Carolina, 36:286
- Schwartz, Albert, and Eugene P. Odum:
The woodrats of the eastern United States, 38:197
- Schwartz, C. W. and E. R., *see* Baldwin, Paul H.
- Schwartz, Charles W.:
A new record of *Zapus hudsonius* in Missouri and notes on its hibernation, 32:227
- Schwilling, Marvin D.:
Records of the New-Mexican bridled weasel in Kansas, 36:292
- Sciuridae, 32:40; anat., tax., 35:425; tax., 36:165
- Sciurillus guajanensis, French Guiana, tax., 40:339
- pusillus glaucinus, British Guiana, syn., 40:345
- pusillus hoehni, Brazil, syn., 40:346
- Sciuroidea, tax., 36:165
- Sciuromorpha, paleo., 36:170
- Sciurus, Mich., 31:359; 33:254; comp., 34:294; as fd., 35:59; sp., 39:153, as fd., 524, 592; Tamaulipas, distr., 40:8
- aberti, Colo., distr., 37:80; N. Mex., distr., hab., 38:495
- aberti ferreus, Colo., sexual behav., 38:129
- anomalus pallescens, Iraq, distr., 37:257
- aureogaster hypopyrrhus, Mexico, wt., distr., 35:101
- carolinensis, 32:111; 33:243; N. J., distr., hab., 34:232; Ontario, hab., 36:296; Ohio, anat., 36:493; N. D., distr., 37:525; anat., 39:234; N. Y., hab., 376
- carolinensis carolinensis, S. C., 31:85, Fla., hab., habitat, 313; Ky., fd., 32:105; Ill., par., 34:154, fd. (in captivity), Md., hab., 509; Ohio, hab., 36:101, W. Va., wt., gen., 293; Ind., distr., hab., 37:407; Neb., 39:148, Fla., hab., 595; Fla., 40:587
- carolinensis leucotis, 32:105, N. Y., 343, W. Va., 370; N. Y., hab., 35:103, N. A., anat., 357; Iowa, distr., 36:121, Mich., gen., W. Va., wt., 293; N. Y., distr., hab., 37:395; Pa., gen., pel., hab., 39:532
- castus, Bolivia, syn., 40:346
- deppei, N. A., anat., 35:357
- deppei deppei, Mexico, wt., distr., 35:101
- fremonti, syn., 35:91; Wyo., hab., 40:418
- fremonti fremonti, Colo., 32:282
- gerrardi, N. A., anat., 35:357
- granatensis, 40:329
- Grenatensis, 40:339
- griseus, Ore., 32:348; Calif., fd., 34:320; N. A., anat., 35:357, Nev., distr., 577
- griseus griseus, Nev., distr., 35:578
- guajanensis, syn., 40:345
- guianensis, syn., 40:345
- hudsonicus petulans, Alas., phys., 36:362
- hudsonicus ventorum, syn., 35:90
- igniventris, Brazil, comp., 40:346
- Langsdorffii, Brazil, syn., 40:346
- leucotis, syn., 40:345
- lineatus, 40:339
- Morio, Brazil, syn., 40:346
- nelsoni nelsoni, Mexico, gen., distr., 35:72
- niger, 32:111; N. A., anat., 35:357; N. D., distr., 37:525; adaptation, 38:223, Ind., par., 282; anat., 40:397, 403
- niger niger, S. C., 31:85, Fla., habitat, 314
- niger rufiventer, S. C., 31:85, Mich., wt., hab., habitat, 454; W. Va., 32:370; Tenn., 33:367; Ill., par., 34:155, distr., fd., phys., 359; Colo., Mich., phys., wt., 35:447; Ind., distr., hab., 37:407; Mich., misc., 39:154
- niger shermani, Fla., 40:587
- olivascens (= *Sciurillus guajanensis*), 40:339
- pusillus, French Guiana, syn., 40:345
- pyrrhonotus, Brazil, syn., 40:346
- spadiceus, Brazil, tax., 40:339
- tricolor, Peru, syn., 40:346
- variegatoides, N. A., anat., 35:357
- Scotinomys xerampelinus, Panama, 34:508
- Scotland:
Vulpes, 40:515
- Scotophilus georgianus, syn., 40:522
- Scott, Robert F., *see* Buckley, John L.
- Scott, Walter E.:
Wisconsin's first prairie spotted skunk, and other notes, 32:362
- scottii, *see* *Urocyon*
- scriptus, *see* *Tragelaphus*
- Scrotum of:
Erethizon, 34:213
- Scrub typhus of:
Microtus, 34:345
- Sea cow, 34:192
- Stellar's, 34:193
- Seal:
Alaska fur, 33:245; 34:417; 35:444; 36:493, 562; 38:310
- Bearded, 34:254; 35:218
- Earless, 35:218
- Elephant, 32:20, 210; 35:129
- Fur, 31:384; 33:483; 37:549
- Gray, 35:595; 38:280, 297
- Guadalupe fur, 31:175; 32:19, 210; 33:160
- Hair, 35:218; 40:229
- Harbor, 32:19; 33:160; 34:254; 40:229
- Harp, 31:450; 34:254; 35:105, 258

- Hawaiian monk, 40:226
 Hood, 31:450
 Hooded, 35:105, 258
 Northern elephant, 32:20; 33:109, 164, 169; 35:211, 258; 40:229
 Northern fur, 34:86; 37:83, 327
 Ribbon, 35:218
 Ringed, 31:162; 34:254
 West Indian monk, 32:210
 Sealander, John A.:
 A technique for continuous recording of subcutaneous temperatures of wild mice, 32:122
 Mountain lion in Arkansas, 32:364
 Sealander, John A., *see* Redman, John P.
 Sealander, John A., and Douglas James:
 Relative efficiency of different small mammal traps, 39:215
 Sealander, John A., and Robert G. Leonard:
 Use of crayfish for cleaning skeletal material, 35:428
 Sealander, John A., Jr.:
 Lump-nosed bat in Arkansas, 32:465
 Notiosorex in Arkansas, 33:105
 Food consumption in *Peromyscus* in relation to air temperature and previous thermal experience, 33:206
 New mammal records for Arkansas, 35:430
 Sealander, John A., Jr., *see* Davis, Wayne H.
 Sealander, John A., Jr., and Arnold J. Hoberg:
 Occurrence of the Seminole bat in Arkansas, 35:584
 Sea lion, 32:151; 35:596
 California, 32:15; 33:160, 168
 Galapagoan, 37:549
 Southern, 37:287, 549
 Steller, 32:19; 33:109, 169, 245
 Seaman, G. A., *see* Bond, R. M.
 Sea otter, 40:617
 Sears, Howard S., *see* Browman, Ludvig G.
 Seasonal activity of:
 Odocoileus, 37:143
 Thomomys, 38:132
 Seasonal distribution:
 Pocket gopher, 40:578
 Seasonal movements of:
 Eptesicus, 39:257
 Lasiurus, 35:431
 Seasonal weights of:
 Eptesicus, 37:31
 Tadarida, 37:42
seclusus, *see* *Lepus*
 Seidel, D. R.:
 Observations on a captive short-tailed weasel, 40:614
 Seizures in:
 Laboratory mice, 32:69; 33:80
 Selye's adaptation:
 Syndrome, 31:250
seminolus, *see* *Lasiurus*
Semnopithecus, 33:259
Semnopitheque, 31:150
semoni, *see* *Hipposideros*
semotus, *see* *Lasiurus*
senex, *see* *Centurio*
senicula, *see* *Mormoops*
seniculus, *see* *Alouatta*
sennetti, *see* *Dipodomys*
 Senses of:
 Blarina, 39:499
 Citellus, 34:339
 Ornithorhynchus, 39:582
septemcinctus, *see* *Dasyus*
septentrionalis, *see* *Myotis*
 Sequence of footfalls, domestic cat, 40:485
 Serology:
 Capra, 39:536
 Oreamnos, 39:556
 Ovibos, 39:556
 Serology and biochemical studies, 40:572
serotinus, *see* *Eptesicus*
 Serum magnesium:
 Citellus, 38:423
 Eptesicus, 38:423
 Mesocricetus, 38:423
 Myotis, 38:423
 Ursus, 38:423
Setonix, 39:55
setosus, *see* *Tachyglossus*
 Setzer, Henry W.:
 Albinism in bats, 31:350
 Pigmy shrew, *Microsorex*, in Montana, 33:398
 (Review) Austin Roberts, The mammals of South Africa, 34:140
 (Review) *Traité de Zoologie, Anatomie, Systématique, Biologie*, vol. XVII, 37:555
 An extra tooth in *Crocidura*, 38:258
setzeri, *see* *Lepus*, *Sigmodon*
 Severaid, J. Harold:
 The gestation period of the pika (*Ochotona princeps*), 31:356
 Severaid, Joye Harold:
 The pigmy rabbit (*Sylvilagus idahoensis*) in Mono County, California, 31:1
sexcinctus, *see* *Euphractus*
 Sex criteria:
 Lepus, 40:64
 Microtus, 40:64
 Sex determination in:
 Beaver, 42:263
 Castor, 36:141
 Sex ratio of:
 Ammospermophilus, 39:211
 Antrozous, 36:379
 Apodemus, 39:480
 Castor, 34:40, 41; 37:506
 Citellus, 34:343
 Clethrionomys, 40:136
 Corynorhinus, 33:314; 36:379; 40:16
 Dipodomys, 38:336

- Eptesicus*, 36:242, 379
Eutamias, 40:136
Glaucmys, 37:294
Herpestes, 33:337; 36:62
Lasiurus, 34:256
Lepus, 40:63
Lynx, 31:330
Microtus, 34:346
Mus, 34:177; 35:509
Myotis, 35:111, 432; 36:289, 379; 38:24, 32; 40:16
Ondatra, 37:494
Peromyscus, 33:18; 34:507; 35:22; 37:122; 40:134
Pipistrellus, 40:16
Procyon, 31:448
Rattus, 34:175; 35:119
Sciurus, 34:363; 39:533
Sorex, 36:323
Spilogale, 39:296
Sylvilagus, 38:235; 40:84
Tadarida, 31:402; 37:42
Tamias, 38:193
Thomomys, 33:444
Urocyon, 37:346; 39:82
 Sex segregation among:
 Lagenorhynchus, 34:490
 Phocoenoides, 34:490
 Sexual behavior of:
 Alouatta, 40:325
 Callorhinus, 34:431
 Globicephala, 33:329
 Sciurus, 38:129
 Stenella, 36:467
 Sexual cycle in:
 Mus, 35:509
 Sexual dimorphism of:
 Citellus, 36:356
 Clethrionomys, 32:217
 Dipodomys, 36:356
 Enhydra, 32:11
 Lemmus, 36:356
 Microtus, 32:216; 36:356
 Neotoma, 36:356
 Peromyscus, 36:356
 Synaptomys, 32:217
 Tadarida, 40:538
 Thomomys, 36:356
 Sexual maturity of:
 Cervus, 34:136
 Erethizon, 33:239
 Herpestes, 34:443
 Mus, 35:509
 Peromyscus, 33:12; 34:44; 37:513
sezekorni, *see* *Erophylla*, *Phyllonycteris*, *Reithronycteris*
 Shadle, Albert R.:
 Feeding, care, and handling of captive porcupines (*Erethizon*), 31:411
 Laboratory copulations and gestations of porcupine, *Erethizon dorsatum*, 32:219
 Sexual maturity and first recorded copulation of a 16-month male porcupine, *Erethizon dorsatum dorsatum*, 33:239
 Removal of foreign quills by porcupines, 36:463
 Parturition in a skunk, *Mephitis mephitis hudsonica*, 37:112
 Size of beaver chips cut from aspen, 38:268
 Shadle, Albert R., *see* Miraud, Edwin A.
 see Po-Chedley, Donald S.
 see Robertson, Ralph A.
 Sharks, as enemies of sea otters, 40:617
 Sharp, Louise H., *see* Sharp, Ward M.
 Sharp, Ward M., *see* Creed, William A.
 Sharp, Ward M., and Louise H. Sharp:
 Nocturnal movements and behavior of wild raccoons at a winter feeding station, 37:170
 shawi, *see* *Meriones*
 Sheep, 40:369
 Bighorn, 32:209; 33:434
 Dall, 31:466
 Mountain, 31:193
 White, 33:434
 Sheldon, William G.:
 Returns on banded red and gray foxes in New York State, 34:125
 A late breeding record of a bobcat in Massachusetts, 40:148
 Shelford, V. E.:
 The antelope population and solar radiation, 35:533
 Sheppard, Walter B., obit., 31:376
 Sherman, H. B.:
 Aberrant color phases of the cotton rat, *Sigmodon*, 32:217
 Raccoons of the Bahama Islands, 35:126
 Description of a new race of woodrat from Key Largo, Florida, 36:113
 A record of *Lasiurus* and of *Vampyrops* from Paraguay, 36:130
 Third record of the hoary bat in Florida, 37:281
 shermani, *see* *Sciurus*
 Shippee, E. A., and Harold J. Egoscue:
 Additional mammal records from the Bonnevillie Basin, Utah, 39:275
 shirasi, *see* *Alces*
 Shock disease, 31:249, 250
 Shortridge, G. C., obit., 31:119
 shortridgei, *see* *Miniopterus*
 Shrew, 31:465; in captiv., 32:354, 355; 33:105, 106, 476; 34:118, 120, 382, 516; 35:425; 36:121, 214, 221, 323, 560; 37:119, 278; 40:174, 177, 243
 Bachman's, 31:83; 32:223; 37:110
 Cinereous, 31:459; 32:102; 34:237; 38:87, 103; 40:372
 Crociodura, 38:258
 Desert, 35:110

- Dusky, 32:282
 Dwarf, 33:250; 37:543; 38:256, 513; 40:372
 Gray, 34:117; 36:561; 37:108
 Gray long-tailed, 38:406
 Least, 31:84, 138, 313; 34:230; 35:110, 117; 36:123; 37:407; 39:507
 Lesser white-toothed, 37:257
 Littler short-tailed, 31:360; 35:40
 Long-nosed, 33:364
 Long-tailed, 31:138, 352; 32:115, 201; 33:250; 34:230; 35:583; 37:435; 38:78; 40:575
 Masked, 31:22, 359; 32:219, 282, 471; 34:116; 35:35, 109; 37:275; 38:256; 39:149; 40:437
 Merriam, 34:121; 35:430; 36:561; 37:276, 277, 436
 Musk, 37:278
 Ohio, 38:513
 Philippine tree, 31:352
 Pigmy, 33:398; 34:382; 36:21; 37:438; 38:513
 Saddle-back, 38:87
 Salt marsh, 38:157
 Saussure, 35:66
 Short-tailed, 31:84, 138, 313, 315, 359; 32:103, 115, 471; 33:4, 185, 241, 250, 365; 34:231; 35:40, 110, 252; 36:21, 36, 101, 452; 37:274, 395, 407, 427, 543; 39:242, 499; 40:243, 244, 254, 457
 Smoky, 31:83, 138; 32:102, 368; 35:579; 36:286; 37:395
 Soricid, 36:339
 Southeastern, 37:427
 Trowbridge, 37:189; 40:137
 Tundra, 32:90; 38:121
 Vagrant, 32:346; 35:66; 40:137
 Wandering, 40:372
 Water, 32:282; 33:398; 34:237; 37:277; 38:103; 40:372
 Shrew-mole, Asiatic, 32:36
 Shute, C. C. D., and A. d'A. Bellairs:
 A case of polydactyly in the colugo, *Cynocephalus*, 36:161
 Siam:
 Rucervus, 31:430
 Tapir, 31:430
 Siberia:
 Vulpes, 40:515
sibiricus, *see Eutamias*
 Sickness, *Odocoileus*, 38:251
 Siebenaler, J. B., and David K. Caldwell:
 Cooperation among adult dolphins, 37:126
 Siegler, Hilbert R.:
 Late-breeding snowshoe hare, 35:122
 Immature water shrews found in a beaver lodge, 37:277
sierrae, *see Martes*
 Sight of:
 Blarina, 31:286; 39:499
 Inia, 39:15
 Ornithorhynchus, 39:582
 Scalopus, 31:283
 Sotalia, 39:15
 Tarsius, 31:262
Sigmodon, comp., 34:191; as *fd.*, 35:59; as *fd.*, 39:523; anat., 40:398
 alticola amoles, Mexico, anat., hab., 35:76
 austerulus, Panama, syn., tax., 34:508
 borucae, syn., tax., 34:509
 hispidus, hab., 31:295, 421; Fla., 32:77, Mexico, 120, 217; 33:97, 243; Mexico, as *fd.*, 34:116, Fla., par., 155, Ga., 393; Tenn., hab., 35:177; Ga., hab., wt., 36:368; N. C., hab., phys., 37:427; winter activ., 38:72, Kan., hab., 416, Ariz., distr., 521; Okla., hab., 39:237; Tamaulipas, distr., 40:6, Honduras, 237, 238, Tex., distr., 447, Ariz., 607
 hispidus exputus, Fla., distr., hab., anat., 35:260
 hispidus hispidus, S. C., 31:86, Fla., hab., wt., 317; 32:206; Tenn., hab., nest, 33:4, 369; Fla., 40:588
 hispidus littoralis, Fla., hab., 34:135
 hispidus obvelatus, Mexico, anat., hab., 35:76
 hispidus spadicipygus, Fla., par., pop., 32:77
 hispidus texianus, comp., 33:369
 minimus, Ariz., distr., 38:521; N. Mex., 40:146
 minimus woodi, N. Mex., distr., hab., 38:498
 planifrons minor, tax., 40:447
 **planifrons setzeri*, substitute name, 40:447
Sika dugenneanus, syn., 37:99
silenus, *see Macacus*
 Sillman, E. I., and A. A. Wellwood:
 Albino *Microtus* reared in the laboratory, 37:298
Simia anubis, syn., 40:143
 apella, syn., 35:415; tax., anat., 36:449
 capucina, syn., 35:415
 hypoleuca, tax., 36:449
Simobison, 32:192, 230
simulans, *see Eutamias*
simus, *see Myotis*
sinaloae, *see Molossus*
sinclairi, *see Sinclairiromeryx*
Sinclairiromeryx sinclairi, 33:73, 75
sinense, *see Nestoritherium*
 Singing of:
 Tamiasciurus, 35:252
sinuensis, *see Eira*
sinuosus, *see Sorex*
 **sinus*, *see Phocoena*
siskiyou, *see Eutamias*
Sitatunga, 31:189
sivalense, *see Nestoritherium*

Size of:

- Callorhinus, 36:493
- Homo, 36:493
- Microtus, 36:493
- Mus, 36:493
- Odocoileus, 36:493
- Ondatra, 36:493
- Procyon, 36:493
- Rattus, 36:493
- Sciurus, 36:493

Skeletal development:

- Didelphis, 37:382

Skeleton of:

- Berardius, 34:105
- Castor, 35:197
- Mesoplodon, 34:249
- Mustela, 35:496
- Spilogale, 38:261
- Trichechus, 34:195

Skull of:

- Herpestes, 34:437
- Martes, 34:76
- Mesoplodon, 34:241
- Mormopterus, 34:383
- Neotoma, 34:185
- Ondatra, 37:501
- Procyon, 34:373
- Trichechus, 34:195
- Vulpes, 40:515

Skunk, 32:293; 34:221, 231

- Broad-striped, 34:270
- Eastern, 36:459; 37:395
- Hog-nosed, 35:71; 38:414
- Hooded, 35:71
- Prairie spotted, 39:296
- Spotted, 31:85; 32:347, 363, 366; 34:124, 255; 35:71; 36:121; 38:261; 40:365, 403
- Striped, 31:85, 359; 32:369, 471; 33:366; 34:155; 35:406; 36:101; 37:112, 407; 38:501; 39:153; 40:241, 366, 375, 403, 593

Sleep of:

- Blarina, 39:500
- Dolphins, 32:260
- Globicephala, 33:329

Slipp, J. W., and Ford Wilke:

- The beaked whale *Berardius* on the Washington coast, 34:105

Sloth:

- Three-toed, 34:268
- Two-toed, 38:419

Smalley, Alfred E.:

- Pigmy sperm whale in Georgia, 40:452

smalli, *see* Neotoma

Sminthopsis aruensis lumholtzi, wt., 33:117

Smith, Charles E., Jr., *see* Barbour, Roger W.

Smith, Donald A., and J. Bristol Foster:

- Notes on the small mammals of Churchill, Manitoba, 38:98

Smith, Elizabeth:

- Experimental study of factors affecting sex

- ratios in the little brown bat, 38:32

Smith, Elizabeth, and Woodrow Goodpaster:

- Adjacent roosts of *Eptesicus* and *Myotis*, 37:441

Smith, Elizabeth, and Kelley Hale:

- A homing record in the bat, *Myotis lucifugus lucifugus*, 34:122

Smith, Melvin E., *see* Howard, Walter E.

Smith, Robert Leo:

- Abundance of small mammals in conifer plantations, 40:253

Smith, William W.:

- Reproduction in the house mouse, *Mus musculus* L., in Mississippi, 35:509
- Factors influencing the decline in commensal rat infestations in a rural area of southeastern Georgia, 38:270
- Melanistic *Rattus norvegicus* in southwestern Georgia, 39:304

smithi, *see* *Clethrionomys*, *Herpestes*, *Synaptomys*

Snyder, Dana P.:

- (Review) W. C. Allee, A. E. Emerson, O. Park, T. Park, and K. P. Schmidt, Principles of animal ecology, 31:365

Snyder, Dana P., *see* Abbott, Herschel G.sociabilis, *see* *Nasua*

Sociability among:

- Globicephala*, 33:322
- Peromyscus*, 35:23

Social behavior of:

- Alces*, 39:130
- Blarina*, 39:504
- Callorhinus*, 34:434
- Citellus*, 40:35
- Cryptotis*, 39:510
- Cynomys*, 36:69
- Herpestes*, 36:62
- Procyon*, 37:170

Social communication:

- Alouatta*, 40:317, 322

Social habits of:

- Dasypterus*, 39:66
- Herpestes*, 33:344
- Lasiurus*, 39:66

Social integration:

- Alouatta*, 40:328

Social order of:

- Odocoileus*, 38:250

Social organization:

- Alces*, 40:240

Social relationship:

- Callorhinus*, 36:493
- Cynomys*, 36:69
- Odocoileus*, 37:143

socialis, *see* *Microtus*, *Nasua*sodalis, *see* *Myotis*

Soderwall, A. L., and Alice L. Britenbaker:

- A recorded instance of superfetation in the golden hamster, 36:573

*sodyi, *see* *Petaurista*

- Solf, J. David, *see* Buss, Irven O.
 solitaria, *see* Nasua
 solus, *see* Pliozapus
 solutus, *see* Procyon
 sonoitensis, *see* Bassariscus
 sonomae, *see* Eutamias
 sonoranus, *see* Liomys
 sonoriensis, *see* Pecari, Peromyscus
 Sorex, 32:36, 39; Conn., 33:398, Colo., 399,
 Alas., 478, British Columbia, 498; Wis.,
 phys., 36:564; general, 40:137
 araneus, Europe, dis., 31:140; Great Britain,
 32:354, 355; England, hab., 35:161;
 England, misc., 39:479, misc., 511
 arcticus, Mich., 32:472; New Brunswick,
 misc., 39:292; New Brunswick, 40:609
 arcticus laricorum, Manitoba, ecol., pop.,
 38:87; 40:609
 arcticus maritimensis, New Brunswick, 40:
 609
 brasiliensis, 40:338
 cinereus, Manitoba, hab., wt., 31:22, N. Y.,
 100, 138, captiv., 352; Minn., 32:219,
 354, Mich., 471; Manitoba, distr., 36:
 123; Colo., distr., 37:80, Ontario, hab.,
 119, S. Dak., pel., 275; comp., 38:161,
 Ontario, pop., 256; Mich., misc., 39:149,
 Prince Edward I., misc., 292, 511; Wis.,
 hab., 40:428, N. J., hab., 437, Ontario,
 albinism, 438, Minn., 449, Alas., 608
 cinereus acadicus, New Brunswick, hab.,
 36:21
 cinereus cinereus, Mich., 31:359, Colo.,
 habitat, misc., 459; Ky., habitat, meas.,
 reprod., 32:102, Colo., 282; Utah, distr.,
 as fd., 34:116, N. J., dist., fd., hab.,
 meas., phys., wt., 230; Colo., hab., 237;
 Mich., anat., wt., aging, 35:39; Quebec,
 hab., 36:21, Iowa, distr., 121, Colo.,
 hab., 221; Manitoba, ecol., pop., 38:87,
 Manitoba, distr., 103; Wyo., hab., 40:372
 cinereus fontinalis, Md., yg., 32:115
 cinereus haydeni, S. D., distr., 34:382
 cinereus hollisteri, Alas., reprod., 32:90;
 Alas., 33:476; Alas., thermal conductiv-
 ity, 38:78
 cinereus leseuri, Mich., hab., wt., phys.,
 35:109
 cinereus ohioensis, Ohio, distr., as prey, 38:
 513
 cinereus ugyunak, Alas., 31:465
 dispar, N. C., Tenn., 33:107, Md., 250;
 Me., distr., 35:583; N. J., distr., hab., 37:
 110, Va., distr., hab., 435; Va., distr.,
 38:406
 fumeus, N. Y., 31:138; Ontario, 32:472;
 comp., 35:38; comp., 38:160; 39:511
 fumeus fumeus, S. C., 31:83; Ky., habitat,
 32:102, W. Va., 368; N. Y., distr., 35:
 579; S. C., distr., hab., 36:286; N. Y.,
 distr., hab., 37:395
 fumeus umbrosus, Prince Edward I., misc.,
 39:291
 longirostris, Ky., distr., 37:110, N. C., hab.,
 427; Ala., distr., 40:438
 longirostris longirostris, S. C., 31:83; Ala.,
 32:223; Tenn., fd., meas., 33:364
 merriami, Colo., hab., distr., 37:276, N.
 Mex., distr., 277, Wash., distr., hab., wt.,
 436
 merriami leucogenys, Utah, hab., 36:560,
 Calif., wt., hab., distr., anat., 561; Colo.,
 distr., 37:436
 merriami merriami, Wash., distr., meas.,
 wt., 34:121; Nev., distr., hab., 35:430
 minutus, 39:511
 minutus, Great Britain, 32:354, 355; Eng-
 land, hab., 35:161
 mirabilis, Siberia, nomen., 40:575, 576
 nanus, N. Mex., 33:250; Utah, Wyo., anat.,
 hab., 36:560; S. D., distr., meas., 37:
 543; misc., 38:256, N. Mex., distr., as
 fd., 513; Wyo., hab., 40:372
 navigator, Colo., 32:282
 obscurus, 32:226; Alas., 33:478; nomen.,
 40:575, 576, Alas., 608
 obscurus obscurus, Alas., 31:465; Colo., 32:
 282; Alas., hab., 34:120; Colo., hab.,
 36:221
 ornatus, captiv., 31:352; 32:354; Calif.,
 hab. in captiv., fd., 34:118; Calif., hab.,
 40:174
 ornatus californicus, Calif., phys., hab., wt.,
 36:323
 pacificus, captiv., 31:352; 32:354; nomen.,
 40:575, 576
 pacificus pacificus, nomen., 40:575, 576
 palustris, dis., 31:140, captiv., 352, Mont.,
 habitat, 460; 32:354; 33:478; Colo.,
 distr., 37:80; Manitoba, ecol., 38:95; 39:
 511
 palustris albibarbis, Conn., N. H., 33:398;
 Me., hab., 34:382; N. H., hab., wt., 37:
 277
 palustris navigator, 33:107; Colo., hab., 34:
 237; Wyo., hab., 40:372
 palustris palustris, Manitoba, distr., 38:103
 palustris punctulatus, Tenn., 33:106
 personatus, Utah, syn., 34:116
 richardsoni, 40:609
 richardsoni arcticus, comp., 39:292
 saussurei saussurei, comp., Mexico, hab.,
 distr., 35:66; Guerrero, desc., 39:349
 sinuosus, Calif., hab. in captiv., fd., 34:
 118; Calif., phys., hab., wt., 36:323
 trowbridgei, 32:201, 354; Calif., hab.,
 phys., wt., 36:339; Ore., gen., 40:137,
 anat., 437
 trowbridgii, captiv., 31:352; Calif., hab.,
 37:189
 tundrensis, Alas., reprod., fd., 32:90; Alas.,

- dent., 38:121; albinism, 40:438, Alas., 608
- vagrans, captiv., 31:352, Mont., habitat, 460; Ore., 32:346, 354; Calif., hab. in captiv., 34:118; Colo., distr., 37:80; comp., 38:157, 160, Calif., adap., nests, hab., 530; 39:511; Ore., gen., 40:137, N. Mex., 336, Wash., misc., 457, nomen., 575, 576
- vagrans halicoetes, Calif., phys., hab., wt., 36:323; Calif., hab., 38:157
- vagrans monticola, N. Mex., 33:251; S. D., distr., hab., meas., 34:382; Mont., hab., wt., anat., pel., 36:214
- vagrans obscurus, Wyo., hab., 40:372, 438
- vagrans orizabae, Mexico, tax., distr., 35:66
- vagrans paludivagus, Calif., phys., hab., wt., 36:323
- vagrans vagrans, Calif., phys., hab., wt., 36:323; Ida., albinism, 40:438
- veraepacis mutabilis, Guerrero, desc., distr., 39:349
- Soricidae, 32:37
- soricina, *see* Glossophaga
- soricodon, *see* Paradoxonycteris
- Sotalia, 39:1
- Sound effect on:
- House mice, 32:60
- Sounds of:
- Delphinapterus, 33:328
- Globicephala, 33:328
- South Africa:
- Myosorex, 39:325, 494
- South America:
- Natalus, 31:436
- Tadarida, 36:106
- South Carolina, 32:233
- Condylura, 36:288
- Lasiurus, 31:190
- Peromyscus, 35:561
- Red fox, 40:514
- Sorex, 36:286
- State list, 31:81
- South Dakota, 32:225, 466, 469
- Blarina, 36:452
- Canis, 31:355
- Dipodomys, 38:264
- Lepus, 38:419
- Microtus, 37:120
- Mustela, 35:418, 443, 594
- Myotis, 39:150
- Pliohippus, 37:459
- Sorex, 34:382; 37:275, 543
- Spilogale, 34:124
- Taxidea, 31:355; 34:388
- Southwick, Charles H.:
- Canine teeth in a Wisconsin white-tailed deer fawn, 35:456
- Sowls, Lyle K.:
- Reproduction in the Audubon cottontail in Arizona, 38:234
- spadicea, *see* Nasua
- spadiceus, *see* Sciurus
- spadicipygus, *see* Sigmodon
- Spain:
- Talpa, 35:583
- Vulpes, 40:515
- Spalacidae, tax., 36:165
- Spalax, as fd., 39:388
- ehrenbergi, Iraq, hab., distr., 37:257
- leucodon, Iraq, hab., 39:386
- Spalsbury, Jeff Richard:
- Unusual sex behavior of a male porcupine, Erethizon dorsatum expixanthum, 37:452
- Spatial distribution of:
- Alouatta, 40:320
- spatulata, *see* Ondatra
- spatulatus, *see* Fiber, Ondatra
- Speake, Daniel W., *see* Haugen, Arnold O.
- Speciation in:
- Cercopithecus, 36:434
- Peromyscus, 33:372
- Synaptomys, 36:1
- Specimen cleaning, 40:620
- speciosus, *see* Apodemus, Eutamias
- spectabilis, *see* Dipodomys
- Speed of:
- Alces, 32:116
- Antelope, 40:482
- Blarina, 35:103
- Cheetah, 40:481
- Clethrionomys, 35:103
- Didelphis, 35:103
- Eptesicus, 35:103
- Equus, 40:483
- Horse, 40:481, 482
- Man, 40:482
- Microtus, 35:103
- Mongolian wild ass, 40:483
- Mus, 35:103
- Napaeozapus, 35:103
- Peromyscus, 35:103
- Pitymys, 35:103
- Pronghorn, 40:482
- Sciurus, 35:103
- Tamias, 35:103
- Tamiasciurus, 35:103
- Zapus, 35:103
- spekii, *see* Tragelaphus
- spelaea, *see* Eonycteris
- Speleus, *see* Odocoileus
- Spencer, David L., *see* Buckley, John L.
- Spencer, H. J., and David E. Davis:
- Movements and survival of rats in Hawaii, 31:154
- speoris, *see* Hipposideros
- Speothos, 33:425
- venaticus panamensis, 40:152
- Spermatogenesis in:
- Castor, 37:506
- Corynorhinus, 33:281
- Urocyon, 37:346

- Vulpes, 35:504
 Spermophilus barrowensis, Alas., metabolism, 31:304
 mexicanus parvidens, Mexico, hab., 39:154
 undulatus, syn., 40:27
 undulatus kennicotti, Alas., pel., 39:92
 sphinx, *see* Cynopterus, Papio
 spicilegus, *see* Peromyscus
 spiculatus, *see* Phyllostomus
 Spilogale, nomen., 34:114, comp., 294, nomen., 378; 40:403
 angustifrons angustifrons, Mexico, 35:71
 gracilis, Ore., 32:347
 gracilis amphialus, Calif., 32:366
 gracilis angustifrons, Guerrero, desc., 39:357
 interrupta, Wis., 32:363; S. Dak., distr., 34:124; Iowa, distr., 36:121; Ill., anat., 38:261; Okla., 40:365
 putorius, S. C., 31:85; Ky., distr., 38:141; Wis., misc., 39:296
 putorius ambarvalis, Fla., fd., hab., 34:255
 pygmaea, Guerrero, 39:347
 spilosoma, *see* Citellus
 spinipinnis, *see* Phocoena
 spinosus, *see* Euryzygomatomys
 Spiny pocket mouse, 34:59
 Spleen dimensions:
 Myotis, 40:548
 Tadarida, 40:548
 Spotted skunk, 34:124
 Springbok, 31:188
 Springhaas, 31:187
 Squash?, *see* Nasua
 Squirrel, 32:227; 33:254; 39:153
 Abert, 32:293
 Alaska red, 36:362
 Arctic ground, 33:356; 40:45, 201
 Beechey ground, 32:347
 Belding ground, 31:198
 California gray, 35:578
 California ground, 40:42
 Chiricahua, 32:210
 Columbian ground, 40:26
 Deppe's, 35:101
 Digger, 37:189
 Eastern flying, 35:429; 37:295
 Eastern gray, 32:370
 Fire bellied, 35:101
 Flying, 31:359; 32:234, 348, 469; 34:232, 507; 35:357; 37:122, 294; 40:138
 Fox, 31:85, 314, 359, 454; 32:111, 370; 33:367; 34:155, 359; 37:407, 525; 39:154, 40:403
 Franklin, 31:158
 Funambulus, 35:471
 Golden-mantled, 37:291
 Golden mantled ground, 32:282; 37:291
 Gray, 31:85, 313, 359; 32:105, 111, 343; 33:243, 244; 34:154, 232, 509; 35:577; 36:101, 121, 293, 296, 493; 37:407, 525; 39:148, 532, 595
 Ground, 31:304, 466; 32:91, 358; 33:68, 503; 40:174
 Malabar, 35:471
 Mangrove fox, 32:210
 Mantled, 34:316
 Mantled ground, 32:347; 40:43
 Mogollon red, 37:292
 Nelson's, 35:72
 Northern flying, 32:471; 37:119, 395; 40:377
 Northern gray, 37:395
 Persian, 37:257
 Point Barrow, 31:304
 Red, 31:85, 359, 361, 378, 466; 32:370, 471; 33:457, 478; 34:232; 35:252; 36:136; 37:64; 38:103 39:443, 445, 596; 40:329, 377
 Richardson ground, 40:43
 Rock, 32:293; 35:71; 38:494
 Southern flying, 31:85, 314; 32:105, 370; 36:101; 37:407
 Southern red, 37:395
 Spruce, 32:282; 38:495
 Striped ground, 32:437
 Tassel-eared, 38:129, 495
 Texas antelope, 38:495
 Thirteen-lined ground, 31:158; 40:43, 45
 Tree, 35:357
 Western fox, 35:447
 Western gray, 32:348
 White-tailed antelope, 38:495
 St. Kitts, Lesser Antilles:
 Noctilio leporinus, 32:224
 St. Vincent, Lesser Antilles:
 Noctilio leporinus, 32:224
 Stager, Kenneth E.:
 Records of the spotted bat from California and Arizona, 38:260
 Stains, Howard J.:
 Use of the calcaneum in studies of taxonomy and food habits, 40:392
 Stains, Howard J., and Rollin H. Baker:
 Deciduous teeth in the hognose bat, Choeronycteris mexicana, 35:437
 Stanfield, R. O., *see* Peterson, R. L.
 Starrett, A., and P. Starrett:
 Peromyscus leucopus on peak of Mt. Washington, Coos County, New Hampshire, 33:398
 Starrett, A., P. Starrett, and P. M. Youngman:
 Additional records for water shrews, Sorex palustris, in New England, 33:398
 Starrett, Andrew:
 Longtail shrew, Sorex dispar, in Maine, 35:583
 (Review) A. G. Tomilin, Zveri SSSR i Prilezhashchikh Stran (The mammals of the USSR and adjacent countries), 39:457

- Starrett, Andrew, and Priscilla Starrett:
Observations on young blackfish, *Globicephala*, 36:424
- Starrett, Priscilla, *see* Starrett, Andrew
- Statistical method:
Felis, 35:255
- Status of:
Red fox, 40:513
- Steatomys bocagei, 39:578
pratensis, 39:578
- Stegeman, Le Roy C.:
Variation in a colony of little brown bats, 35:111
Notes on the development of the little brown bat *Myotis lucifugus lucifugus*, 35:432
Record of a female hoary bat, *Lasiurus cinereus*, and young in Syracuse, New York, 36:455
Tooth development and wear in *Myotis*, 37:58
- stehlini, *see* Nyctinomus
- Stehlinia gracilis, foss., nomen., 36:128
- Steinbok:
Neumann's, 31:188
South African, 31:188
- stejnegeri, *see* Mesoplodon
- stelleri, *see* Rhytina
- Stenella plagiodon, 32:251; hab., 36:467
- Stenlund, Milton H.:
A recent record of the marten in Minnesota, 36:133
- Stenlund, Milton H., *see* Bue, Gerald T.
- Steno rostratus, comp., 38:190
- Stenoderma microdon, Mexico, distr., 39:584
- Stenorrhina, *see* Pithecia
- Stirling, Kerry B.:
Cannibalism in *Peromyscus*, 34:262
- Stickel, Lucille F.:
A comparison of certain methods of measuring ranges of small mammals, 35:1
- stigmaticus, *see* Thylogale
- Stinkmuishond:
African, 35:130
Cape, 34:114
- Stirton, R. A.:
(Review) William King Gregory, Evolution emerging, 33:261
- Stitt, Merle, *see* George, John L.
- Stoat, 35:169
- Stone, Walter D.:
The gestation period of the two-toed sloth, 38:419
- stonei, *see* Rangifer, Synaptomys
- Storer, Tracy I., and David E. Davis:
Studies on rat reproduction in San Francisco, 34:365
- Storing by:
Citellus, 34:67
- Storm, R. M., *see* Roest, A. I.
- storni, *see* Phocoena
- Stott, Ken, Jr.:
Locality records of African mammals, 31:185
Twinning in hooded capuchin, 34:385
Northern fur seal ashore in San Diego, California, 35:258
Giraffe intergradation in Kenya, 40:251
Bathing by spotted hyenas in Uganda, 40:615
- *stovalli, *see* Paradipoides
- stramineus, *see* Natalus
- Streator, Clark P., obit., 34:414
- streatori, *see* Neotoma
- Strecker, Robert L.:
Food consumption of house mice at low temperatures, 36:460
- Strecker, Robert L., *see* Morrison, Peter R.
see Young, Howard
- Strecker, Robert L., and Peter R. Morrison:
Observations on lemmings from Barter Island, Alaska, 33:180
- Strecker, Robert L., Fred A. Ryser, William J. Tietz, and Peter R. Morrison:
Notes on mammals from Alaska, 33:476
- Strepsiceros imberbis australis, Africa, 31:189
- strepsiceros strepsiceros, Africa, 31:189
- Striata, *see* Myrmecophaga
- striatus, *see* Ictonyx, Tamias
- Stromatolites, 32:151
- Structures of:
Castor, 34:467
- Sturges, Franklin W.:
Weasel preys on larval salamander, 36:567
- Sturnira lilium, Tamaulipas, distr., 40:9, 10
lilium lilium, 40:340
lilium parvidens, Mexico, 35:114; Mexico, distr., 38:6
ludovici, Mexico, distr., 38:5; San Luis Potosí, 40:10
- suahelica, *see* Panthera
- suara, *see* Aepyceros
- suaveolens, *see* Crocidura
- subflavus, *see* Pipistrellus, Vespertilio
- Subfossil:
Bison, 40:567
- subgriseus, *see* Peromyscus
- sublimis, *see* Phyllotis
- subrufa, *see* Carolia
- subspinoso, *see* Hystrix
- subspinosus, *see* Chaetomys
- subtropicalis, *see* Nycticeius
- subulatus, *see* Myotis
- suffocans, *see* Conepatus, Gulo(?)
- suillus, *see* Hylomys
- Sulkin, S. Edward, *see* Krutzsch, Philip H.
- Sullivan, Edward G.:
Zapus hudsonius, reported from Lee County, Alabama, 35:592
Gray fox reproduction, denning, range, and weights in Alabama, 37:346

Sumatra:

- Cynopterus, 40:390
- Nycticebus, 33:115
- sumatrensis, *see* Rhizomys
- sumichrasti, *see* Bassariscus, Jentinkia, Reithrodontomys
- Suncus caeruleus, 31:345
 - murinus, Malaya, hab., habitat, 31:345; Guam, distr., hab., 37:278
- sundevallii, *see* Phacochoerus
- Suni, 31:188
- Superbison, 32:230
- superciliaris, *see* Didelphys
- Superfetation:
 - Mesocricetus, 36:573
 - Opossum, 31:94
- surdaster, *see* Pedetes
- Surface anatomy of:
 - Trichechus, 34:193
- Surf-riding:
 - Tursiops, 40:454
- surifer, *see* Rattus
- Surinam:
 - Canis, 40:353
 - Viverra, 40:351
- Survival of:
 - Ammospermophilus, 39:207
 - Blarina, 36:36
 - Corynorhinus, 33:314
 - Eptesicus, 36:242
 - Hamsters, 40:613
 - Kangaroo rats, 40:613
 - Peromyscus, 32:300
 - Pipistrellus, 40:16
 - Pocket mice, 40:613
 - Rattus, 31:154
 - White-footed mouse, 40:613
- Sutton, R. W.:
 - Aquatic tendencies in the jumping mouse, 37:299
 - A Manitoba record of the gray fox, 39:439
- Svihla, Arthur:
 - The relation of coloration in mammals to low temperature, 37:378
 - Subfreezing body temperatures in dormant ground squirrels, 39:296
 - Notes on the Hawaiian monk seal, 40:226
- Svihla, Arthur, and Howard Bowman:
 - Blood volumes in the golden hamster, 36:135
- Svihla, Arthur, Howard Bowman, and Roger Pearson:
 - Blood picture of the American black bear, Ursus americanus, 36:134
- swainsonii, *see* Antechinus
- Swayne, Julius R., *see* Gersbacher, Willard M.
- Sweatman, G. K.:
 - Endoparasites of muskrats in the vicinity of Hamilton, Ontario, 33:248
- Sweden:
 - Halichoerus, 38:280

Swenson, Lowell E.:

- A bait for small mammals, 34:137
- Swenson, Sherril, *see* Macdonald, J. R.
- Swimming of:
- Cabassos, 34:268
 - Castor, 31:54, 56
 - Didelphis, 35:581; 36:559
 - Erethizon, 31:94
 - Eschrichtius, 35:596
 - Grampus, 35:123
 - Herpestes, 33:343
 - Lagenorhynchus, 34:490
 - Lepus, 31:193
 - Lutra, 32:9
 - Myotis, 36:452; 37:440; 40:440
 - Ondatra, 31:453
 - Onychomys, 35:118
 - Peromyscus, 31:314
 - Phocoenoides, 34:490
 - Pitymys, 36:52
 - Pteropus, 40:440
 - Sigmodon, 31:317
 - Sorex, 34:121
 - Sylvilagus, 40:89
 - Tapirella, 34:267
 - Zapus, 31:453; 36:101; 37:299
- Swindells, John E., *see* Hunsaker, Don
- Switzenberg, D. F.:
 - Breeding productivity in Michigan red foxes, 31:194
 - Black bear denning in tree, 36:459
- sylvaticus, *see* Apodemus, Mus
- sylvestris, *see* Canis, Rangifer
- Sylvicapra grimmia grimmia, Africa, 31:188
- grimmia hindei, Africa, 31:188
- sylvicola, *see* Tonatia
- Sylvilagus, gest. per., 31:356; 32:114, Ariz., prey, 292; 33:154; comp., 34:294; as fd., 35:59, 111; sp., Alas., phys., 36:362; 39:154, as fd., 154, 523, 528, 592
- aquaticus, Ga., tax., distr., hab., 39:116; aquaticus aquaticus, S. C., 31:87; Tenn., nest, 33:370; Tex., habitat, 40:82, reprod., 83, age classes, sex ratios, gest., 84, breeding season, 85, litter size, 87, par., 88, gen., 89
- auduboni, Calif., 32:54; Tex., par., dis., 34:270; Calif., reprod., 40:85, Calif., 253
- auduboni arizonae?, Utah, misc., 39:275
- auduboni auduboni, Calif., reprod., 40:86
- auduboni vallicola, Calif., reprod., 40:86
- audubonii, Calif., 35:46
- audubonii arizonae, 31:4; Ariz., hab., wt., 38:234, Calif., distr., 274
- audubonii cedrophilus, N. Mex., distr., hab., 38:494
- bachmani, Calif., 31:1; Ore., 32:349; Calif., hab., par., 35:392; Calif., reprod., 40:85, 92, Calif., hab., 174
- cunicularius cunicularius, Mexico, hab., 35:78; Guerrero, distr., 39:361

- cunicularius pacificus, Guerrero, distr., 39:361
- floridanus, Mich., 32:472; 33:433, Wis., prey, 437; comp., 34:270; Kan., hab., 35:46; Pa., hab., 36:303; Ind., distr., hab., 37:407; Mich., blood, 38:136, Kan., temp., 137, Wis., anat., 275, Ind., par., 282, reingestion, 482; Ga., distr., hab., 39:116, Ark., misc., 219; Tamaulipas, distr., 40:6, Tex., habitat, 83, 92, 221, Curaçao, 238, anat., 396, 403, Ill., anat., 443
- floridanus cognatus, N. Mex., distr., hab., 38:494
- floridanus floridanus, Fla., hab., 36:303; Fla., 40:587
- floridanus holzneri, Ariz., distr., 38:235
- floridanus mallurus, S. C., 31:86; N. J., hab., 34:234, Conn., anat., 393; Mass., hab., 36:415
- floridanus mearnsi, reprod., 32:109, N. Y., 343, W. Va., 371; Tenn., 33:370; Nebr., gen., 35:429; Nebr., distr., pel., 37:271, Ind., hab., 300, N. Y., distr., 395; Nebr., 39:148, Ohio, pel., 246; Ohio, hab., 40:250
- floridanus mearnsii, as fd., 31:323, Ky., habitat, 360; Ohio, 36:101; Mich., coprophagy, 38:136
- idahoensis, Calif., wt., hab., habitat, 31:1, 2; Calif., misc., 38:274
- insonus, Guerrero, 39:347
- nuttalli pinetis, Colo., 32:283
- nuttallii grangeri, Calif., habitat, 31:1, 4; Calif., distr., 38:274
- palustris, reingestion, 38:482; Ga., tax., distr., hab., 39:116; Fla., reprod., 40:87
- palustris paludicola, Fla., hab., habitat, 31:318; Fla., 32:223; 36:303
- palustris palustris, S. C., 31:86; Fla., distr., 34:135, Ga., distr., hab., 144; Fla., 40:587
- transitionalis, Ky., 32:109; Pa., hab., 36:303, Mass., hab., 415; distr., 39:116; reprod., 40:86
- Synaptomys, 32:217, 462; as fd., 39:523; tax., 40:25
- australis, Fla., foss., desc., anat., distr., 39:538
- borealis, Mont., habitat, 31:460; British Columbia, 33:498; Manitoba, distr., 36:123; Alas., 40:608
- borealis smithi, Manitoba, distr., 38:112
- cooperi, Iowa, distr., 36:121; Manitoba, ecol., 38:95, Ind., par., 282; anat., 39:542; 40:403
- cooperi cooperi, tax., hab., anat., pel., 36:1, Mich., gen., 293; Ind., distr., hab., tax., 37:407; Manitoba, home range, 38:132
- cooperi gossi, tax., hab., anat., pel., 36:1
- cooperi helaletes, tax., hab., anat., pel., 36:1
- *cooperi kentucki, Ky., hab., orig. desc., 37:413
- cooperi paludis, tax., hab., anat., pel., 36:1
- cooperi saturatus, tax., pel., 36:1
- cooperi stonei, Ky., nest, 32:108; N. J., anat., fd., distr., hab., meas., pel., wt., 34:233; tax., hab., anat., pel., 36:1; Ky., hab., tax., 37:413
- *landesi, Kan., orig. desc., foss., anat., 35:249
- Syncerus caffer caffer, Africa, 31:189
- caffer radcliffei, Africa, 31:189
- Synonymy:
- Cebus, 35:415
- Cervus, 37:99
- Chilonycteris, 36:109
- Grampus, 35:124
- Ictonyx, 35:130
- Mormopterus, 34:382
- Nyctinomys, 36:106
- Phenacomys, 35:260
- Sigmodon, 34:508
- Sika, 37:99
- Simia, 35:415
- Spermophilus, 40:27
- Synaptomys, 36:1
- Tadarida, 36:106
- Zorilla, 34:381
- Syntheosciurus brochus, Panama, distr., 34:509
- Syria:
- Golden hamster, 31:121
- T
- Taber, Richard D., *see* Dasmann, Raymond F.
- Tachyglossus aculeatus acanthion, wt., 33:117
- setosus, 32:116; Tasmania, 39:46
- Tadarida, 32:229; 33:77
- brasiliensis, 33:238; Ariz., hab., 37:48; color var., 38:461; 40:241, 551, 553
- brasiliensis antillarum, Puerto Rico, tax., 36:106
- brasiliensis bahamensis, Bahamas, tax., 36:106; Bahamas, misc., 38:168
- brasiliensis brasiliensis, S. Amer., tax., 36:106
- brasiliensis constanzae, Haiti, tax., 36:106
- brasiliensis cynocephala, La., Fla., tax., 36:106; dis., 39:262; 40:609
- brasiliensis intermedia, Guatemala, Mexico, tax., 36:106
- brasiliensis mexicana, Tex., Mexico, tax., 36:106; Tex., color, molt, pel., 38:461; Tex., hab., 39:262, Tex., hab., 434, hab., 435, Okla., desc., 437, 513, anat., 587; Okla., spleen, 40:199, 442, 538, bat banding returns, Okla., maps, Tex., N. Mex., 542, 543, 548, 550, 551, 552, Tex., wgt., 609

- brasiliensis murina, Jamaica, tax., 36:106
 brasiliensis muscula, Cuba, tax., 36:106
 cynocephala, S. C., 31:84, hab., 277, La.,
 anat., 395; 33:79, 102, 273
 femorosacca, Ariz., hab., 37:282; N. Mex.,
 hab., 39:293, Okla., desc. 437
 macrotis, 33:492
 mexicana, Tex., hab., 31:400, Calif., hab.,
 456; 33:238, Calif., Ariz., fd., 395; Tex.,
 distr., 34:515; Mexico, hab., anat., 35:70,
 113; Tex., dis., 36:120, Okla., distr., 128,
 Calif., hab., phys., par., 236, Calif., par.,
 457, Ore., distr., 458; Okla., hab., wt.,
 37:42; Mexico, distr., 38:13, N. Mex.,
 distr., 493
 mexicana mexicana, N. A., anat., 36:96
 mollosa, Okla., 33:492; Calif., hab., distr.,
 35:435; N. Mex., hab., 39:293
 texana, 39:513
 yucatanica, Panama, hab., 36:232; Quin-
 tana Roo, 40:237
 Tagging of:
 Procyon, 37:548
 Urocyon, 37:548
 Tail gland, Canidae, 33:424
 Tail of:
 Sorex, 35:109
 tajacu, *see* Pecari, Tayassu
 Talpa, 32:40; 40:190, 191, 192
 caeca occidentalis, Spain, foss., syn., distr.,
 35:583
 europaea, Spain, foss., syn., 35:583; Eng-
 land, phys., 37:438
 Talpidae, 32:27; Nev., foss., 39:87
 talpoides, *see* Thomomys
 Tamandua, 34:268
 tetradactyla, comp., 34:268; San Luis Po-
 tosi, distr., 40:9, 10, Quintana Roo, 237
 *tetradactyla hesperia, Mexico, orig. desc.,
 comp., 36:557; Guerrero, distr., 39:362
 Tamaulipas:
 Local list, 40:4
 Molossus, 32:219
 Pipistrellus, 40:527
 Tamas, comp., 34:294
 minimus operarius, N. Mex., 33:251
 striatus, Ontario, 31:138, Mich., hab., 350,
 Mich., 359; Mich., 32:472; W. Va., 33:
 254, 433; Ga., distr., 36:136; Wis., hab.,
 37:23, Ontario, hab., 119; Manitoba,
 ecol., 38:95, Wis., hab., wt., 192; Prince
 Edward I., misc., 39:292; anat., 40:397,
 Minn., hab., 444, wt., fd., hibernation,
 554
 striatus fisheri, W. Va., 32:369; Va., comp.,
 33:367; N. J., distr., 34:232
 striatus griseus, distr., 31:347; N. A., anat.,
 35:357, Nebr., distr., 429; Iowa, distr.,
 36:121; syn., 38:192; Wis., 40:555
 striatus lysteri, comp., 31:348, Ontario, dis.,
 358; N. Y., 32:343, 369; N. Y., hab., 34:
 448, Mass., fd., hab., 510; N. Y., hab.,
 35:103, N. A., anat., 357, R. I., gen.,
 585; N. Y., distr., hab., 37:395; syn.,
 38:192, N. Y., homing, 519; Wis., 40:555
 striatus ohionensis, Tenn., comp., 33:366;
 Ohio, hab., 36:103; distr., tax., 37:407
 striatus pipilans, La., Miss., comp., 33:366
 *striatus quebecensis, Ontario, Quebec, orig.
 desc., 31:347
 striatus rufescens, Mich., hab., 38:129
 striatus striatus, S. C., 31:85; Ky., meas.,
 32:104, fd., 105; Tenn., comp., 33:367
 striatus venustus, Okla., 34:118
 Tamiasciurus douglasi, Ore., 32:348; Calif.,
 fd., 34:320; Ore., gen., 40:138
 hudsonicus, Alas., 33:478, British Colum-
 bia, 498; N. A., anat., 35:357; Pa., gen.,
 36:136; Colo., distr., 37:80; Manitoba,
 ecol., 38:95, Ind., par., 282; Mich., 39:
 149, Prince Edward I., misc., 292, comp.,
 307, Alas., hab., 443, N. Y., pel., 445,
 N. H., hab., 596; N. Mex., 40:336, Alas.,
 608
 hudsonicus abieticola, S. C., 31:85
 hudsonicus dixiensis, Utah, hab., gen.,
 anat., tax., 35:87
 hudsonicus fremonti, Colo., distr., hab., 34:
 238; Utah, hab., anat., gen., tax., 35:87
 hudsonicus hudsonicus, Manitoba, distr.,
 38:103
 hudsonicus loquax, W. Va., 32:370, Mich.,
 471; N. Y., os gen., 33:457; N. J., distr.,
 hab., 34:232; N. Y., hab., 35:103, N. H.,
 hab., 252; Ind., wt., hab., phys., 37:64,
 N. Y., distr., hab., 395
 hudsonicus mogollonensis, Ariz., distr., 37:
 292; N. Mex., distr., hab., 38:495
 hudsonicus preblei, Alas., 31:466
 hudsonicus ventorum, hab., gen., anat., tax.,
 35:87; Wyo., hab., 40:377
 hudsonicus wasatchensis, syn., 35:87
 Tamiops maclellandi, Malaya, hab., habitat,
 31:342
 Tamsitt, J. R.:
 The baculum of the *Peromyscus truei* spe-
 cies group, 39:598
 Peromyscus nasutus in northeastern New
 Mexico, 40:611
 Tanaka, Ryo:
 Estimation of vole and mouse populations
 on Mt. Ishizuchi and on the uplands of
 southern Shikoku, 32:450
 Tanaka, Ryo, and Seiyu Teramura:
 A population of the Japanese field vole in-
 fested with tsutsugamushi disease, 34:345
 Taniwaki, Takeshi, *see* Wilke, Ford
 Taphozous australis, wt., 33:118
 kachensis magnus, Iraq, par., 36:125
 mixtus, wt., 33:118
 perforatus, as prey, 40:546, 547
 Tapir, 33:390

- Baird's, 34:267
 Malay, 31:430
 Tapirella, Veracruz, distr., 40:9
 bairdi, Panama, fd., hab., par., 34:267
 Tappen, N. C.:
 Responses of African monkeys to native
 stratagems, 39:584
 tarandus, *see* Rangifer
 Tarsier, 31:260
 Tarsius, anat., 40:395
 carbonarius, Mindanao, hab., wt., 31:260
 Tasmania, 32:116
 Antechinus, 39:46
 Balaenoptera, 39:593
 Dasyurus, 39:46
 Isodon, 39:46
 Oryctolagus, 39:48
 Perameles, 39:47
 Potorous, 39:45
 Pseudochirus, 39:46
 Rattus, 39:49
 Tachyglossus, 39:46
 Trichosurus, 39:46
 Tate, G. H. H.:
 The nomenclature of *Canis antarcticus*, 32:
 126
 Weights of Queensland mammals, 33:117
 On *Cebus apella* (Linnaeus) with a note
 on *Cebus capucinus* (Linnaeus), 35:415
 Tatera, 40:192
 indica, Iraq, distr., hab., 37:417
 Tatus auritus (= *Dasyopus septemcinctus*),
 40:340
 decumanus, 40:340
 fimbriatus (= *Zaedyus pichiy*), 40:340
 gilvipes (= *Euphractus sexcinctus flavi-*
 manus), 40:340
 grandis (= *Prionomys maximus*), 40:340
 gymnurus (= *Cabassus uncinatus*), 40:340
 villosus (= *ChaetophRACTUS villosus*), 40:
 340
 tau, *see* Equus
 taurinsulæ, *see* *Odocoileus*
 taurinus, *see* *Connochaetes*
 Taurotragus oryx pattersonianus, Africa, 31:
 189
 taurus, *see* Bos
 Taxidea, Mich., 31:359; comp., 34:294; anat.,
 38:453
 taxus, Wyo., hab., 31:355; Calif., 32:54,
 126, Mich., 472; Calif., 34:332; Calif.,
 trapping habits, 40:147
 taxus berlandieri, N. Mex., distr., hab., 38:
 500; Okla., 40:365
 *taxus halli, nom. nov., 32:127
 taxus iowae, comp., 34:388
 taxus jacksoni, U. S., distr., meas., pel.,
 34:388
 *taxus kansensis, Kan., orig. desc., wt., 31:
 346
 *taxus montana, Mont., orig. desc., 31:90;
 Wyo., par., 34:155
 taxus nevadensis, syn., 32:126
 taxus taxus, comp., 34:388; Wyo., hab.,
 40:375
 Taxonomic methods, 40:572
 Taxonomy:
 Antrozous, 35:111
 Apodemus, 37:272
 Artibeus, 35:68; 38:6
 Balantiopteryx, 35:66
 Berardius, 34:98, 105
 Canis, 35:256
 Cebus, 35:415; 36:449
 Chilonycteridae, 35:147
 Chilonycteris, 36:109
 Citellus, 36:136, 273
 Clethrionomys, 38:104; 40:25
 Condylura, 35:186
 Cricetidae, 35:425
 Crociodura, 37:257
 Cynomys, 34:25
 Dasypus, 35:78
 Desmodontidae, 35:147
 Dicrostonyx, 40:25
 Dipodomys, 34:13; 35:570
 Eastern Pipistrel, 40:521
 Emballonuridae, 35:147
 Eptesicus, 37:257
 Eutamias, 38:518
 Funambulus, 35:471
 Geomyidae, 35:425
 Glossophaga, 35:67
 Gulo, 36:248
 Heteromyidae, 35:425
 Ictonyx, 34:114
 Inia, 39:7
 Lagurus, 36:270; 40:20
 Lemmiscus, 40:24
 Lemmus, 40:25
 Leptarctus, 38:452
 Leptonycteris, 35:68; 38:454
 Liomys, 35:73
 Martes, 34:74; 37:257; 38:452
 Mephitis, 38:452
 Meriones, 37:257
 Mesoplodon, 34:239
 Microtus, 35:77, 587
 Miniopterus, 37:257
 Molossidae, 35:147
 Molossus, 35:70
 Muridae, 35:425
 Natalidae, 35:147
 Nebraskomys, 38:43
 Neotoma, 35:77; 36:113
 Ogmodontomys, 38:39
 Oryzomys, 35:76
 Parascalops, 35:186
 Perognathus, 35:73, 95
 Peromyscus, 35:74, 561
 Phocoena, 39:22

- Phocoenoides, 34:493
 Pipestoneomys, 37:264
 Rattus, 35:77
 Ratufa, 35:471
 Reithrodontomys, 35:74
 Rodentia, 36:165
 Scalopus, 34:134; 35:186
 Scapanus, 35:195
 Sciuridae, 35:425
 Sciurus, 37:257
 Sigmodon, 34:508
 Simia, 36:449
 Sorex, 35:66
 Sotalia, 39:11
 Spalax, 37:257
 Spilogale, 34:114
 Sylvilagus, 36:415; 39:116
 Synaptomys, 40:25
 Tadarida, 36:106
 Tamiasciurus, 35:87
 Thomomys, 35:72
 Ursus, 37:538
 Vespertilionidae, 35:147
 Zapus, 34:234
 taxus, *see* Taxidea
 Tayassu, Veracruz, distr., 40:9
 angulatus, Tex., par., 34:270; Ariz., hab.,
 phys., 36:146
 (Pecari) tajacu, Quintana Roo, 40:237
 tajacu, Mexico, hab., 35:102
 Taylor, J. Mary, *see* Horner, B. Elizabeth
 Taylor, Walter P.:
 Food habits and notes on life history of
 the ring-tailed cat in Texas, 35:55
 taylori, *see* Baiomys, Castor
 Tayra, 35:102
 barbara biologiae, syn., 40:152
 teapensis, *see* Peromyscus
 Techniques:
 Bat banding, 38:402
 Bone staining, 31:122
 Census, 32:318; 35:392
 Cleaning skeletons, 31:464
 Cleaning skulls, 32:231; 37:125
 Color description, 37:269
 Determining fecundity, 31:433
 Fat extraction, 31:162
 Finding nests, 34:503
 Food habit study, 35:406
 Handling small mammals, 35:429
 Home range studies, 36:42
 Identification, 34:385
 Measuring activity of mice, 37:74
 Measuring ranges, 35:1
 Oxygen consumption study, 36:543
 Preventing ectoparasite contamination, 35:
 266
 Serological, 37:11
 Skeletal cleaning, 35:428
 Staining, 35:471
 Staining hairs, 32:232
 Study of estrous cycle, 35:263
 Trapping, 32:322; 33:497
 Teeri, A. E., E. Pomerantz, N. T. Colovos,
 and H. A. Keener:
 Vitamin excretion by deer, 36:553
 Teeri, A. E., W. Virchow, N. T. Colovos,
 and F. Greeley:
 Blood composition of white-tailed deer, 39:
 269
 Teeth of:
 Antilocapridae, 34:377
 Clethrionomys, 37:298
 Hippopotamus, 34:306
 Lepus, 37:453
 Liomys, 34:59
 Megalonyx?, 34:376
 Mesoplodon, 34:240, 249
 Myosorex, 39:330
 Myotis, 37:58
 Neotoma, 34:185
 Odocoileus, 34:377; 35:456; 39:156
 Peromyscus, 39:184
 Pocket gophers, 33:485
 Procyon, 34:375
 Rodents, 33:70
 Scalopus, 39:58
 Thomomys, 39:380
 Trichechus, 34:196
 Urocyon, 39:76
 teliotis, *see* Lasiurus
 telmalestes, *see* Blarina
 *telmaphilus, *see* Peromyscus
 Temperament of:
 Peromyscus, 40:496
 Pitymys, 36:52
 Temperature:
 Bats, 32:290, 391
 Callorhinus, 37:327
 Citellus, 34:68; 40:203
 Clethrionomys, 35:376
 Corynorhinus, 33:276
 Dicrostonyx, 35:376
 Erinaceus, 38:254
 Herpestes, 33:340
 Microtus, 35:376
 Mirounga, 35:211
 Neotoma, 34:185
 Perognathus, 38:60
 Rattus, 37:378
 Sylvilagus, 38:137
 Temperature effect in:
 Blarina, 35:40
 Citellus, 36:543
 Cynomys, 36:71
 Didelphis, 35:40
 Dipodomys, 36:543
 Eptesicus, 37:31
 Mus, 36:460
 Peromyscus, 36:139
 Pipistrellus, 36:124
 Procyon, 37:170

- Temperature recorder for wild mice, 32:122
 Temperature regulation in:
 Clethrionomys, 35:376
 Microstonyx, 35:376
 Microtus, 35:376
 Temperature tolerances of:
 Didelphis, 31:333
 Peromyscus, 32:300
 Tachyglossus, 32:116
 tenellus, *see* Thomomys
 Tener, J. S.:
 The distribution of muskoxen in Canada, 39:398
 Tener, J. S., *see* Banfield, A. W. F.
 Tennessee, 33:106
 Cryptotis, 35:177
 Local list, 362
 Mus, 35:177
 Oryzomys, 35:263
 Peromyscus, 35:177; 36:297
 Pipistrellus, 40:527, 528, 533
 Rattus, 35:177
 Reithrodontomys, 35:177
 Sigmodon, 35:177
 tenuis, *see* Callosciurus
 Teramura, Seiyu, *see* Tanaka, Ryo
 tereticaudus, *see* Citellus
 terrenus, *see* Arctoryctes
 Terres, John K.:
 Migration records of the red bat, *Lasiurus borealis*, 37:442
 Territorial behavior of:
 Ochotona, 39:307
 Territoriality of:
 Beaver, 34:471
 Cervus, 37:165
 Mus, 36:299
 Odocoileus, 37:143, 165
 Tamias, 34:453
 Tamiasciurus, 35:252
 Territory of:
 Alouatta, 40:320
 Callorhinus, 34:425
 Citellus, 34:336
 terrosus, *see* Dipodomys
 tessellatus, *see* Papio
 Tester, John R.:
 Fall food habits of the raccoon in the South Platte Valley of northeastern Colorado, 34:500
 Testes, *see* Urogenital system
 Testes of:
 Funambulus, 35:471
 Ratufa, 35:471
 Scalopus, 40:184
 Testing equipment:
 Peromyscus, 40:499
 Testing procedures:
 Peromyscus, 40:499
 Tetonius, Colo., foss., distr., 35:581
 tetradactyla, *see* Tamandua
 tetradactylus, *see* Canis
 Tevis, Lloyd, Jr.:
 Summer behavior of a family of beavers in New York state, 31:40
 Autumn foods of chipmunks and golden-mantled ground squirrels in the northern Sierra Nevada, 33:198
 Stomach contents of chipmunks and mantled squirrels in northeastern California, 34:316
 Responses of small mammal populations to logging of Douglas-fir, 37:189
 Invasion of a logged area by golden-mantled squirrels, 37:291
 Behavior of a population of forest-mice when subjected to poison, 37:358
 Tevis, Lloyd P., Jr., *see* Linsdale, Jean M.
 texana, *see* Tadarida
 texanus, *see* Odocoileus
 Texas, 32:115, 116, 340, 466; 33:21, 87, 241, 373, 391
 Armadillo, 33:22
 Baionys, 40:447
 Bassariscus, 35:55, 406; 36:292
 Bison, 40:567, 570
 Blarina, 34:516
 Canis, 34:270
 Corynorhinus, 40:442
 Cow, 34:270
 Cryptotis, 40:243
 Dasypterus, 37:440
 Dasypus, 34:270; 40:89
 Didelphis, 35:406
 Dipodomys, 40:146
 Domestic goat, 34:270
 Eumops, 38:514
 Felis, 32:363
 Geomys, 31:348; 36:143
 Kogia, 36:263
 Lasiurus, 38:514; 40:442
 Leptonycteris, 38:454
 Lepus, 34:269; 40:83
 Local list, 35:55; 40:10
 Mephitis, 34:270; 35:406; 39:71
 Mesoplodon, 36:573
 Mormoops, 37:440; 39:344, 513
 Mus, 40:447
 Mustela, 35:418
 Myotis, 36:120; 39:434, 513; 40:442
 Neotoma, 34:270; 35:239; 40:448
 Nimravides, 39:368
 Odocoileus, 34:270
 Peromyscus, 34:190, 516; 35:526; 38:416; 40:57, 447
 Pitymys, 34:516
 Procyon, 35:406
 Reithrodontomys, 34:516
 Sigmodon, 40:447
 Sylvilagus, 34:270; 40:82
 Tadarida, 31:400; 34:515; 36:106, 120;

- 38:463; 39:262, 434, 436, 513, 587; 40:538, 609
 Tayassu, 34:270
 Urocyon, 31:78; 35:406
 Vulpes, 39:70, 527
 Whitetail deer, 32:411
texensis, see *Geomys*, *Lynx*, *Oryzomys*
texianus, see *Sigmodon*
Thalarcos maritimus, misc., 31:162, hybrid, 449; Alas., 32:91
Theridomyoidea, tax., 36:165
 Thermal conductivity:
 Clethrionomys, 38:78
 Microtus, 38:78
 Sorex, 38:78
 Thermoregulation, bats, 32:389
thibetanus, see *Ursus*
thinobates, see *Nimravides*
 Thomas, B. O., see Petrides, George A.
thomasi, see *Adenota*
Thomomys, as fd., 34:501; anat., 40:397, breeding cycle, 581
bottae, hab., 31:320; Calif., 32:54; 33:485, 486; anat., 36:356; Calif., pel., 37:201; as prey, 38:517, color, 523, Ariz., Calif., 524, N. Mex., 525; Calif., hab., 40:174, N. Mex., 331, capture, 577, 613
bottae absonus, Ariz., comp., 33:499
bottae actuosus, N. Mex., distr., hab., 38:496; 40:331, N. Mex., 332, map, color, 332
bottae aureiventris, misc., 38:267
**bottae boreorarius*, Ariz., orig. descr., 33:498
bottae bottae, Calif., 31:362; 33:443, Calif., meas., 452, 453; dentition, 38:227
bottae connectens, N. Mex., distr., hab., 38:495; map, color, 40:332
bottae fulvus, N. Mex., 33:251, Ariz., comp., 33:499
bottae leucodon, Calif., meas., 33:453
bottae mewa, physiol., 32:304; trapping, Calif., 33:65, meas., 453
bottae navus, phys., 32:306; 33:65, Calif., 442, sex ratio, 444, meas., 445; phys., 34:394; Calif., pop., 40:580
bottae pascalis, Calif., meas., 33:453
bottae planirostris, Utah, comp., 33:499
bottae trumbullensis, Ariz., comp., 33:499
fulvus, 40:331
monticola, Calif., 33:443
perpallidus, 40:331
talpoides, Kan., 32:229; 33:442; Colo., hab., 36:221; Kan., foss., distr., 37:540; Colo., anat., 39:380; distr., 40:43, N. Mex., 336, Wash., misc., 459, capture, Colo., 577
talpoides bullatus, Mont., biometrics, 32:315
talpoides foscior, Colo., 32:282; Colo., distr., hab., 34:238; Colo., 40:578
talpoides fuscus, Mont., biometrics, 32:315; Mont., 33:443
talpoides kelloggi, Mont., biometrics, 32:315
**talpoides louiei*, Wash., orig. desc., 31:92
talpoides moorei, Utah, fd., 32:84; Utah, 40:578
talpoides quadratus, Ore., 33:443; 40:578, Ore., 580
talpoides rufescens, Manitoba, habitat, 31:23
talpoides tenellus, Wyo., seasonal activity, 38:132; Wyo., hab., 40:377
talpoides trivialis, Mont., biometrics, 32:315
townsendi, capture, 40:577
umbrinus peregrinus, Mexico, tax., 35:72
umbrinus vulcanius, Mexico, 35:72
 Thompson, Daniel Q.:
 Travel, range, and food habits of timber wolves in Wisconsin, 33:429
thomsonii, see *Gazella*
thoracatus, see *Capromys*
 Thoracic viscera of:
 Cynomys, 34:17
 Thorax of:
 Trichechus, 34:201
thous, see *Dusicyon*
Thryonomyidae, tax., 36:165
 Thurmond, William, see Roest, Aryan I.
Thylogale stigmaticus, wt., 33:118
 Thymus weights:
 Rattus, 37:475
thyone, see *Vampyressa*
 Thyroid weights:
 Rattus, 37:475
Thyroptera tricolor albigula, syn., 40:152
tricolor albiventer, syn., 40:152
thysanodes, see *Myotis*
 Tiang, 31:188
tiang, see *Damaliscus*
 Ticks:
 Alces, 39:141
 Tierkel, Ernest S., see Constantine, Denny G.
 Tietz, William J., see Morrison, Peter R.
 see Strecker, Robert L.
 Tiger, 31:431
 Bengal, 38:279
 Saber-toothed, 33:390
tigris, see *Panthera*
 Till, C. E.:
 White-tailed deer in Colorado, 35:269
 Tiner, Jack D.:
 Fatalities in rodents caused by larvae *Ascaris* in the central nervous system, 34:153
 The fraction of *Peromyscus leucopus* fatalities caused by raccoon ascarid larvae, 35:589
tippelskirchi, see Giraffa
 Tobago, 32:224
toltecus, see *Artibeus*
Tolypeutes, 40:340

- globulus (= *Tolypeutes tricinctus*), 40:340
tricinctus, 40:340
- Tompkins, Ivan R.:
 The distribution of the marsh rabbit in Georgia, 36:144
 The manatee along the Georgia coast, 37:288
 A Georgia specimen of the manatee, 39:154
- Tonatia *amblyotis*, syn., 40:152
bidens, 33:172
saurophila, 33:172
sylvicola sylvicola, syn., 40:142
- Toner, G. C.:
 Butterflies and a kitten, 36:290
 House cat predation on small animals, 37:119
 Some numbers for big game in Ontario, 37:119
- tonganus, *see* *Pteropus*
- Tooth replacement in:
Bison, 35:454
Choeronycteris, 35:437
- Tooth wear:
Myotis, 38:408
- tornillo, *see* *Peromyscus*
- Torpidity in:
Peromyscus, 32:307
Napaeozapus, 38:272
- torquata, *see* *Neotoma*
- Torre, Luis de la:
 Bats from southern Tamaulipas, Mexico, 35:113
- torridus, *see* *Liomys*, *Onychomys*
- tortilis, *see* *Hystrix*
- Touch:
Blarina, 39:500
- Townsend, Joseph E.:
 Beaver ecology in western Montana with special reference to movements, 34:459
- townsendi, *see* *Arctocephalus*, *Citellus*, *Eutamias*, *Lepus*, *Scapanus*, *Thomomys*, *Urocyon*
- townsendii, *see* *Citellus*, *Corynorhinus*, *Eutamias*, *Scapanus*
- Trachypithecus, 33:258
- Traffic survey of:
Microtus, *Reithrodontomys*, etc., 40:169
- Tragelaphus *angasii*, Africa, 31:189
scriptus delamerei, Africa, 31:189
scriptus roulaleyni, Africa, 31:189
spekii spekii, Africa, 31:189
- transitionalis, *see* *Sylvilagus*
- Trans-migration of ova:
Mephitis, 36:459
Peromyscus, 34:507
- Transplanting of:
Sciurus, 34:360
- Trap:
 Construction, 31:364
 Subnivean live, 40:140
- Trap for:
 Ground squirrels, 33:497
 Live-catch, rodents, 38:531
 Pocket gophers, 33:61
- Trapping: 40:132
Aplodontia, 34:396
Citellus, 40:445
Clethrionomys, 40:141
Cratogeomys, 35:121
Didelphis, 31:331
Eutamias, 38:443
Gophers, 40:578
 Ground squirrels, 32:440
Herpestes, 33:336; 34:437
 Live, 35:177
Martes, 38:175
Microtus, 38:443
Mus, 34:171
Mustela, 37:114
Neotoma, 38:443
Perognathus, 38:443
Peromyscus, 32:198; 38:443
 Pocket gophers, 33:64
Rattus, 31:298; 34:171, 365
 Small mammals, 34:137
Sorex, 32:355; 34:119
Taxidea, 40:147
Thomomys, 37:201
- Trapping methods, 31:26, 377; 36:21
- Trap protection, 37:428
- Traps, 39:157, 215, 286
Citellus, 39:288
 Live rodents, 35:267
 Live shrew, 36:286
Microtus, 39:288
Peromyscus, 39:288
Procyon, 35:440
 Small mammals, 35:177
Zapus, 39:288
- Travels of:
Callorhinus, 35:444
Hippopotamus, 34:303
Mustela, 37:114
Vulpes, 36:101
- Travis, Hugh F., *see* Bassett, Charles F.
- Trense, Werner, *see* Haltenorth, T.
- Trichechus *Amazonius*, 40:342
Clusii, 40:342
latirostris, Fla., anat., wt., meas., 34:192
manatus, Ga., distr., 39:154
manatus latirostris, Fla., distr., habitat, reprod., meas., behav., 32:22; Ga., distr., 37:288; Fla., yg., 38:137; Fla., 40:590
manatus manatus, 40:342
- Trichobezoars, 32:151
- Trichobezoars (hair balls):
Peromyscus, 31:94
- Trichosurus, 33:154
vulpecula, Tasmania, 39:46
vulpecula eburacensis, wt., 33:118
- Trichys *lipura*, Malaya, habitat, 31:345

- tricinctus, *see* *Tolypeutes*
 tricolor, *see* *Sciurus*
 tricuspis, *see* *Manis*
 tridactylus, *see* *Potorous*
 tridecemlineatus, *see* *Citellus*
 tridens, *see* *Asellia*
 trimucronatus, *see* *Lemmus*
 Trinidad:
 Artibeus, 38:409
 Carollia, 38:409
 trinitatis, *see* *Artibeus*, *Citellus*
 trinitatus, *see* *Artibeus*
 trinotatus, *see* *Zapus*
 Triplets in:
 Odocoileus, 32:268
 tristriata, *see* *Didelphys*
 trivialis, *see* *Thomomys*
 trivirgata, *see* *Dactylopsila*
 trivirgatus, *see* *Aotus*
 Tromba, Francis G.:
 Some parasites of the hoary bat *Lasiurus*
 cinereus (Beauvois), 35:253
 tropicalis, *see* *Otomys*
 tropicius, *see* *Oryzomys*
 trowbridgei, *see* *Sorex*
 trowbridgeii, *see* *Sorex*
 truei, *see* *Peromyscus*, *Phocoenoides*
 trumbullensis, *see* *Thomomys*
 truncatus, *see* *Tursiops*
 Tryon, C. A., Jr.:
 The use of skull measurements at the sub-
 specific level in mammalian taxonomy,
 with special reference to *Thomomys tal-*
 poides, 32:313
 Tryon, Clarence A., Jr., and Paul David Buck:
 Montana records of antelope embryos and
 reproductive tracts, 31:192
 tschiliensis, *see* *Vulpes*
 tuberculifera, *see* *Phocoena*
 Tucker, Harold M.:
 Little spotted bat in Idaho, 38:406
 Tularemia, 34:270
 Microtus, 31:194
 Zapus, 31:194
 tularensis, *see* *Dipodomys*
 Tullar, Richard M.:
 New record of California grizzly bear, 39:
 151
 tumida, *see* *Rhogeessa*
 tumidifrons, *see* *Chilonatalus*, *Natalus*
 tumidirostris, *see* *Natalus*, *Phodotes*
 Tumor in:
 Canis, 34:390
 Odocoileus, 37:552
 tundrarum, *see* *Canis*
 tundrensis, *see* *Sorex*
 Tupaia glis, Malaya, hab., habitat, 31:344
 minor, Malaya, hab., habitat, 31:344
 Tursiops gilli, Calif., descr., meas., 33:385;
 Calif., hab., 34:498
 truncatus, Fla., breeding hab., 32:251, La.,
 fd., 466; comp., 34:498; Fla., wt., hab.,
 35:225; Fla., hab., 36:304, 466; Fla.,
 hab., 37:126, hab., 311, Fla., hab., 454;
 Fla., hab., 40:454, Fla., 589
 Twente, John W.:
 Swimming behavior of bats, 40:440
 Twente, John W., and Rollin H. Baker:
 New records of mammals from Jalisco,
 Mexico, from barn owl pellets, 32:120
 Twente, John W., Jr.:
 Aspects of a population study of cavern-
 dwelling bats, 36:379
 Ecological observations on a colony of *Ta-*
 darida mexicana, 37:42
 Twinning in:
 Cebus, 34:385
 Odocoileus, 32:268; 36:145; 38:421
 Peromyscus, 35:449
 Tylomys, Veracruz, distr., 40:9
 nudicaudatus nudicaudatus, Mexico, wt.,
 hab., anat., tax., 35:101
 Type locality of:
 Bison bison, 33:391
 Pizonyx, 35:83
 Syntheosciurus, 34:509
 Tamiasciurus, 37:292
 typicus, *see* *Reithrodon*
 Tyson, Edwin L.:
 Summer food habits of the raccoon in
 southwest Washington, 31:448

U

- Udall, Robert H., *see* *Esridge*, Paul S.
 Uganda:
 Spotted hyenas, 40:615
 ugandae, *see* *Kobus*
 ugyunak, *see* *Sorex*
 Uhlig, Hans G.:
 Weights of adult gray squirrels, 36:293
 Reproduction in the eastern flying squirrel
 in West Virginia, 37:295
 uinta, *see* *Lynx*, *Ochotona*
 uintensis, *see* *Dipodomys*
 Ulmer, Frederick A., Jr.:
 Unusual behavior of the Norway rat, 32:
 117
 Notes on the rice rat in New Jersey and
 Pennsylvania, 32:121
 umbrinus, *see* *Eutamias*, *Thomomys*
 uncia, *see* *Panthera*
 underwoodi, *see* *Eumops*
 undulatus, *see* *Citellus*, *Spermophilus*
 Ungava:
 Canis, 39:570
 Gulo, 39:570
 Rangifer, 39:560
 ungava, *see* *Phenacomys*
 unicinctus, *see* *Cabassomys*
 unicolor, *see* *Cervus*
 unicornis, *see* *Rhinoceros*

United States:

Synaptomys, 36:1

Urban, Emil K., and Robert B. Wimmer:

Reithrodontomys megalotis and Urocyon cinereoargenteus from western Oklahoma, 40:450

Urinating posts:

Mus, 34:502

Urocyon, 33:244, 419; N. Y., hab., 34:125

cinereoargenteus, Tex., dis., 31:78; fd., 32:104, 115, Mich., 472; 33:421, 426; Tex., hab., 35:406; Pa., par., 37:90, Ala., hab., phys., wt., 346, Ind., distr., hab., 407, Fla., tech., 548; Fla., Ga., 39:74, Nebr., 148; 40:241, anat., 396, 403, 513

cinereoargenteus borealis, Ontario, distr., 34:126

cinereoargenteus cinereoargenteus, S. C., 31:85; Ky., 32:104, W. Va., 369; Tenn., 33:366; Ontario, distr., 34:126, N. J., distr., fd., hab., 231; Ohio, 36:101

cinereoargenteus colimensis, Mexico, hab., 35:71; Guerrero, distr., 39:351

cinereoargenteus floridanus, comp., 40:450, Fla., 589

cinereoargenteus ocythous, N. D., 31:198; Alberta, 33:253; Ontario, distr., 34:127; Manitoba, distr., 39:439; Okla., hab., 40:364

cinereoargenteus scotti, 33:425; N. Mex., distr., hab., 38:500

cinereoargenteus scottii, Okla., distr., 40:450

cinereoargenteus townsendi, 33:424, 425

littoralis santacruzae, Calif., 32:366

Uroderma, 39:585

bilobatum, Panama, 36:232; comp., 40:5

Urogale everetti, Mindanao, hab., wt., 31:352

Urogenital system of:

Cynomys, 34:22

Erethizon, 34:210

Gulo, 36:346

Herpestes, 34:440

Uromys caudimaculatus caudimaculatus, wt., 33:118

validus, 32:211

Uropatagium of:

Myotis, 32:398

Uropsilinae, 32:40

Uropsilus, 32:42

Urosciurus nigratus, Brazil, syn., 40:346

Urotrichus, 32:40

Ursidae, tax., 37:11

ursinus, *see* Callorhinus, Papio

Ursus, Alas., 32:90; 33:480; anat., 35:438

americanus, Mich., 31:359, Yukon Terr., habitat, 360; Ore., 32:346, Mich., 471; reprod., 33:246; Calif., fd., 34:321; Pa., hab., phys., hibernation, development, 35:28, fecal "plug," 31, distr., Canada, hab., pel., 345, Nev., distr., 577; Wash.,

wt., phys., 36:134, Alas., phys., 362, Mich., hab., 459, N. Mex., gen., 460; Ontario, 37:119; Prince Edward I., misc., 39:292, Mich., hematology, 588; 40:403

americanus americanus, S. C., 31:84

americanus cinnamomum, Wyo., hab., 40:374

*americanus hamiltoni, Newfoundland, orig. desc., 37:538

arctos, Canada, distr., hab., pel., 35:347

arctos californicus, Calif., distr., meas., 39:151

arctos horribilis, N. W. Terr., distr., 36:254

californicus, Calif., 31:362

cancrivorus, French Guiana, syn., 40:353

colusus, Calif., 31:363

floridanus, Fla., distr., 34:135

horribilis, Canada, hab., distr., pel., 35:351; British Columbia, 39:140; Wyo., hab., 40:374

middendorffi, hybrids, 31:449; Alas., 39:576, Alas., hab., 588

richardsoni, Alas., 31:465; Canada, distr., hab., pel., 35:345

thibetanus japonicus, Japan, hab., 35:128

Uruguay:

Reithrodon, 40:348

urva, *see* Herpestes

Utah, 33:492

Antrozous, 36:126

Citellus, 31:198; 34:131; 36:136, 273, 296; 37:123, 124, 550

Corynorhinus, 36:126

Coyote, 34:225

Cynomys, 34:15

Dipodomys, 38:489

Eptesicus, 36:126

Eudermia, 31:197; 35:117

Felis, 38:123

Kit fox, 34:225

Lagurus, 36:270

Lasionycteris, 36:126

Lepus, 38:485

Local list, 32:113, 226; 39:275

Microtus, 40:53

Mustela, 34:131; 35:418; 36:568; 38:411

Myotis, 36:126

Ochotona, 32:169

Odocoileus, 36:202, 308; 39:156; 40:96

Perognathus, 37:451; 38:207

Pipistrellus, 36:126

Red fox, 40:515

Reithrodontomys, 39:306

Sorex, 34:116; 36:560

Tamiasciurus, 35:87

Taxidea, 31:91

Thomomys, 32:84; 38:266; 40:578

Vulpes, 37:351

utahensis, *see* Zapus

Uterus masculinus:

Castor, 39:97

Utilization (economic):

Dolphin, 34:489

Porpoise, 34:489

V

vaga, *see* *Lutra**vagrans*, *see* *Sorex**validus*, *see* *Rattus*, *Uromys**vallicola*, *see* *Sylvilagus**Vampyressa minuta*, *syn.*, 40:152*thyone*, *syn.*, 40:152*Vampyrops*, 39:585*helleri*, Paraguay, *distr.*, 36:130; *comp.*, 40:5*lineatus*, 40:340*Vampyrum*, Veracruz, *distr.*, 40:9*vancouverensis*, *see* *Martes*

Van Gelder, Richard G.:

The egg-opening technique of a spotted skunk, 34:255

An albino *Sorex vagrans*, 40:438Van Gelder, Richard G., *see* Findley, James S.

Van Gelder, Richard G., and Woodrow W. Goodpaster:

Bats and birds competing for food, 33:491

varians, *see* *Mephitis*

Variation in:

Norway rat, 33:191

Peromyscus, 35:367*Taxidea*, 34:388*variegatoides*, *see* *Sciurus**variegatus*, *see* *Cebus*, *Chironectes*, *Citellus*, *Galeopterus**varius*, *see* *Myosorex*, *Procyon*

Vaughan, Terry A.:

Unusual concentration of hoary bats, 34:256

Vaughan, Terry A., *see* Jones, J. Knox, Jr.

Vaughan, Terry A., and Philip H. Krutzsch:

Seasonal distribution of the hoary bat in southern California, 35:431

Vazquez, Alberto Wanous:

A new southern record for *Mustela erminea cicognanii*, 37:113

Velich, Ralph:

Notes on mammals from eastern Nebraska, 35:429

Mammals from eastern Nebraska, 37:271

Notes on mammals from eastern Nebraska, 39:147

velifer, *see* *Myotis**velox*, *see* *Acinonyx*, *Vulpes**velutinus*, *see* *Rattus**venatorius*, *see* *Odocoileus*

Venezuela, 33:114

Glossophaga, 31:350*Macrophyllum*, 38:406*Nasua*, 40:352*Natalus*, 31:436

Venom of:

Blarina, 35:425*ventorum*, *see* *Ochotona*, *Tamiasciurus**venustus*, *see* *Tamias*

Veracruz:

Dasypterus, 37:443

Local list, 40:9

Pipistrellus, 40:530*veraecrucis*, *see* *Pipistrellus**veraepacis*, *see* *Sorex**verax*, *see* *Marmosa*

Verme, Louis J.:

Acorn consumption by chipmunks and white-footed mice, 38:129

Localized variation in masked shrew abundance, 39:149

Vermont:

Castor, 35:452; 37:506*Pipistrellus*, 40:524

Verts, B. J.:

The population and distribution of two species of *Peromyscus* on some Illinois strip-mined land, 38:53

Vervet, 31:186

East African, 31:186

Vespertilio erythroductylus, *syn.*, 40:522*subflavus*, *syn.*, 40:522, 528*Vespertilionidae*, *anat.*, 35:147*Vesperugo carolinensis*, *syn.*, 40:522*veraecrucis*, *syn.*, 40:530*vetulus*, *see* *Neotoma*

Vibrissae of:

Erethizon, 36:84

Villi in:

Ochotona, 33:104*villosa*, *see* *Cebus*, *Chiroderma**villosus*, *see* *Chaetophractus*, *Tatus*Virchow, W., *see* Teeri, A. E.*virgatus*, *see* *Octocyon*

Virginia, 33:244

Blarina, 38:281*Dasypterus*, 36:456*Globicephala*, 39:440*Lasionycteris*, 37:111

Local list, 32:100

Manatee (?), 31:98*Myotis*, 31:197*Odocoileus*, 32:139*Peromyscus*, 38:212*Phoca*, 35:258*Pipistrellus*, 40:526*Pitymys*, 34:262

Red fox, 40:514

Sorex, 37:435*virginiana*, *see* *Dama*, *Didelphis**virginianus*, *see* *Corynorhinus*, *Odocoileus*

Virgin Islands:

Artibeus, 39:150*Brachyphylla*, 39:150*Mus*, 39:150*viscacia*, *see* *Lagidium**Viscauia*, *see* *Arctomys*

Visceral anatomy of:

Trichechus, 34:200

Vision of:

- Dolphins, 33:331
- Globicephala, 33:331
- Herpestes, 33:343

vison, *see* Mustela

Vitamin excretion by:

- Odocoileus, 36:553

vittata, *see* Nasua

vitticollis, *see* Herpestes

vitulina, *see* Phoca

Viverra Cancrivora, syn., 40:352

- Chinga, 40:341

- foeda, 40:341

- Memphitis, Surinam, syn., 40:351

- nasica, syn., 40:351

- Nasua, syn., 40:351

- prehensilis, syn., 40:350

- quasje, Surinam, syn., 40:351

- rostrata, 40:341

Viverridae, tax., 37:11

vivesi, *see* Pizonyx

Voge, Marietta:

- Cannibalism in *Microtus californicus*, 31:96

Voge, Marietta, and Howard A. Bern:

- Cecal villi in a pika (*Ochotona princeps*), 33:104

Vogtman, Donald B., and Wm. D. Fitzwater, Jr.:

- Post mortem studies of some mammals of the Hollandia area, Netherlands New Guinea, 32:211

Voice of:

- Bassariscus, 35:58

- Blarina, 39:502

- Castor, 31:43

- Citellus, 34:339; 40:31

- Cynocephalus, 31:271

- Cynomys, 36:69

- Dipodomys, 36:463

- Dusicyon, 37:284

- Felis, 38:515

- Globicephala, 33:332

- Grampus, 35:123

- Herpestes, 33:343

- Isodon, 39:46

- Lutra, 32:9

- Ornithorhynchus, 39:582

- Pitymys, 36:138

- Potorous, 39:45

- Sciurus, 31:326

- Sorex, 35:109

- Suncus, 37:278

- Sylvilagus, 31:326; 40:89

- Tamiasciurus, 37:64

- Tapirella, 34:267

- Tarsius, 31:261, 262

- Tursiops, 35:225

- Urogale, 31:353

volans, *see* Cynocephalus, Glaucomys, Myotis

Vole, 33:479; 34:504; 35:161, 450; 36:209, 493

Chestnut-cheeked, 38:111

Field, 31:194; 38:87

Forest meadow, 36:21

Japanese field, 34:345

Long-tailed, 32:283; 40:378

Meadow, 31:21, 26, 86, 138, 359; 32:121, 293, 343, 370, 459, 471; 33:183, 185, 433, 434, 437; 34:130, 263, 479; 36:221; 37:120, 298, 407, 446; 38:107; 39:291; 40:378

Mexican, 35:77; 37:436

Mountain, 32:283; 40:378

Oregon, 40:137, 403

Phenacomys, 35:260; 38:105

Pine, 31:86, 138, 360; 32:108; 33:370; 34:516; 39:242

Prairie, 31:320; 33:398; 38:44; 40:429

Prairie meadow, 31:360

Red-backed, 31:22, 138, 359, 466; 32:93, 108, 201, 325, 471; 33:250, 433, 434, 437, 479, 495, 500; 38:87, 104; 40:135, 378, 405

Rocky mountain lemming, 40:377

Sage, 40:379

Sagebrush, 36:270

Social, 37:257

Tundra, 31:466; 32:95; 38:78; 39:574

Tundra redback, 35:376; 38:78

Water, 40:378

Yellow-cheeked, 35:259

volubilis, *see* Hystrix

vomerina, *see* Phocoena

Voris, John C., James D. Yoakum, and Charles F. Yocum:

- Notes on chinchilla liberations in California, 36:302

vulcanius, *see* Reithrodontomys

vulgaris, *see* Nasua

vulpecula, *see* Trichosurus

Vulpes, 32:124; N. Y., hab., 34:125, Ontario, distr., 126; illus., 40:517, M¹ table, 518, character changes, status, 518, 519

alascensis, 40:515

bengalensis, 33:425

fulva, S. C., 31:85, Mich., 359; Mo., food hab., 32:296, Ore., 347, N. Y., fd., 462, Ohio, fd., 464, Mich., 471; 33:425, 426, Wis., 431, Alas., 478; Ontario, par., 34:138, N. J., distr., 231; Ind., wt., phys., anat., 35:504; Pa., par., 37:90, Alas., phys., 375, N. Y., distr., hab., 395, Ind., distr., hab., 407; hab., 39:72, Prince Edward I., misc., 292, Alas., 575, Wis., hab., 591; anat., 40:396, 403

fulva abietorum, British Columbia, fd., 34:258

fulva alascensis, Alas., 31:465; Alas., 32:91

fulva deletrix, Newfoundland, hab., 36:291

fulva fulva, W. Va., 32:369; Tenn., 33:366; Ohio, hab., 36:101; 40:513

- fulva macroura, Wyo., 32:117; Wyo., hab., 40:375
 fulva regalis, Okla., 40:364
 fulvus, syn., 40:514
 macrotis, Calif., 32:54; 33:425, 426; Calif., 34:332; Utah, hab., phys., par., wt., 37:351; hab., 39:72
 macrotis neomexicanus, N. Mex., distr., hab., 38:500
 macroura, 33:423
 velox, Colo., 33:473; Tex., hab., misc., 39:70, Tex., hab., 527
 vulpes, 33:419, 421, 423, 424, 425; distr., 34:126; 49:513, comp., European, American, 516
 vulpes bengalensis, Assam, India, 40:515
 vulpes beringiana, Siberia, 40:515
 vulpes crucigera, British Isles, France, 40:513, Austria, England, France, Ireland, Scotland, 515
 vulpes flavescens, Iran, 40:515
 vulpes hoole, China, 40:515
 vulpes karagan, China, Siberia, 40:515
 vulpes pusilla, India, 40:515
 vulpes silacea, Spain, 40:515
 vulpes tschiliensis, China, 40:515
 vulpes vulpes, Scandinavia, 40:513
 vulpes, *see* Canis, Vulpes
- W**
- Wade, Nelson J., *see* Panuska, Joseph B.
 Wade, Otis:
 Soil temperatures, weather conditions, and emergence of ground squirrels from hibernation, 31:158
 Wade, Phyllis:
 Breeding season among mammals in the lowland rain-forest of North Borneo, 39:429
 wagneri, *see* Reithrodontomys
 Wales:
 Bos, 38:280
 Wallaby, 39:55
 walleri, *see* Litocranius
 Wallmo, O. C., and Steve Gallizioli:
 Status of the coati in Arizona, 35:48
 Walrus, 31:162; 34:253, 254; 35:203, 444
 Walters, Roland D., and V. D. Roth:
 Faunal nest study of the woodrat, Neotoma fuscipes monochroua Rhoads, 31:290
 Walton, Sydney S., Jr.:
 Notes on the Carolinian jumping mouse in Connecticut, 36:140
 Wapiti, 34:136, 239; 35:578
 Ward, Claud M., *see* Glass, Bryan P.
 Warner, Dwain W., *see* Nicholson, Arnold J.
 Warner, R. G., *see* Bassett, Charles F.
 warreni, *see* Neotoma
 Wasatchia, Colo., foss., distr., 35:581
 *washburni, *see* Clethrionomys
 Washington, 32:11; 33:273, 398, 495
 Aplodontia, 39:233
 Berardius, 34:105
 Cervus, 31:464
 Citellus, 39:301
 Dipodomys, 39:299
 Fur returns, 39:146
 Lagurus, 34:121
 Lutra, 39:591
 Microtus, 40:457
 Odocoileus, 31:426; 38:116, 277
 Perognathus, 35:95; 39:300
 Peromyscus, 35:448; 39:300; 40:457
 Procyon, 31:444; 34:123
 Red fox, 40:515
 Sorex, 34:121; 37:436; 40:457
 Thomomys, 31:92; 40:457
 washingtoni, *see* Microsorex
 Wassif, Kamal:
 The bushy-tailed gerbil, Gerbillus calurus Thomas, of South Sinai, 35:243
 Pseudorca crassidens Owen from the Mediterranean shores of Egypt, 37:456
 Water balance:
 Dipodomys, 38:502
 Waterbuck:
 Common, 31:188
 Defassa, 31:188
 Water consumption by:
 Peromyscus, 37:74
 Tamias, 38:194
 waterhousei, *see* Macrotus
 waterhousii, *see* Macrotus
 Water intake:
 Deer mouse, 40:602
 Water requirements:
 Peromyscus, 31:74; 37:74
 Water restriction:
 Mus, 38:361
 Waters, Joseph H.:
 Second find of Thomomys talpoides from late Pleistocene in Kansas, 37:540
 Watkins, A. Rush, *see* Sanborn, Colin Campbell
 Watson, Gordon W., *see* Crab, Wilfred D.
 watsoni, *see* Artibeus
 Weaning of:
 Lepus, 37:64
 Microtus, 34:504
 Odocoileus, failure, 39:155
 Weasel, 31:359; 32:43, 54, 91; 34:131, 332; 35:169, 430; 36:567; 37:113; 39:245; 40:174, captive, 614
 Bonaparte, 34:385
 Bonaparte's, 37:395
 Bridled, 38:500
 Kodiak, 39:576
 Least, 31:146, 465; 32:225; 33:251; 34:385; 35:594; 36:101; 37:271; 38:103; 39:147, 291
 Long-tailed, 31:84, 146, 313; 32:43, 104, 281, 347, 369, 471; 33:253, 366, 492;

- 34:237; 37:407; 38:517; 40:375
 New Mexican bridled, 36:292
 New York, 34:231, 385
 Richardson, 36:362
 Short-tailed, 31:146, 356; 32:226, 281, 471;
 33:478; 38:500; 40:138, 614
 Webb, Olin L.:
 Perognathus nelsoni canescens in New
 Mexico, 35:453
 Webb, Olin L., *see* Jones, J. Knox., Jr.
 Weber, Neal A.:
 Notes on Iraq Insectivora and Chiroptera,
 36:123
 Weber, William A., *see* Beidleman, Richard
 G.
 Weighing of:
 Ground squirrels, 32:438
 Weight cycle of:
 Hamster, 40:565
 Tamias, 40:555, 558, 559
 Weight fluctuation of:
 Microtus, 36:533
 Weight of:
 Apodemus, 39:482
 Artibeus, 38:6
 Bacula in mink, 32:47, 49
 Balantiopteryx, 38:1
 Bears, 31:450
 Black bear, 32:223
 Blarina, 31:313; 32:115; 34:231; 39:499
 Bobcat, 32:357
 Callorhinus, 31:385, 386, 388, 389; 36:
 493; 37:83
 Canis, 34:390; 40:362
 Carollia, 38:5
 Castor, 32:363; 34:29, 260, 464; 37:506;
 39:97
 Cervus, 31:464
 Chilonycteris, 38:2
 Choeronycteris, 38:5
 Citellus, 34:343; 39:595; 40:27
 Clethrionomys, 34:233
 Corynorhinus, 33:278
 Cryptotis, 31:313; 33:242; 34:230; 39:509
 Cynopterus, 31:275, 276
 Dasypterus, 38:13
 Delphinus, 37:311
 Dicrostonyx, 38:112
 Didelphis, 31:94; 39:348
 Dipodomys, 38:342
 Enhydra, 32:10
 Eptesicus, 37:543; 38:12; 39:259
 Erethizon, 34:512
 Geomys, 31:314; 36:143
 Globicephala, 33:333; 37:311
 Glossophaga, 38:4
 Crampus, 37:311
 Gulo, 32:224
 Hipposideros, 31:274
 Jentinkia, 39:353
 Lagenorhynchus, 37:311
 Lasionycteris, 34:499
 Lasiurus, 37:543
 Lepus, 39:361; 40:66, 221, 226
 Lynx, 31:329; 40:148, 450
 Macrotus, 38:4
 Manatee, 32:26, 27, 28
 Mephitis, 39:357
 Micronycteris, 38:3
 Microtus, 32:98; 34:233, 504; 36:493
 Molossus, 38:13
 Mountain lion, 32:364
 Mus, 36:493
 Myotis, 31:97, 195; 34:122; 37:543; 39:
 294
 Napaeozapus, 37:196
 Nasua, 33:108; 39:355, 356
 Neofiber, 37:448
 Neotoma, 31:361; *yg.*, 33:462; 34:183
 Nycticeius, 37:543
 Ocelot, 32:362
 Ochotona, 34:132
 Odocoileus, 31:5; 36:493; 39:366; 40:112
 Ondatra, 32:175, 360; 36:493; 37:494
 Organs of muskrat, 32:176
 Ornithorhynchus, 39:583
 Pecari, 39:364
 Peromyscus, 31:75; 34:232; 37:516; 39:
 183
 Phenacomys, 38:106
 Pipistrellus, 37:543
 Pitymys, 34:233
 Potos, 39:355
 Procyon, 31:446, 448; 32:363; 34:123; 36:
 493; 37:445
 Pteronotus, 38:3
 Queensland mammals, 33:117
 Rattus, 34:366; 36:493
 Scalopus, 31:281, 284, 285, 286; 40:191
 Scapanus, 39:265
 Sciurus, 31:454; 36:293, 493; 39:155
 Sigmodon, 31:317
 Sorex, 31:22; 32:355; 33:107, 108; 34:121,
 230; 36:323, 339; 37:436; 39:349
 Spermophilus, 39:154
 Spilogale, 39:296
 Sylvilagus, 38:235; 39:124, 154
 Synaptomys, 34:233; 38:112
 Tamias, 38:194
 Tapir, 31:432
 Tarsius, 31:260
 Trichechus, 34:194
 Urocyon, 37:346; 39:79, 80, 350
 Urogale, 31:353
 Ursus, 36:134
 Zapus, 31:461; 34:234
 Weight patterns of:
 Tamias, 40:554
 Welch, Jack F.:
 Formation of urinating "posts" by house
 mice (*Mus*) held under restricted condi-
 tions, 34:502

- Wells, P. H., *see* Buchholz, R. H.
- Wellwood, A. A.:
Some food preferences in field mice, 37:297
- Wellwood, A. A., *see* Silman, E. I.
- Wendt, Robert F., *see* Doll, Arthur D.
- Werner, H. J., *see* Dalquest, W. W.
- Werner, H. J., W. W. Dalquest, and J. H. Roberts:
Histological aspects of the glands of the bat, *Tadarida cynocephala* (Le Conte), 31:395
- Werner, Henry J., *see* Dalquest, Walter W.
- Werner, Henry James, and Walter W. Dalquest:
Facial glands of the tree bats, *Lasiurus* and *Dasypterus*, 33:77
- Werner, William E., Jr.:
Mammals of the Thousand Islands Region, New York, 37:395
- West Indies, 33:352
Zoogeography, 40:236
- West Virginia, 33:247, 253
Glaucomys, 37:295
Lasionycteris, 34:499
Lasiurus, 37:280
Local list, 32:368
Martes, 37:287; 39:153
Myotis, 36:130
Pipistrellus, 40:16, 525, 529
Rattus, 31:461
Sciurus, 36:293
- Wetherill, Milton A.:
Occurrence of coati in northern Arizona, 38:123
- Wetmore, Alexander:
The gray fox attracted by a crow call, 33:244
- Wetzel, Ralph M.:
Speciation and dispersal of the southern bog lemming, *Synaptomys cooperi* (Baird), 36:1
- Whale:
Antarctic blue, 31:164
Baird's beaked, 34:98
Beaked, 34:105, 239, 249; 35:124; 38:186
Blainville's beaked, 36:573
Blue, 38:186, 188
Bottlenose, 34:111
Bowhead, 34:253
Cuvier's beaked, 33:255; 34:251; 39:308
False killer, 33:255; 37:456
Fin, 34:253; 38:186
Finback, 37:455
Goosebeak, 39:440
Gray, 35:444
Killer, 33:255, 331; 38:186
Pacific gray, 35:596
Pacific killer, 37:311
Pacific pilot, 37:311
Pigmy sperm, 40:452
Piked, 36:429; 39:593
Pilot, 32:251; 33:321
Pygmy sperm, 32:403, meas., 407; 33:332; 36:263
Right, 32:259
Southern right, 37:456
Sperm, 32:151; 33:332; 34:253; 37:288; 38:186
White, 33:328
- Wharton, Charles H.:
The tarsier in captivity, 31:260
Notes on the life history of the flying lemur, 31:269
Notes on the Philippine tree shrew, *Urogale everetti* Thomas, 31:352
- Wheeler, E. P., 2nd:
Notes on Pinnipedia, 34:253
- White, John A.:
A practical method for mounting the bacula of small mammals, 32:125
whitehead, *see* *Rattus*
- Whitlock, S. C.:
The black bear as a predator of man, 31:135
- Whitmoyer, Theodore F., *see* Colley, Frank B. wiedi, *see* *Felis*
- Wiens, Alvin L., *see* Leone, Charles A.
- Wilber, C. G., *see* Musacchia, X. J.
- Wilber, Charles G.:
Notes on the lipids in some wild animals, 33:105
Fur seal blubber, 33:483
Electrocardiogram of the raccoon, 36:283
Electrocardiographic studies on the opossum, 36:284
- Wilber, Charles G., *see* Musacchia, Xavier J.
- Wilber, Charles G., and Theodore W. Gorski:
The lipids in *Bison bison*, 36:305
- Wilber, Charles G., and X. J. Musacchia:
A comparative study of lipids in arctic marine mammals, 31:162
Fat metabolism in the arctic ground squirrel, 31:304
- Wilbur, Charles G., and Paul F. Robinson:
Aspect of blood chemistry in the white-tailed deer, 39:309
- Wild ass, Mongolian, 40:483
- Wildcat, 32:54, 267; 34:332
- Wilbebeest:
Brindled, 31:187
White-bearded, 31:187
- Wildhagen, Aage:
Present distribution of North American mink in Norway, 37:116
- Wilke, Ford:
Seals of northern Hokkaido, 35:218
- Wilke, Ford, *see* Bartholomew, George A.
see Kenyon, Karl W.
see Slipp, J. W.
- Wilke, Ford, and A. J. Nicholson:

- Food of porpoises in waters off Japan, 39:441
- Wilke, Ford, Takeshi Taniwaki, and Nagahisa Kuroda:
Phocoenoides and Lagenorhynchus in Japan, with notes on hunting, 34:488
- Williams, Ernest E.:
Additional notes on fossil and subfossil bats from Jamaica, 33:171
- Williams, Olwen:
New Phenacomys records from Colorado, 33:399
Home range of Peromyscus maniculatus rufinus in a Colorado ponderosa pine community, 36:42
Distribution of mice and shrews in a Colorado montane forest, 36:221
Food habits of the deer mouse, 40:415
Water intake in the deer mouse, 40:602
- Williams, Ralph B., and Bert B. Babero:
Onchocerca in an Alaskan moose, 39:449
- Williams, Roger M., *see* Reeves, Henry M.
- Williams, Thomas R.:
Marten and hawk harass snowshoe hare, 38:517
- Williamson, V. H. H.:
Determination of hairs by impression, 32:80
- Wilson, Nixon:
Some ectoparasites from Indiana mammals, 38:281
Another instance of bat versus ant, 39:438
- Wilson, Robert W.:
Dental formula in the Muroidea, 37:295
- wilsoni, *see* Dipoides
- Wimmer, Robert B., *see* Urban, Emil K.
- Wimsatt, William A.:
Attempted "cannibalism" among captive vampire bats, 40:439
- Winter activity of:
Myotis, 38:21
Peromyscus, 38:72
Sigmodon, 38:72
Tamias, 40:444
Ursus, 35:28
- Winter disappearance:
Tamias, 40:555
- Winter range of:
Lasiurus, 37:280
- Wisconsin, 32:173, 362, 363; 33:429
Blarina, 36:564
Castor, 32:363; 34:260
Citellus, 39:288
Eptesicus, 36:242
Geomys, 36:142
Gulo, 35:254
Lasiurus, 37:279; 39:438
Local list, 40:428
Lynx, 32:363; 38:414
Microtus, 36:564; 39:109, 288
Mus, 36:460
Mustela, 31:146; 36:564
Myotis, 36:567
Odocoileus, 35:456
Peromyscus, 34:262; 36:564; 39:288
Pipistrellus, 40:524, 527
Procyon, 32:363; 34:122, 155
Reithrodontomys, 31:363
Scalopus, 39:59; 40:181
Sorex, 36:564
Spilogale, 32:363; 39:296
Sylvilagus, 38:275
Tamias, 37:23; 38:192
Taxidea, 34:388
Vulpes, 39:591
Zapus, 39:288
- Wisconsin time:
Bison, 40:567
- Wiseman, George L., and G. O. Hendrickson:
Notes on the life history and ecology of the opossum in southeast Iowa, 31:331
- Wiseman, J. S., *see* Eads, R. B.
- Wislocki, George B.:
A possible antler rudiment on the nasal bones of a whitetail deer (Odocoileus virginianus borealis), 33:73
Antlers in female deer, with a report of three cases in Odocoileus, 35:486
Further notes on antlers in female deer of the genus Odocoileus, 37:231
- Wolf, 31:465; 32:91, 207, 347; 33:423, 493; 34:127, 258; 35:105; 37:337; 39:140; 40:363, Ontario, 514
Arctic, 36:254
Falkland Island, 32:126
Gray, 37:375; 40:375
Maned, 33:390
Red, 40:363
Timber, 31:167, 169, 359; 33:429, 433; 34:389
- wolfi, *see* Cercopithecus
- wollebaeki, *see* Zalophus
- Wolverine, 31:466; 32:91, 209, 224; 33:492; 34:258; 35:254, 594; 36:248, 346; 37:445; 39:140, 153, 570; 40:614
Southern, 36:569
- Woman, pancreatic islets in, 38:188
- Wood, Albert E.:
A revised classification of the rodents, 36:165
- Wood, Alvin, *see* Presnall, Clifford C.
- Wood, John E.:
Food habits of furbearers of the upland post oak region in Texas, 35:406
Notes on young pocket gophers, 36:143
Age structure and productivity of a gray fox population, 39:74
- Woodchuck, 31:85, 196, 359, 361, 454; 32:104, 342, 369, 471; 33:254, 366, 388; 34:232; 36:101; 37:289, 291, 395, 407; 40:403
Ochraceous, 36:362
- Woodin, Howard E.:


- The appearance of a moose rutting ground, 37:458
- Woodrat, 31:86, 196, 198, 361, 421; 32:114, 293; 33:54, 459
- Allegheny, 32:107, 370
- Bushy-tailed, 32:282, 348; 34:238; 38:472; 39:277; 40:377, 594
- Desert, 38:472
- Dusky-footed, 31:290; 32:348
- Eastern, 33:369; 38:197; 39:242; 40:403
- Florida, 34:130
- Hoary, 38:498
- Malaysian, 39:190
- Mexican, 38:499
- White-throated, 38:499
- Woolfenden, Glen E.:
An unusual concentration of *Sorex cinereus*, 40:437
- Woolfenden, Glen E., *see* Layne, James N.
- Woolsey, Norman G.:
New northern record for *Lepus alleni* in Arizona, 40:250
- Worth, C. Brooke:
Field and laboratory observations on roof rats, *Rattus rattus* (Linnaeus), in Florida, 31:293
- Observation on the behavior and breeding of captive rice rats and woodrats, 31:421
- Indirect evidence supporting observations on the range of wild rodents, 32:76
- Wright, Barton A., *see* Hibbard, Claude W.
- Wright, Philip L.:
Synaptomys borealis from Glacier National Park, Montana, 31:460
- Intergradation between *Martes americana* and *Martes caurina* in western Montana, 34:74
- Wright, Philip L., *see* Newby, Fletcher E.
- Wright, Philip L., and Robert Rausch:
Reproduction in the wolverine, *Gulo gulo*, 36:346
- Wyoming, 32:116, 117, 118, 469; 33:470
- Alces, 40:420
- Bison, 31:463; 35:453
- Canis, 36:133
- Castor, 34:27
- Chipmunk, 40:377
- Citellus, 34:155; 37:550; 38:414
- Fur bearers, 34:221
- Local list, 40:371
- Lynx, 40:450
- Microtus, 31:351; 39:252
- Moose, 40:420
- Mustela, 31:356; 35:418
- Myotis, 35:434
- Neotoma, 31:196
- Odocoileus, 34:397
- Peromyscus, 34:155; 40:415
- Phenacomys, 31:351
- Sciurus, 40:418
- Sorex*, 36:560
- Taxidea, 31:91, 355; 34:155
- Thomomys, 38:132
- Zapus, 31:194
- Wyrick, Ralph F.:
Observations on the movements of the Pacific gray whale, *Eschrichtius glaucus* (Cope), 35:596
- ### X
- xanthinus, *see* *Dasypterus*
- xanthognathus, *see* *Microtus*
- xerampelinus, *see* *Scotinomys*
- ### Y
- yagouaroundi, *see* *Felis*, *Herpailurus*
- yakimensis, *see* *Perognathus*
- Yeager, Lee E., *see* Hoover, Robert L.
see Kinghorn, Robert G.
- Yeager, Lee E., and Jack D. Remington:
Sight observations of Colorado martens, 1950–1955, 37:521
- yerbabuena, *see* *Leptoncyteris*
- Yerger, Ralph W.:
Home range, territoriality, and populations of the chipmunk in central New York, 34:448
- Yerkes, Robert M.:
Gorilla census and study, 32:429
- Yoakum, James D.:
(Review) William Graf, *The Roosevelt elk*, 40:460
- Yoakum, James D., *see* Voris, John C.
- Yocum, Charles T., *see* Voris, John C.
- Yosemite region:
Fisher, 40:614
- Wolverine, 40:614
- Youatt, W. G., and A. W. Erickson:
Notes on hematology of Michigan black bears, 39:588
- Young, Howard, Robert L. Strecker, and John T. Emlen, Jr.:
Localization of activity in two indoor populations of house mice, *Mus musculus*, 31:403
- Young of:
Aplodontia, 37:87
- Bassariscus, 35:56
- Black bear, 33:246
- Blarina, 32:115
- Callorhinus, 34:94
- Citellus, 34:342; 38:414
- Clethrionomys, 35:376; 36:566
- Condylura, 37:223
- Corynorhinus, 33:311
- Cryptotis, 32:115; 33:241; 34:230; 35:252
- Delphinus, 37:311
- Dicrostonyx, 33:184
- Dipodomys, 33:494
- Erethizon, 34:260
- Felis, 32:116
- Geomys, 36:143

- Globicephala*, 36:424; 37:311
Lasionycteris, 32:222
Lasiurus, 33:112; 36:455; 37:279
Lepus, 37:64
Microtus, 34:130, 233; 37:120
Myotis, 35:112, 432
Neofiber, 37:448
Peromyscus, 32:107; 36:101
Phoca, 35:218
Pizonyx, 35:86
Procyon, 33:247
Sciurus, in captivity, 34:509
Sorex, 32:115; 35:109; 37:277
Stenella, 36:467
Tamiasciurus, 37:64
Trichechus, 38:137
Vulpes, 32:117
 Young, Stanley P.:
 (Review) Jay P. Williams, Alaskan adventure, 33:505
 Black-footed ferret (*Mustela nigripes*) in South Dakota, 35:443
 Young, Stanley P., and Arthur F. Halloran:
 Arizona specimens of the black-footed ferret, 33:251
 Youngman, P. M., *see* Starrett, A.
 Youngman, Phillip M.:
 A population of the striped field mouse, *Apodemus agrarius coreae*, in central Korea, 37:1
 Yucatan:
 Equus, 38:278
yucatanica, *see* *Peromyscus*, *Tadarida*
 Yukon:
 Callorhinus, 35:444
 Yukon Territory:
 Local list, 31:360
yumanensis, *see* *Myotis*
- Z**
- Zaedyus pichiy*, 40:340
Zalophus californianus, Calif., hab., 32:15; pop., 33:160, 168; Mexico, distr., 35:596
 wollebaeki, Galapagos Is., distr., 37:549
Zapodidae, tax., 36:165
Zapus, Mich., 31:359; Colo., 33:399, 497
 burti, 32:352
 hudsonius, Ga., wt., habitat, 31:461; Ill., 32:122; Alas., 33:479; N. J., anat., distr., fd., hab., meas., tax., wt., 34:234; Kan., hab., 35:42; Ohio, hab., wt., 121; Ohio, hab., 233; Ala., distr., hab., 592; Iowa, hab., 36:121; Mich., hab., 301; Ontario, hab., 37:119; Manitoba, ecol., 38:95; Mich., 39:149; Wis., misc., 288, Prince Edward I., misc., 292; anat., 40:397, Wis., hab., 428, nomen., 573
 hudsonius americanus, S. C., 31:86; Conn., hab., 36:140
 hudsonius campestris, Manitoba, misc., 31:22; Mo., 32:227; Manitoba, hab., 37:299
 hudsonius hudsonius, hab., 31:453; Wis., color var., 32:362, W. Va., 370, Mich., 471; N. Y., hab., 35:103; Mich., hab., 37:122; N. Y., distr., hab., 395; Manitoba, distr., 38:114
 hudsonius ontarionensis, Ontario, dis., 31:357
 hudsonius pallidus, Nebr., hab., 31:454
 hudsonius rafinesquei, Tenn., habitat, 33:370; Ohio, hab., wt., 36:101
 princeps, Wyo., dis., 31:194, hab., 453; 32:351; Colo., distr., 37:80; Calif., hab., 38:446; nomen., 40:573
 princeps cinereus, Utah, 32:114
 princeps princeps, Colo., 32:283; Colo., distr., hab., 34:238, Colo., anat., 265; Colo., hab., 36:221
 princeps utahensis, Wyo., hab., 40:379
 **rinkerii*, Kan., orig. desc., foss., 32:351
 trinitatus, Ore., 32:348, 351; nomen., 40:573
 Zebra:
 Chapman's, 31:189; 38:279
 East African, 31:189
 Grevy's, 31:189
zibethica, *see* *Ondatra*
zibethicus, *see* *Fiber*, *Ondatra*
 Zim, H. S., *see* Martin, Alexander C.
 Zinn, Donald J.:
 Albino chipmunks in Rhode Island, 35:585
Ziphiidae, 35:124
Ziphius cavirostris, Baja Calif., meas., 32:365, 409; Hawaii, 33:255; comp., 34:248, Ore., desc., distr., meas., 251; Calif., misc., 39:308; N. C., distr., 39:440
 Zoogeography of:
 Artibeus, 38:166
 Big Black Mt., Ky., 32:101
 Capromys, 38:165
 Citellus, 37:80
 Clethrionomys, 37:80
 Eptesicus, 38:167
 Erethizon, 37:80
 Erophylla, 38:166
 Eutamias, 37:80
 Glaucomys, 37:80
 Glossophaga, 38:166
 Halichoerus, 38:297
 Lasiurus, 38:167
 Lonchorhina, 38:166
 Macrotus, 38:165
 Marmota, 37:80
 Martes, 37:80
 Microtus, 37:80
 Mormoops, 38:165
 Natalus, 38:166
 Ochotona, 37:80
 Procyon, 38:164
 Sciurus, 37:80
 Sorex, 37:80

Tadarida, 38:168
Tamiasciurus, 37:80
West Indies, 40:236
Zapus, 37:80
Zorilla, Africa, nomen., 34:378
mapurito, Africa, nomen., 34:114

zorilla, *see* Mustela
Zygodactyls, 40:596
Zygodactyly in:
Marsupials (Diprotodontia), 40:595
Microtus, 40:595
Primates, 40:595

[illegible]



AUGUSTANA LIBRARY
UNIVERSITY OF ALBERTA



1 1910 00118 2606